















Galbreath hoppers are great for storing, transporting and dumping scrap and bulk material. Self-dumping hoppers are designed for industrial, commercial and institutional applications and are particularly useful for in-plant housekeeping, in-process material handling, sorting and storing, scrap collection and other rugged applications. Self-dumping hoppers allow for safe and easy loading, transporting and dumping of material. Galbreath hoppers are available in large capacity, low profile, open end and light duty models. Hoppers come with standard red oxide primer finish or can be painted in variety of colors.

FEATURES:

- Standard red oxide primer finish
- Unique tapered press fitted rocker pin that when "rocked in" self centers front and back and side to side
- Standard hopper lock (1)
- · Press fitted locker pin (2)
- Spring loaded latch with reinforced latch pin
- Continuous welded seams for watertight construction
- · Plasma cut sides and rocker guides










HEAVY DUTY SELF-DUMPING


1/8 to 1-1/2 cubic yard hoppers

HOPPERS









Galbreath heavy duty self-dumping hoppers are designed for forklift handling of materials, particularly for demanding applications such as commercial construction, machine shops, fabrication, in-process material handling, sorting and storing operations and scrap collection for metal, glass, stone and more. The 7 gauge steel body features a channel for additional support on the hopper body and an angle reinforced formed steel base with 1" plate rocker stops. Rocker allows the hopper to roll forward and backward for easier dumping with the pull of a handle. Rocker stops lock the hopper in place for safety.

Available in 1/8, 1/4, 3/8, 1/2, 3/4, 1 and 1-1/2 yard capacities.

	H-125	H-25	H-375	H-50N	H-50	H-75	H-100	H-150
Vol. capacity (cu. yds.)	1/8	1/4	3/8	1/2	1/2	3/4	1	1-1/2
Weight capacity (lbs.)	1500	3,000	3,000	4,000	4,000	5,000	6,000	6,000
Shipping weight (lbs.)	254	400	420	420	460	580	600	750
A	31"	46-3/8"	47"	49-1/4"	47-3/16"	59"	62-1/8"	66"
В	30-1/2"	45-3/4"	44"	46-1/4"	44"	55-1/2"	58"	59-3/4"
C	0	0	2-1/2"	5-1/4"	2-1/2"	3"	4"	8"
D	17-1/2"	26-1/2"	31"	35-1/2"	31"	36"	38"	46"
E	29"	42-1/2"	42-1/2"	42-1/2"	42-1/2"	48"	48"	54-1/2"
F	31"	30-1/8"	32-1/4"	32-1/4"	39"	39"	39-1/2"	44-1/2"
G	30"	29"	29"	29"	36"	36"	36"	41"
Н	25"	23-1/2"	23-1/2"	23-1/2"	30-1/4"	30-1/4"	30-1/4"	35-1/2"
1	31"	31-3/4"	31-1/2"	31-1/2"	39"	39"	39"	43-1/2"
J	4-1/2"	7"	6"	8"	7"	11"	9"	6"
K	39"	56-1/2"	60"	65"	60"	71"	75"	85"
L	45°	45°	42°	42°	42°	41°	35°	35°
M	n/a	52"	54"	61"	58"	65"	68"	73"
N	n/a	51-1/2"	60-3/4"	69-1/2"	61-1/2"	72-3/4"	75-1/4"	91-1/2"
0	n/a	76-1/2"	90-1/2"	103-1/2"	91-1/2"	108-1/2"	112-1/4"	136-1/2
P	29-1/2"	45"	46"	49"	46"	57"	58"	63"




HEAVY DUTY SELF-DUMPING HOPPERS (LARGE CAPACITY)


1-1/2 to 5 cubic yard hoppers












Galbreath heavy duty self-dumping, large capacity hoppers are designed for "shock" loads or conveyor feed applications for foundries, scrap haulers and similar applications that require a structural base. They feature a 7 gauge steel body with angle reinforcements and structural steel base.


Available in 1-1/2, 2, 2-1/2, 3, 4 and 5 yard capacities.

FEATURES:

- · Heavy duty 7 gauge steel body
- · 1" round rocker stops on 1-1/2, 2, 2-1/2 yd. models
- · 1/4" round rocker stops on 3, 4 and 5 yd. models
- Continuous welded seams for watertight construction
- · Designed for 4,000 to 6,000 lb. capacities




	H-150W	H-200	H-250	H-300	H-400	H-500
Vol. capacity (cu. yds.)	1-1/2	2	2 1/2	3	4	5
Weight capacity (lbs.)	6,000	6,000	6,000	5,000	4,000	4,000
Shipping weight (lbs.)	790	920	950	1,250	1,430	1,570
A	62"	66"	67"	73-3/8"	73-3/8"	73-3/8"
В	58"	59-1/2"	56"	63"	63"	63"
С	3-7/8"	8"	15"	11-1/2"	11-1/2"	11-1/2"
D	39-3/8"	48"	55"	58-1/2"	58-1/2"	58-1/2"
E	48-1/2"	56-1/2"	56-1/2"	59"	59"	59"
F	57-1/2"	57"	57-9/16"	63-7/8"	83-7/8"	103-7/8"
G	54"	54"	54"	60"	80"	100"
Н	32"	32"	32"	32"	32"	32"
I	58"	58"	58"	57"	57"	57"
J	8"	5"	4"	1/2"	1/2"	1/2"
K	75"	87"	93"	98"	98"	98"
L	37°	32°	35°	25°	25°	25°
M	74"	78"	79"	n/a	n/a	n/a
N	78-3/4"	94-3/4"	108-3/4"	n/a	n/a	n/a
0	117-1/2"	141-1/2"	162-1/2"	n/a	n/a	n/a
Р	59"	65"	68"	60"	60"	60"




HEAVY DUTY SELF-DUMPING HOPPERS (LOW PROFILE)

2- 1/2 to 3-1/2 cubic yard hoppers




Galbreath heavy duty self-dumping hoppers with low profile design offer the advantage of increased capacity for equipment that requires a lower height requirement. Units incorporate a new heavy duty base for forklift handling of materials, in-plant house-keeping, scrap collection and more. These hoppers feature a 7 gauge body with angle reinforcement and 1" round rocker stops.

	H-250LP	H-300LP	H-350LP
Vol. capacity (cu. yds.)	2 1/2	3	3-1/2
Weight capacity (lbs.)	6,000	5,000	5,000
Shipping weight (lbs.)	1,151	1,304	1,416
Α	66-1/2"	66-1/4"	66"
В	59-1/2"	59-1/2"	59-1/2"
С	7-1/2"	7-1/2"	7-1/2"
D	46"	46"	46"
E	56-1/2"	56-1/2"	56-1/2"
F	66"	85-1/2"	99-1/2"
G	62"	82"	96"
Н	47-3/4"	47-3/4"	47-3/4"
1	57"	57"	57"
J	5"	5"	5"
К	87"	87"	87"
L	65"	65"	65"



LIGHT DUTY SELF-DUMPING HOPPERS

1/2 to 2-1/2 cubic yard hoppers



NOTE: The LH-50 and LH-100 stack. The LH-150, LH-200 and LH-250 nest.


Galbreath light duty self-dumping hoppers are ideal for lightweight materials or bulky materials that take up more space than weight. These hoppers are a great fit for lightweight recycling, plant maintenance, wood scraps of all types (sawdust, pallets, cabinets, paper mills) as well as cardboard, plastic and metal shavings. Hoppers are constructed of 12 gauge steel with fully welded rocker stop supports and formed base.

	LH-50	LH-100	LH-150	LH-200	LH-250
Vol. capacity (cu. yds.)	1/2	1	1-1/2	2	2-1/2
Weight capacity (lbs.)	1,500	1,500	2,000	2,000	2,000
Shipping weight (lbs.)	369	417	472	509	570
А	49-1/4"	60-1/2"	60-1/2"	60-1/2"	60-1/2"
В	47-1/2"	58-1/2"	58-1/2"	58-3/8"	58-3/8"
С	n/a	n/a	n/a	7-1/4"	7-1/4"
D	30-3/4"	39"	37-1/2"	44"	44"
E	39-1/4"	48"	48"	48"	48"
F	39-3/4"	39-3/4"	58-1/4"	58-1/4"	72-1/2"
G	36-1/2"	36-1/2"	54-3/4"	54-3/4"	54-3/4"
Н	36-1/2"	38"	38"	38"	38"
ı	40-1/2"	40-1/2"	38-5/8"	38-5/8"	38-5/8"
J	8-3/8"	3-1/2"	3-1/2"	3-7/8"	3-7/8"
К	59"	76"	76"	81-1/2"	81-1/2"
L	29°	21.5°	21.5°	25°	25°
M	55"	66"	67"	75"	75"
N	59-1/2"	77"	70"	78"	78"
0	89"	114"	77-1/2"	93-1/2"	93-1/2"
Р	47"	54"	57"	58"	58"



OPEN END SELF-DUMPING HOPPERS

Galbreath open end self-dumping hoppers are constructed from heavy gauge steel and designed for forklift handling of long materials. This hopper is ideal for lumber, plastic/metal pipe or re-bar, large sheet material, construction material or fencing scraps. It is designed to handle a variety of debris varying in length and thickness. These hoppers are constructed of 7 gauge formed channel frame and formed steel base equipped with 1" round rocker stops.






AND THE PERSON	HOE-1	HOE-2
Shipping weight (lbs.)	360	690
A	47-1/2"	67-1/2"
В	45"	64-1/2"
С	30"	46-3/4"
D	42-1/2"	48-1/8"
E	42" (min.)	54" (min.)
F	30-1/2"	30-1/2"
G	38"	38-1/2"
Н	6-5/8"	12-1/2"
1	49"	63-1/4"
1	42°	37°
К	57"	77"
L	28"	39-1/4"



DOCK CARTS

These carts are designed for manual handling of paper, wood and other lightweight, in-plant materials. The carts feature a 14 gauge steel body. Casters include 2 rigid and 2 swivel casters along with 6" x 2" rubber mold-on casters.





	DC-100	DC-150	DC-200
Vol. capacity (cu. yds.)	1	1-1/2	2
Weight capacity (lbs.)	1,600	1,600	1,600
Shipping weight (lbs.)	215	253	287
Α	57"	57"	57"
В	59"	59"	59"
С	41"	41"	41"
D	30-1/2"	35-1/2"	57-1/2"
E	27"	41"	54"
F	35-1/2"	35-1/2"	35-1/2"
G	21"	35"	48"
Н	7-1/2	7-1/2	7-1/2
1	33"	33"	33"

Manual lifting should not exceed individual capacity.

HOPPER OPTIONS

CASTERS

(A) Semi-steel, (B) phenolic, (C) rubber mold-on or (D) polyurethane (two swivel and two rigid) casters available.










OPTION	TYPE	CAPACITY	WHEEL	BEARING	HEIGHT	WEIGHT
NO. 1	4" Semi-Steel	3200 lbs.	4" x 1-1/2"	Roller	5-3/4"	28 lbs.
NO. 2	6" Semi-Steel	3400 lbs.	6" x 2"	Roller	7-1/2"	46 lbs.
NO. 3	8" Semi-Steel	4200 lbs.	8" x 2"	Roller	10"	64 lbs.
NO. 4	6" Phenolic	3600 lbs.	6" x 2"	Self Lub.	7-1/2"	44 lbs.
NO. 5	6" Rubber - Mold-On	1640 lbs.	6" x 2"	Roller	7-1/2"	42 lbs.
NO. 6	8" Rubber - Mold-On	2000 lbs.	8" x 2"	Roller	10"	60 lbs.
NO. 7A	6" Polyurethane	3600 lbs.	6" x 2"	Roller	7-1/4"	36 lbs.
NO. 7B	8" Polyurethane	3600 lbs.	8" x 2"	Roller	9-1/2"	38 lbs.

Casters not available for models H-300, H-300LP, H350LP, H400 or H500.




TYPE A
Weld on back with single center hinge



TYPE B

Double hinged – Back and center



Single hinged center

HOPPER COVERS

Hopper covers offer debris containment and security. Constructed of carbon steel, these covers feature an X-crimp design for water drainage.

OPTION	HOPPER SIZE	TYPE A	TYPE B	TYPEC
NO. 16	1/2 yd.	50 lbs.	56 lbs.	54 lbs.
NO. 17	3/4 and 1 yd.	59 lbs.	64 lbs.	62 lbs.
NO. 18	1-1/2 yd.	80 lbs.	86 lbs.	85 lbs.
NO. 19	2 yd.	102 lbs.	110 lbs.	108 lbs.
NO. 20	2-1/2 yd.	109 lbs.	117 lbs.	114 lbs.

Covers are a non-inventory item. Please allow additional manufacturing time.

HOPPER OPTIONS

ADDITIONAL OPTIONS

- Available in standard red oxide primer finish or optional paint (See paint chart below)
- Hopper retaining chain and bracket (1)
- Hopper floor lock (2)
- Three way entry (1/4 cubic yard-3 cubic yard sizes only) (3)
- Platform legs (4)
- Pull bracket with 10' nylon rope (5)
- Drain plug
- Drain sump
- · Crane pick-up eyes

PAINT CHART



No. P1001



No. P1002



No. P1003 SILVER GRAY



No. P1004 BLACK



No. P1005 YELLOW



No. P1006 CHROME YELLOW



No. P1008 CREAM



No. P1009 BEIGE



No. P1011 SPANISH ORANGE



No. P1012 RED



No. P1013 LIGHT BLUE



No. P1015 MEDIUM BLUE



No. P1016 DARK BLUE



No. P1017 VISTA GREEN



No. P1018 MEDIUM GREEN



No. P1077 BRIGHT GREEN



No. P1019 DARK GREEN



No. P1020 BURGUNDY



No. P1022 COCOA BROWN



No. P1023 RED OXIDE PRIMER

PLEASE NOTE: Printing limitations prevent exact duplication of finish color. Please order by color and number to eliminate errors.













800-297-0668 | wastequip.com

GAL003-062011