

Bar Cradle Truck - 2 cradles

4,000 LB CAP.



Model TC Shown

Model TC - Transports bars

Product Features:

- All welded construction (except casters).
- 1-1/2" x 3/16" thick angle frame construction with 12 gauge caster mounts.
- Cradle 22"w x 14"h.
- Bed height - 20".
- Overall height - 34".
- All swivel casters (bolted on for ease of replacement).
- Powder coated gray finish.



Model TC - 4,000 lb. capacity

WxL (in)	6" Casters Phenolic	Wgt. (lbs)
25 x 24	TC225-P6-AS	94

NOTE: Usual Application in pairs

Options:

- 2 wheel brakes on swivel casters - Code B6
- 8" Phenolic casters (change suffix) - Code P8

Bar Cradle Trucks - 3 & 4 cradles

Models CR, CT - Transports bars



Model CR Shown

Product Features:

- All welded construction (except casters and wheels).
- 3 cradles for 62" long unit; 4 cradles for 96" long unit.
- Cradle 27"w x 14"h
- 3" x 3/16" thick flat load supports for better material support.
- Powder coated gray finish.

Model CR:

- 3" channel steel frame.
- 6" phenolic bolt on swivel casters (4) on ends and 10" phenolic wheels (2) on 1" axle in center.
- Overall height - 28".

Model CT:


- 4" channel steel frame.
- 8" phenolic bolt on swivel casters (4) on ends and 12" phenolic wheels (2) on 1" axle in center.
- Overall height - 30".

Model CR - 5,000 lb. capacity

WxL (in)	Model No.	Wgt.(lbs)
30 x 62	CR362-P1	180
96	CR396-P1	260

Model CT - 10,000 lb. capacity

WxL (in)	Model No.	Wgt.(lbs)
30 x 62	CT362-P2	230
96	CT396-P2	310



Model CT Shown

Removable Plastic Bin Carts (16 to 192 Bins)

1,200 LB CAPACITY*
(*800 lb with T5 casters)



Model RE Shown

Models RE, RA - Mobile small parts organizer

Product Features:

- Double sided louvered panels accept different size plastic bins.
- All welded construction (except casters).
- Durable **12 gauge steel shelves** and 12 gauge caster mounts for long lasting use.
- Tubular handle for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Size of louvered panels model RE - 50"h x 36"w.
- Size of louvered panels between shelves model RA - 19"h x 36"w.
- Overall height - Model RE - 64", Model RA - 35" - add 4" for full pneumatic casters.
- Powder coated gray finish.

1,200 LB CAPACITY*
(*800 lb with T5 casters)



Model RA Shown

ACCESSORIES - 3 Sizes of Plastic Bins in Yellow

Individual Bins (3 sizes)

- Specify code and quantity

Code	Size	Dimensions	Louver Tabs Used*
RB	Large	8-1/4"w x 11"d x 7"h	3 wide x 4 high
RC	Medium	5-1/2"w x 11"d x 5"h	2 wide x 3 high
RD	Small	4-1/8"w x 7-1/2"d x 3"h	1.5 wide x 2 high

Louvered tabs per panel (each side):

- Model RE: 12 wide x 24 high
- Model RA: 12 wide x 9 high

Bin Packages (Add code suffix to end of model number)

	Code	Qty. & Size
• Model RE:	BE	48 Large
	CE	96 Medium
	DE	192 Small
	ME	Mix - 16 Large, 48 Medium, 48 Small (total 112 bins)
• Model RA:	BA	16 Large
	CA	36 Medium
	DA	64 Small
	MA	Mix - 8 Large, 12 Medium, 16 Small (total 36 bins)

Model RE - 50" High dual sided louvered panels (no bins)

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
30 x 36	RE336-U5	RE336-T5	RE336-L5	164	RE336-N8	188

Model RA - 19" High dual sided louvered panels with top shelf (no bins)

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	RA236-U5	RA236-T5	RA236-L5	136	RA236-N8	160

Options:

- 2 wheel brakes on swivel casters - Code B5 or BN
- Floor Lock - Code F5 or FN
- Other casters (page 89) available.

Plastic Bin Sloped Shelf Truck & Stand

Models RB, RR - 4 bin sizes for flexible small part storage with visual contact

2,000 LB CAPACITY



Model RB Shown

Model RR Shown

Product Features:

- All welded construction (except casters - Model RB).
- 12 gauge bottom deck and caster mounts (Model RB only).
- 1-1/2" tubular center uprights with 3" x 3/16" thick horizontal supports.
- 5" high legs (Model RR).
- Legs allow moving unit with fork lift truck (Model RR).
- Corner supports - 3" x 3/16" thick.
- Bolt on 6" urethane casters, 2 swivel & 2 rigid (Model RB).
- Powder coated gray finish.
- Overall height - Model RB - 66"; Model RR - 64".
- Powder coated gray finish.
- 14 gauge sloped shelves - 6 levels on both sides.
- Plastic Bins - 60 total:
 - 16 - small (4-1/8"w x 7-1/2"d x 3"h)
 - 24 - medium (5-1/2"w x 11"d x 5"h)
 - 16 - large (8-1/4"w x 11"d x 7"h)
 - 4 - big (16-1/2"w x 14-3/4"d x 7"h)

Options:

- 2 wheel brakes on swivel casters - Code B6
- Floor Lock - Code F6
- Other casters (page 89) available.
- Additional Bins:
 - Small - Code RD
 - Medium - Code RC
 - Large - Code RB
 - Big - Code RG

Model RB - Sloped shelf truck

DxL (in)	6" Casters Urethane	Wgt. (lbs)
30 x 36	RB336-U6	335

Model RR - Sloped shelf stand

DxL (in)	Model No.	Wgt. (lbs)
30 x 36	RR336	300

Plastic Tote Box Holder Trucks

3 Tote Sizes - Model TJ - 3 Totes, Model TK - 6 Totes, Model TL - 12 Totes

100 LB CAPACITY PER TOTE



Model TJ Shown

Product Features:

- All welded construction (except casters).
- 12 gauge flush bottom pan, and 12 gauge caster mounts.
- 1" tubular frame with 1-1/4" x 1/8" thick angle support rails.
- Bolt on 5" urethane casters, all swivel.
- Clearance between tote holders - 10".
- Overall height: Models TL & TK - 72", Model TJ - 42".
- Totes - 16"w x 25-1/8"d x 8-1/2"h (blue)
- Powder coated gray finish.

Options:

- Wheel brakes on 2 swivel casters - Code B5

100 LB CAPACITY PER TOTE



Model TK shown

Model TL shown

SPECIFICATIONS

Model TJ - 3 Totes

DxW (in)	Model No.	Wgt.(lbs)
26 x 18	TJ218-U5-AS	80

Model TK - 6 Totes

DxW (in)	Model No.	Wgt.(lbs)
26 x 18	TK218-U5-AS	112

Model TL - 12 Totes

DxW (in)	Model No.	Wgt.(lbs)
26 x 36	TL236-U5-AS	190

Solid & Mesh Pan Tray Trucks

Models UT, TR, TT - 3 Tray Capacities - 10, 14 & 28 - 2 Sizes 24 x 33 & 36 x 33 - 2 Different Trays - Solid & Mesh

1,200 LB CAPACITY



Model TR Shown

Product Features:

- All welded construction.
- 1-1/4" tube construction - 14 gauge.
- 1-1/4" angle tray holders - 12 gauge.
- 12 gauge caster mounts.
- Bolt on casters 5" urethane (2 swivel with brakes & 2 rigid).
- Clearance between tray holders - 10 tray truck - 6", 14 tray truck - 4", 28 tray truck - 2"
- Overall height 69".
- Powder coated gray finish.

SPECIFICATIONS

Model UT-10 Tray Trucks

DxW (in)	Model No.	Wgt.(lbs)
24 x 33	UT233-U5-B5	108
36 x 33	UT433-U5-B5	138

Model TR-14 Tray Trucks

DxW (in)	Model No.	Wgt.(lbs)
24 x 33	TR233-U5-B5	114
36 x 33	TR433-U5-B5	144

Model TT-28 Tray Trucks

DxW (in)	Model No.	Wgt.(lbs)
24 x 33	TT233-U5-B5	142
36 x 33	TT433-U5-B5	194

Accessory Trays:

- Solid - 16 gauge with 1-1/2" lips.
- Mesh - 16 gauge - 1/2" flattened mesh with flat solid border (all sides).

Accessory Trays

For 24 x 33 Trucks


DxW (in)	Type	Model No.	Wgt.(lbs)
24 x 30	Solid	ST2	15
24 x 30	Mesh	MT2	7

For 36 x 33 Trucks

DxW (in)	Type	Model No.	Wgt.(lbs)
36 x 30	Solid	ST4	22
36 x 30	Mesh	MT4	10



ST2 Tray Shown



MT2 Tray Shown

Plastic Max-Tote Trucks

3 Tote Sizes - Model RK - 6 Max-Totes - Model RM - 9 Max-Totes - Model RL -12 Max-Totes

150 LBS CAP. PER MAX TOTE



Model RK Shown

150 LBS CAP. PER MAX TOTE



Model RM Shown

150 LBS CAP. PER MAX TOTE



Model RL Shown

Product Features:

- All welded construction.
- 1-1/2" x 3/16" thick angle frame construction.
- Twin 1-1/4" tubular handles with smooth radius bend.
- Bolt on urethane casters, 2 swivel & 2 rigid, for easy replacement and superior tracking.
- Deck height: 8".
- Handle height above deck - 40".
- Overall height: 47".
- **Max-Totes:**
 - 18-3/8"w x 20"d x 12"h (Yellow). (Models RK142-U5, RM160-U7, RL178-U7)
 - 18-3/8"w x 29"d x 12"h (Yellow). (Models RK342-U5, RM360-U7, RL378-U7)
- Powder coated gray finish.

Options:

- Wheel brakes on 2 swivel casters - **Code B5 or B7**

Model RK - 6 Max-Totes

DxW (in)	Model No.	Wgt.(lbs)
18 x 42	RK142-U5	106
30 x 42	RK342-U5	128

Model RM - 9 Max-Totes

DxW (in)	Model No.	Wgt.(lbs)
18 x 60	RM160-U7	124
30 x 60	RM360-U7	140

Model RL- 12 Max-Totes

DxW (in)	Model No.	Wgt.(lbs)
18 x 78	RL178-U7	166
30 x 78	RL378-U7	190

All Products Ship "Qwik Ship"

High Tech Tubular Frame Instrument Work Center Carts

Model TW - Vibration reducer cart provides safe, mobile instrument work station with high tech tubular appearance

1,200 LB CAPACITY*



Product Features:

- Top and bottom shelves covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- Wrap-around bumper (top shelf) protects walls and doorways.
- Lockable drawer with 2 keys - Drawer Size: 5"h x 16"w x 16"d
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage.
- Bottom shelf 24" x 26" (TW236) and 24" x 38" (TW248).
- Clearance under drawer - 14".
- All welded construction (except casters and top MDF wood shelf).
- Tubular construction, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Both shelves flush.
- Overall height - 34" (8" casters), 31" (5" casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - Code BN or B5
- Conductive drag chain - Code DC
- Floor Lock - Code FN or F5 or F8

SPECIFICATIONS

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 36 48	TW236-N8	TW236-Z8	152	TW236-U5	128
	TW248-N8	TW248-Z8	184	TW248-U5	160

High Tech Tubular Frame Instrument Transportation Carts

Model TB - Vibration reducer cart provides safe instrument transportation with high tech tubular appearance

1,200 LB CAPACITY*



Product Features:

- Top and bottom shelves covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- Wrap-around bumper (top shelf) protects walls and doorways.
- Bottom shelf 24" x 26" (TB236) and 24" x 38" (TB248).
- Clearance between shelves - 21".
- All welded construction (except casters and top MDF wood shelf).
- Tubular corner construction, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Both shelves flush.
- Overall height - 34" (8" casters), 31" (5" casters).
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 36 48	TB236-N8	TB236-Z8	124	TB236-U5	100
	TB248-N8	TB248-Z8	150	TB248-U5	126

Options:

- 2 wheel brakes on swivel casters - Code BN or B5
- 6 outlet power strip - Code PS
- Lockable drawer (5"h x 16"w x 16"d) with 2 keys - Code DS
- Conductive drag chain - Code DC
- Floor Lock - Code FN, F5 or F8

Angular Frame - Instrument 2 Shelf Carts

Models AB, AE, AL - Vibration reducer carts to safely transport instruments

1,200 LB CAPACITY



Model AB Shown

1,200 LB CAPACITY



Model AE Shown

1,200 LB CAPACITY



Model AL Shown

Product Features:

- Top and bottom shelves covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- All welded construction (except casters), durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend (Model AE - raised ergonomic style, Model AL - 12" raised offset handle).
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips down (flush) on both shelves (see options).
- Clearance between shelves - 20" (except Model AL - 17").
- Top shelf height - 34" (8" casters), 30" (5" casters) except Model AL - 31" (8" casters), 27" (5" casters)
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock - **Code FN, F8 or F5**
- Both shelves lips up - **Code GA**
- Lockable drawer (5"h x 16"w x 16"d) with 2 keys - **Code DS**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Conductive drag chain - **Code DC**
- Other shelf heights available

Model AB - With Standard Level Handle

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
18 x 30	-	AB130-Z8	114	AB130-U5	88
36	-	AB136-Z8	122	AB136-U5	96
24 x 36	AB236-N8	AB236-Z8	130	AB236-U5	106
48	AB248-N8	AB248-Z8	150	AB248-U5	126
60	AB260-N8	AB260-Z8	172	AB260-U5	146
30 x 36	AB336-N8	AB336-Z8	148	AB336-U5	124
48	AB348-N8	AB348-Z8	174	AB348-U5	150
60	AB360-N8	AB360-Z8	200	AB360-U5	174
36 x 48	AB448-N8	AB448-Z8	198	AB448-U5	172
60	AB460-N8	AB460-Z8	228	AB460-U5	202

Model AE - With Ergonomic Handle

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
18 x 30	-	AE130-Z8	110	AE130-U5	86
36	-	AE136-Z8	120	AE136-U5	96
24 x 36	AE236-N8	AE236-Z8	132	AE236-U5	108
48	AE248-N8	AE248-Z8	152	AE248-U5	128
60	AE260-N8	AE260-Z8	174	AE260-U5	148
30 x 36	AE336-N8	AE336-Z8	150	AE336-U5	126
48	AE348-N8	AE348-Z8	176	AE348-U5	152
60	AE360-N8	AE360-Z8	202	AE360-U5	176
36 x 48	AE448-N8	AE448-Z8	200	AE448-U5	174
60	AE460-N8	AE460-Z8	230	AE460-U5	204

Model AL - Low Profile With Raised Offset Handle

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
18 x 30	-	AL130-Z8	116	AL130-U5	90
36	-	AL136-Z8	124	AL136-U5	98
24 x 36	AL236-N8	AL236-Z8	132	AL236-U5	108
48	AL248-N8	AL248-Z8	152	AL248-U5	128
60	AL260-N8	AL260-Z8	174	AL260-U5	148
30 x 36	AL336-N8	AL336-Z8	150	AL336-U5	126
48	AL348-N8	AL348-Z8	176	AL348-U5	152
60	AL360-N8	AL360-Z8	202	AL360-U5	176
36 x 48	AL448-N8	AL448-Z8	200	AL448-U5	174
60	AL460-N8	AL460-Z8	230	AL460-U5	204

All Products Ship "Qwik Ship"

Angular Frame - Instrument Low Profile Carts (2 Shelves)

Models AD, AF, AJ - Low Profile vibration reducer carts to safely transport instruments

1,200 LB CAPACITY



Model AD Shown

1,200 LB CAPACITY



Model AF Shown

1,200 LB CAPACITY



Model AJ Shown

Product Features:

- Top and bottom shelves covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Raised offset handle (Model AD & AJ - 12" above top shelf; Model AF 16" above top shelf).
- **Lockable drawer(s)** (5"h x 16"w x 16"d) with 2 keys except Model AJ.
- **12 gauge door(s)** with lockable handle and 2 keys and 14 gauge sides (except Model AD).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - 17" (under drawer 11" where applicable).
- Top shelf height (Models AD & AJ) - 31" (8" casters), 27" (5" casters).
- Top shelf height (Model AF) - 32" (8" casters), 28" (5" casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock - **Code FN, F8 or F5**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Conductive drag chain - **Code DC**
- All shelf lips up (Model AD only) - **Code GA**
- Drawers keyed differently - **Code KS**
- Other shelf heights available (Model AD only).

Model AD - With 1 Drawer

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 36	AD236-N8	AD236-Z8	154	AD236-U5	130
48	AD248-N8	AD248-Z8	174	AD248-U5	150
60	AD260-N8	AD260-Z8	196	AD260-U5	170
30 x 36	AD336-N8	AD336-Z8	172	AD336-U5	148
48	AD348-N8	AD348-Z8	198	AD348-U5	174
60	AD360-N8	AD360-Z8	224	AD360-U5	198
36 x 48	AD448-N8	AD448-Z8	222	AD448-U5	196
60	AD460-N8	AD460-Z8	252	AD460-U5	226

Model AF - With 3 Drawers and 1 Door

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 36	AF236-N8	AF236-Z8	304	AF236-U5	280
48	AF248-N8	AF248-Z8	336	AF248-U5	212
30 x 36	AF336-N8	AF336-Z8	334	AF336-U5	310
48	AF348-N8	AF348-Z8	376	AF348-U5	352

Model AJ - With 2 Doors

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 36	AJ236-N8	AJ236-Z8	190	AJ236-U5	166
48	AJ248-N8	AJ248-Z8	226	AJ248-U5	202
30 x 36	AJ336-N8	AJ336-Z8	216	AJ336-U5	192
48	AJ348-N8	AJ348-Z8	256	AJ348-U5	232

Angular Frame – 2 & 3 Shelf Instrument Carts

Models AZ, AC, AK – Vibration reducing transporter for Instruments & Audio Visual Equipment

1,200 LB CAPACITY



Model AZ Shown

1,200 LB CAPACITY



Model AC Shown

1,200 LB CAPACITY



Model AK Shown

Product Features:

- All shelves covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16 thick angle corners, and 12 gauge caster mounts for long lasting use.
- Handle – Model AZ-12" raised handle & Model AC-tubular handle with smooth radius bend...Model AK-none
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on all shelves (see options)(except Model AZ).
- Clearance between shelves - 20" (except Model AZ – 9")
- Top shelf height (8" casters)– Models AZ & AK -34" & Model AC - 56" (all models minus 4" with 5" casters)
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock - **Code FN, F8 or F5**
- Ergo handle – Model AC only - **Code EH**
- All shelves lips up for retention - **Code GA**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Conductive drag chain - **Code DC**
- Other shelf heights available.

Model AZ – 3 Shelf Low Profile

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 36	AZ236-N8	AZ236-Z8	192	AZ236-U5	170
48	AZ248-N8	AZ248-Z8	224	AZ248-U5	202
30 x 48	AZ348-N8	AZ348-Z8	256	AZ348-U5	234
60	AZ360-N8	AZ360-Z8	296	AZ360-U5	274

Model AC – 3 Shelf Stock

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
18 x 36	-	AC136-Z8	156	AC136-U5	122
48	-	AC148-Z8	182	AC148-U5	148
24 x 36	AC236-N8	AC236-Z8	176	AC236-U5	142
48	AC248-N8	AC248-Z8	206	AC248-U5	172
60	AC260-N8	AC260-Z8	236	AC260-U5	204
30 x 36	AC336-N8	AC336-Z8	200	AC336-U5	168
48	AC348-N8	AC348-Z8	238	AC348-U5	206
60	AC360-N8	AC360-Z8	276	AC360-U5	242
36 x 48	AC448-N8	AC448-Z8	270	AC448-U5	236
60	AC460-N8	AC460-Z8	316	AC460-U5	282

Model AK – 2 Shelf Transfer Cart

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. (lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 30	AK230-N8	AK230-Z8	120	AK230-U5	96
36	AK236-N8	AK236-Z8	130	AK236-U5	106
48	AK248-N8	AK248-Z8	150	AK248-U5	126
60	AK260-N8	AK260-Z8	172	AK260-U5	148
72	AK272-N8	AK272-Z8	194	AK272-U5	170
30 x 36	AK336-N8	AK336-Z8	150	AK336-U5	126
48	AK348-N8	AK348-Z8	176	AK348-U5	152
60	AK360-N8	AK360-Z8	200	AK360-U5	176
72	AK372-N8	AK372-Z8	226	AK372-U5	202
36 x 48	AK448-N8	AK448-Z8	200	AK448-U5	176
60	AK460-N8	AK460-Z8	230	AK460-U5	206
72	AK472-N8	AK472-Z8	260	AK472-U5	236

Instrument Platform, Ergonomic Platform & Wagon Trucks

Models PA, AY, AG - Heavy duty one level transporters at various heights

1,200 LB CAPACITY



Model PA Shown

1,200 LB CAPACITY



Model AY Shown

2,000 LB CAPACITY



Model AG Shown

Product Features:

- All welded frame construction (except handles & casters).
- 12 gauge steel platform.
- Platform covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting.
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets. (Except Model AG - removable 1" "T" handle & rubber grips).
- Flush platform for easy loading.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement (except Model AG - wheels) - see specifications chart.
- Powder coated gray finish.

Specific Model Features:

Model PA

- Platform height - 12" (8" casters), 8" (5" casters).
- Handle height above deck - 30".

Model AY - Ergonomic Height Platform

- Platform height - 29" (8" casters), 25" (5" casters).
- Handle height above deck - 16".

Model AG

- Platform height - 19" (12" wheels), and 21" (16" wheels).
- Solid rod axles - 3/4".

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock (Model PA only) - **Code FN, F8 or F5**
- Conductive drag chain - **Code DC**
- Adjustable height option (Model AY only) - 4 positions, fixed height, plus 2", plus 4" & plus 6" from fixed height models - **Code AL**

Model PA - Low Platform

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
18 x 36	-	PA136-Z8	94	PA136-U5	70
48	-	PA148-Z8	110	PA148-U5	86
24 x 36	PA236-N8	PA236-Z8	106	PA236-U5	82
48	PA248-N8	PA248-Z8	124	PA248-U5	100
60	PA260-N8	PA260-Z8	140	PA260-U5	116
30 x 36	PA336-N8	PA336-Z8	116	PA336-U5	92
48	PA348-N8	PA348-Z8	136	PA348-U5	112
60	PA360-N8	PA360-Z8	156	PA360-U5	132
36 x 48	PA448-N8	PA448-Z8	148	PA448-U5	124
60	PA460-N8	PA460-Z8	172	PA460-U5	148

Model AY - Ergonomic Height Platform

WxL (in)	8" Full Pneumatic Casters Cat. No.	8" Semi Pneumatic Casters Cat. No.	Wgt. lbs)	5" Casters Cat. No.	
				Polyurethane	Wgt.(lbs)
24 x 48	AY248-N8	AY248-Z8	124	AY248-U7	100
30 x 60	AY360-N8	AY360-Z8	150	AY360-U7	126

Model AG - Pull Wagon

WxL (in)	Cat. No.'s			Wgt. (lbs)
	12" Pneumatic	16" Pneumatic	12" Mold On Rubber	
24 x 36	AG236-N2	AG236-N6	AG236-R2	116
48	AG248-N2	AG248-N6	AG248-R2	130
30 x 60	AG360-N2	AG360-N6	AG360-R2	174
36 x 60	AG460-N2	AG460-N6	AG460-R2	198
72	AG472-N2	AG472-N6	AG472-R2	216

Mobile Workbenches

Models SR, ST, SV - Durable utility carts with flush front edge and 2 lockable drawers for repairs and maintenance

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SR Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model ST Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SV Shown

Product Features:

- Top shelf has front lip down for flush work area and 3 lips up.
- 2 Lockable drawers (keyed alike) with 2 keys - 5"h x 16"w x 16"d
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Bottom shelf lips up for retention.
- Clearance under drawers - 17".
- Work surface height - 34" (38" with full pneumatic casters).
- Powder coated gray finish.

Specific Model Features:

Model ST

- 12" deep half shelf adds 14" to work surface height for tool box.

Model SV

- Tool tray is 10" deep x cart width.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Non-conductive vinyl matting on top shelf - **Code VM**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Wood top - **Code WT**
- Drawers keyed differently - **Code KS**
- Eye level half shelf (12 gauge) riser for Model SV only - **Code RS**
- Larger casters (page 89) and other shelf heights available.

Model SR - 2 Drawers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	SR236-U5	SR236-T5	SR236-L5	162	SR236-N8	186
48	SR248-U5	SR248-T5	SR248-L5	182	SR248-N8	206
30 x 36	SR336-U5	SR336-T5	SR336-L5	180	SR336-N8	204
48	SR348-U5	SR348-T5	SR348-L5	204	SR348-N8	228

Available without drawer(s)

Model ST - 2 Drawers & 1/2 Shelf

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	ST236-U5	ST236-T5	ST236-L5	194	ST236-N8	218
48	ST248-U5	ST248-T5	ST248-L5	220	ST248-N8	244
30 x 36	ST336-U5	ST336-T5	ST336-L5	210	ST336-N8	234
48	ST348-U5	ST348-T5	ST348-L5	242	ST348-N8	266

Available without drawer(s)

Model SV - Tool Tray & 2 Drawers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	SV236-U5	SV236-T5	SV236-L5	172	SV236-N8	196
48	SV248-U5	SV248-T5	SV248-L5	192	SV248-N8	216
30 x 36	SV336-U5	SV336-T5	SV336-L5	190	SV336-N8	214
48	SV348-U5	SV348-T5	SV348-L5	216	SV348-N8	240

Available without drawer(s)

Mobile Workbenches & Cabinets With Racks

Models SM, JW, SN, JV - Durable utility carts with racks for tools / small parts bins

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SM Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JW Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SN Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JV Shown

Product Features:

- 2 lockable drawers (keyed alike) with 2 keys - 5"h x 16"w x 16"d (Models SM & SN).
- Lockable doors are keyed alike and come with 2 keys (Models JW & JV).
- All welded construction (except casters).
- Durable 12 gauge steel shelves & 3/16" thick angle corners (Models SM & SN), 14 gauge steel shelves & sides (Models JW & JV) and 12 gauge caster mounts for long lasting use.
- Top shelf has flush work area (front lip down other lips up).
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Bottom shelf lips up for retention (models SM & SN).
- Bottom shelf lips down (flush) models JW & JV.
- Clearance under drawers or between shelves - 17" (Models SM & SN), 24" (Models JW & JV)
- Work surface height - 34" (38" with full pneumatic casters)
- Overall height - 58" (62" with full pneumatic casters).
- Powder coated gray finish.

Models SM & JW

- 14 gauge peg board (angle frame) - 19"h x 36"w.

Models SN & JV

- Louvered panel (angle frame) - 19"h x 36"w that accepts different sizes of plastic bins.
- Includes 32 yellow plastic bins (4-1/8"w x 7-1/2"d x 3"h).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor Lock - **Code F5 or FN**
- Non-conductive vinyl matting on top shelf - **Code VM**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Add middle shelf lips down - **Code SM** (Models JV & JW).
- Other bins available (see page 139).
- Wood top - **Code WT**
- Drawers keyed differently - **Code KS**
- Larger casters (page 89) available.

Model SM - Peg rack and 2 drawers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	SM236-U5	SM236-T5	SM236-L5	192	SM236-N8	216
30 x 36	SM336-U5	SM336-T5	SM336-L5	210	SM336-N8	234

Available without drawers

Model JW - Pegboard and 2 doors

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	JW236-U5	JW236-T5	JW236-L5	230	JW236-N8	254

Model SN - Louvered bin panel, 32 bins and 2 drawers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	SN236-U5	SN236-T5	SN236-L5	198	SN236-N8	222
30 x 36	SN336-U5	SN336-T5	SN336-L5	216	SN336-N8	240

Available without drawer(s) and bins

Model JV - Louvered bin panel, 32 bins and 2 doors

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	JV236-U5	JV236-T5	JV236-L5	240	JV236-N8	264

Available without bins

Mobile Open Drawer Cabinets

Models JD, JE, JF - Limited access for mobile storage with drawers for small item retention

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JD Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JE Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JF Shown

Product Features:

- Lockable drawers (keyed alike) with 2 keys - 5"h x 16"w x 16"d
- All welded construction (except casters).
- Durable 14 gauge steel shelves & sides, and 12 gauge caster mounts for long lasting use.
- Lockable handle on 12 gauge door (models JE and JF only).
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- Overall height - 36" (40" with semi pneumatic casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or F8**
- Vinyl matting on top shelf - **Code VM**
- Middle shelf (behind door) - **Code HM** (Models JE & JF)
- Wood top - **Code WT**
- Drawers keyed differently - **Code KS**
- Eye level half shelf (12 gauge) riser - **Code RS**

Model JD - With 8 Drawers

WxL (in)	5" Casters Cat. No.'s				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	JD136-U5	JD136-T5	JD136-L5	252	JD136-Z8	272
24 x 36	JD236-U5	JD236-T5	JD236-L5	270	JD236-Z8	290

Model JE - With 1 Drawer & 1 Door

WxL (in)	5" Casters Cat. No.'s				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	JE136-U5	JE136-T5	JE136-L5	150	JE136-Z8	170
24 x 36	JE236-U5	JE236-T5	JE236-L5	168	JE236-Z8	188

Model JF - With 4 Drawers & 1 Door

WxL (in)	5" Casters Cat. No.'s				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	JF136-U5	JF136-T5	JF136-L5	194	JF136-Z8	214
24 x 36	JF236-U5	JF236-T5	JF236-L5	212	JF236-Z8	233

Mobile Cabinets With Door(s)

Models JG, JH, JN - Limited access mobile units with multiple storage options

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JG Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JH Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JN Shown

Product Features:

- Lockable drawer(s) (keyed alike) with 2 keys - 5" h x 16" w x 16" d (except model JH)
- Lockable handle on 12 gauge door(s) (keyed alike) with 2 keys.
- Removable plastic bins (yellow) - 5-1/2" w x 11" d x 5" h - 9 bins for Model JG attached to louvered panel.
- All welded construction (except casters).
- Durable 14 gauge steel shelves, 14 gauge sides, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- Overall height - 36" (40" with semi pneumatic casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - Code B5 or BN
- Floor lock - Code F5 or F8
- Plastic bins (specify number) - Code RC
- Vinyl matting on top shelf - Code VM
- Add middle shelf lip down - Code SM (Models JH & JN only)
- Wood top - Code WT
- Drawers keyed differently - Code KS (Models JN only)
- Eye level half shelf (12 gauge) riser - Code RS

Model JG - With 1 Drawer, 1 Door & Plastic Bins

WxL (in)	5" Casters Cat. No.'s				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	JG136-U5	JG136-T5	JG136-L5	158	JG136-Z8	178
24 x 36	JG236-U5	JG236-T5	JG236-L5	176	JG236-Z8	196

Model JH - With 2 Doors

WxL (in)	5" Casters Cat. No.'s				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	JH136-U5	JH136-T5	JH136-L5	126	JH136-Z8	146
24 x 36	JH236-U5	JH236-T5	JH236-L5	146	JH236-Z8	166

Model JN - With 2 Drawers & 2 Doors

WxL (in)	5" Casters Cat. No.'s				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	JN136-U5	JN136-T5	JN136-L5	172	JN136-Z8	192
24 x 36	JN236-U5	JN236-T5	JN236-L5	190	JN236-Z8	210

Narrow Mobile Cabinets

Models JM, JT, JP, JX - Limited access mobile units with multiple storage options

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JM Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JT Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JP Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JX Shown

Product Features:

- **Lockable drawer(s)** (keyed alike) with 2 keys - drawer size: 5"h x 16"w x 16"d (standard on models JT, JP and JX).
- **Lockable handle on 12 gauge door** with 2 keys (Models JM and JX).
- All welded construction (except casters).
- Durable **14 gauge steel shelves & sides**, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- Overall height - 36".
- Clearance between shelves - 24" (Model JM) & 19" (Models JT & JX)
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Lockable drawer - **Code DS** (Model JM & addition to Model JT)
- Add middle shelf lip down - **Code SM** (Models JM, JT and JX)
- Available without handle - **Code NH**
- Wood top - **Code WT**
- Drawers keyed differently - **Code KS** (Model JP only)
- Larger casters (page 89) available.

Model JM - with 1 door

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JM218-U5	JM218-T5	JM218-L5	136

Model JT - with 1 drawer

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JT218-U5	JT218-T5	JT218-L5	152

Model JP - with 4 drawers

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JP218-U5	JP218-T5	JP218-L5	242

Model JX - with 1 drawer and 1 Door

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JX218-U5	JX218-T5	JX218-L5	162

Made in U.S.A.

Low Profile Mobile Cabinets (2 Doors , 3 Drawers 1 Door, 6 Drawers)

Models SJ, RJ, NJ - Low top shelf for shorter lift of heavier items and closed bottom storage for security

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SJ Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model RJ Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model NJ Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 14 gauge sides, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (Model SJ - 12" above top shelf, Model NJ & RJ - 16" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - SJ - 17", RJ - 19"
- Powder coated gray finish.

Specific Model Features:

Model SJ

- Two **12 gauge doors** with **lockable handle** with 2 keys.
- Top shelf height - 27" (31" with full pneumatic casters).

Model RJ

- One **12 gauge door** with **lockable handle** with 2 keys.
- **3 lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d.
- Top shelf height - 28" (32" with full pneumatic casters).

Model NJ

- **6 lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d.
- Top shelf height - 28" (32" with full pneumatic casters).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Vinyl matting on top shelf - **Code VM**
- Wood top - **Code WT**
- Drawers keyed differently - **Code KS**
- Larger casters (page 89).

Model SJ - 2 Doors

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	SJ236-U5	SJ236-T5	SJ236-L5	164	SJ236-N8	188
48	SJ248-U5	SJ248-T5	SJ248-L5	198	SJ248-N8	222
30 x 36	SJ336-U5	SJ336-T5	SJ336-L5	188	SJ336-N8	212
48	SJ348-U5	SJ348-T5	SJ348-L5	224	SJ348-N8	248

Model RJ - 1 Door with 3 Drawers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	RJ236-U5	RJ236-T5	RJ236-L5	278	RJ236-N8	302
48	RJ248-U5	RJ248-T5	RJ248-L5	312	RJ248-N8	336
30 x 36	RJ336-U5	RJ336-T5	RJ336-L5	304	RJ336-N8	328
48	RJ348-U5	RJ348-T5	RJ348-L5	346	RJ348-N8	370

Model NJ - 6 Drawers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	NJ236-U5	NJ236-T5	NJ236-L5	348	NJ236-N8	372
30 x 36	NJ336-U5	NJ336-T5	NJ336-L5	372	NJ336-N8	396

Note: 8" Semi Pneumatic casters available.

Mobile Workbench Cabinets

Models RV, RS, RP – limited access for tool retention & storage

2,000 LB CAPACITY



Model RV Shown

2,000 LB CAPACITY



Model RS Shown with brake option

2,000 LB CAPACITY



Model RP Shown

Product Features:

- Lockable tool chest, 6 drawers – 23"w x 16"d plus height 2@4" & 4@2".
- All welded construction (except casters & drawers).
- Durable 12 gauge work top, bottom shelf, doors & caster mounts. 14 gauge sides.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for ease of replacement.
- Overall height – 36".
- Powder coated gray finish.

Model RV:

- Cabinet space – 16"w x 24"d x 26"h with 12 gauge middle shelf.
- 12 gauge vise mount tray – 10" x 24".
- Two lockable doors.
- Work top– front side flush, other sides lips up for retention.

Model RS:

- Cabinet space – 18"w x 20"d x 26"h with 12 gauge middle shelf and 1 lockable door.
- 3-12 gauge storage shelves (one side) – 48"w x 4-3/4"d x 6-3/4"h.
- Work top flush – all sides.

Model RP:

- Lockable 4 drawers(one end) – 5"h x 16"w x 16"d.
- 3-12 gauge storage shelves (one side) – 48"w x 4-3/4"d x 6-3/4"h.
- Work top flush – all sides.

Options:

- 2 wheel brakes on swivel casters – **Code B6**
- Floor lock – **Code F6**
- Vinyl matting on work top – **Code VM**
- Wood capped top – **Code WT**
- 8" casters available (see page 89).

Model RV – 6 drawers, Vise tray & Cabinet Storage

WxL (in)	6" Casters Cat. No.			Wgt.(lbs)
	Phenolic	Rubber	Urethane	
24 x 48	RV248-P6	RV248-R6	RV248-U6	420

Model RS – 6 drawers, 3 shelves & Cabinet Storage

WxL (in)	6" Casters Cat. No.			Wgt.(lbs)
	Phenolic	Rubber	Urethane	
24 x 48	RS248-P6	RS248-R6	RS248-U6	410

Model RP – 10 drawers & 3 shelves

WxL (in)	6" Casters Cat. No.			Wgt.(lbs)
	Phenolic	Rubber	Urethane	
24 x 48	RP248-P6	RP248-R6	RP248-U6	504

Heavy Duty Mobile Workbenches

Models MW, MX, MR, MT - Heavy duty use workbenches

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MW Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MX Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MR Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MT Shown

Product Features:

- All welded construction.
- Durable **12 gauge steel shelves** (ideal for mounting vises).
- **2" square tubular corner construction.**
- Bolt on casters, 2 swivel with brakes & 2 rigid.
- Powder coated gray finish.
- Top shelf front side lip down (flush), other 3 sides up for retention.
- Lower half shelf has 4" back support.
- Clearance between shelves - 22"
- Work surface height - 34"

Other Specifications:

Model MX:

- Upper tool half shelf 12" deep (14" high).
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord.
- Removable plastic bins (5-1/2"w x 11"d x 5"h) on mounting rail.
Length 60" - 10 Bins Length 72" - 12 Bins

Model MR:


- 14 gauge steel pegboard - 19" high

Model MT:

- 16 gauge louvered panel - 19" high • No bins included (see options).

Options:

- **Adjustable heights** - 35", 37", 39" - **Code AL**
- **Lockable drawer** (left side under top shelf)
5"h x 16"w x 16"d with 2 keys - **Code DS**
- Non-conductive vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- Power strip (except Model MX) - **Code PS**
- 4' light fixture and frame - **Code LF**
- Plastic bins available (specify number of bins each size)
Large (8-1/4"w x 11"d x 7"h) - **Code RB**
Med. (5-1/2"w x 11"d x 5"h) - **Code RC**
Small (4-1/8"w x 7-1/2"d x 3"h) - **Code RD**
- Other top shelf heights available.



Optional 4' Light
Fixture & Frame
Code LF

Model MW - Mobile Workbench

DxW (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MW360-U5-B5	MW360-T5-B5	MW360-L5-B5	172
72	MW372-U5-B5	MW372-T5-B5	MW372-L5-B5	196
36 x 60	MW460-U5-B5	MW460-T5-B5	MW460-L5-B5	188
72	MW472-U5-B5	MW472-T5-B5	MW472-L5-B5	214

Model MX - Mobile Workbench, 1/2 Shelf, Power Strip, Bins

DxW (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MX360-U5-B5	MX360-T5-B5	MX360-L5-B5	236
72	MX372-U5-B5	MX372-T5-B5	MX372-L5-B5	268
36 x 60	MX460-U5-B5	MX460-T5-B5	MX460-L5-B5	250
72	MX472-U5-B5	MX472-T5-B5	MX472-L5-B5	286

Model MR - Mobile Workbench, Pegboard Panel

DxW (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MR360-U5-B5	MR360-T5-B5	MR360-L5-B5	218
72	MR372-U5-B5	MR372-T5-B5	MR372-L5-B5	246
36 x 60	MR460-U5-B5	MR460-T5-B5	MR460-L5-B5	240
72	MR472-U5-B5	MR472-T5-B5	MR472-L5-B5	264

Model MT - Mobile Workbench, Louvered Panel

DxW (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MT360-U5-B5	MT360-T5-B5	MT360-L5-B5	214
72	MT372-U5-B5	MT372-T5-B5	MT372-L5-B5	242
36 x 60	MT460-U5-B5	MT460-T5-B5	MT460-L5-B5	236
72	MT472-U5-B5	MT472-T5-B5	MT472-L5-B5	260

Solid Box Trucks (2, 3, & 4 Sided)

Models BB, BC, BD - Low deck truck for frequent loading and unloading of packages

1,200 LB CAP.* (*800 lb. with T5 casters)



Model BB Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model BC Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model BD Shown

Product Features:

- Sides are 20" high 14 gauge steel.
- Top shelf (deck of box) is 20" high.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 12".
- Overall height - 40" (44" with full pneumatic casters) (see options).
- Powder coated gray finish.

Options for all Models:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Shelf lips down (flush) - **Code FA**
- Fork pockets (specify center line)- **Code FP**
- Dual handle - **Code DH**
- Other casters (page 89) and box heights available.

Model BB - with 2 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BB136-U5	BB136-T5	BB136-L5	112	-	136
24 x 36	BB236-U5	BB236-T5	BB236-L5	140	BB236-N8	164
48	BB248-U5	BB248-T5	BB248-L5	164	BB248-N8	188
60	BB260-U5	BB260-T5	BB260-L5	182	BB260-N8	206
30 x 36	BB336-U5	BB336-T5	BB336-L5	160	BB336-N8	184
48	BB348-U5	BB348-T5	BB348-L5	186	BB348-N8	210
60	BB360-U5	BB360-T5	BB360-L5	214	BB360-N8	238

Model BC - with 3 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BC136-U5	BC136-T5	BC136-L5	132	-	156
24 x 36	BC236-U5	BC236-T5	BC236-L5	160	BC236-N8	184
48	BC248-U5	BC248-T5	BC248-L5	190	BC248-N8	214
60	BC260-U5	BC260-T5	BC260-L5	214	BC260-N8	238
30 x 36	BC336-U5	BC336-T5	BC336-L5	180	BC336-N8	204
48	BC348-U5	BC348-T5	BC348-L5	212	BC348-N8	236
60	BC360-U5	BC360-T5	BC360-L5	244	BC360-N8	268

Model BD - with 4 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BD136-U5	BD136-T5	BD136-L5	152	-	176
24 x 36	BD236-U5	BD236-T5	BD236-L5	180	BD236-N8	204
48	BD248-U5	BD248-T5	BD248-L5	216	BD248-N8	240
60	BD260-U5	BD260-T5	BD260-L5	246	BD260-N8	270
30 x 36	BD336-U5	BD336-T5	BD336-L5	200	BD336-N8	224
48	BD348-U5	BD348-T5	BD348-L5	238	BD348-N8	262
60	BD360-U5	BD360-T5	BD360-L5	276	BD360-N8	300

All Products Ship "Qwik Ship"

Low Profile Solid Box Trucks (4 Sided)

Model BL - "Box on Wheels", Lowest box truck for frequent loading of parts or scrap

1,200 LB CAP.* (*800 lb. with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and box heights available

Product Features:

- 4 sides are 20" high 14 gauge steel.
- All welded construction (except casters).
- Durable 12 gauge steel bottom shelf, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Overall height - 27" (31" with full pneumatic casters) - see options.
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BL136-U5	BL136-T5	BL136-L5	122	-	146
24 x 36	BL236-U5	BL236-T5	BL236-L5	140	BL236-N8	164
48	BL248-U5	BL248-T5	BL248-L5	164	BL248-N8	188
60	BL260-U5	BL260-T5	BL260-L5	190	BL260-N8	214
30 x 36	BL336-U5	BL336-T5	BL336-L5	156	BL336-N8	180
48	BL348-U5	BL348-T5	BL348-L5	184	BL348-N8	208
60	BL360-U5	BL360-T5	BL360-L5	212	BL360-N8	236

Low 3 Sided Solid Box Trucks (1 Shelf)

Model BZ - Limited access to one side, used as small package transporter

1,200 LB CAP.* (*800 lb. with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock (centered on handle end) - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Shelf lip down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) available.

Product Features:

- Limited access one side.
- 14 gauge sheet metal 3' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 44" (48" with full pneumatic casters).
- Powder coated gray finish.

**4' High Sides
Version
model FA
see page 84**

SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	BZ236-U5	BZ236-T5	BZ236-L5	164	BZ236-N8	188
48	BZ248-U5	BZ248-T5	BZ248-L5	180	BZ248-N8	204
30 x 48	BZ348-U5	BZ348-T5	BZ348-L5	208	BZ348-N8	232
60	BZ360-U5	BZ360-T5	BZ360-L5	230	BZ360-N8	254

Mesh Box Trucks (2, 3, & 4 Sided)

Models GB, GC, GD - Low deck truck for frequent loading and unloading of packages

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GB Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GC Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GD Shown

Product Features:

- Sides are 20" high flattened 13 gauge expanded mesh.
- Top shelf (deck of box) is 20" high.
- 1-1/2" angle reinforces top edges.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 12".
- Overall height - 40" (44" with full pneumatic casters) (see options).
- Powder coated gray finish.

Options for all Models:

- 2 wheel brakes on swivel casters - Code B5 or BN
- Floor lock - Code F5 or FN
- Shelf lips down (flush) - Code FA
- Fork pockets (specify center line) - Code FP
- Dual handle - Code DH
- Other casters (page 89) and box heights available.

Options for Model GD only:

- Half side drop gate - Code DG

Model GB - with 2 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GB136-U5	GB136-T5	GB136-L5	102	-	126
24 x 36	GB236-U5	GB236-T5	GB236-L5	122	GB236-N8	146
48	GB248-U5	GB248-T5	GB248-L5	142	GB248-N8	166
60	GB260-U5	GB260-T5	GB260-L5	162	GB260-N8	186
30 x 36	GB336-U5	GB336-T5	GB336-L5	142	GB336-N8	166
48	GB348-U5	GB348-T5	GB348-L5	168	GB348-N8	192
60	GB360-U5	GB360-T5	GB360-L5	192	GB360-N8	216

Model GC - with 3 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GC136-U5	GC136-T5	GC136-L5	112	-	136
24 x 36	GC236-U5	GC236-T5	GC236-L5	132	GC236-N8	156
48	GC248-U5	GC248-T5	GC248-L5	156	GC248-N8	180
60	GC260-U5	GC260-T5	GC260-L5	178	GC260-N8	202
30 x 36	GC336-U5	GC336-T5	GC336-L5	152	GC336-N8	176
48	GC348-U5	GC348-T5	GC348-L5	180	GC348-N8	204
60	GC360-U5	GC360-T5	GC360-L5	208	GC360-N8	232

Model GD - with 4 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GD136-U5	GD136-T5	GD136-L5	120	-	144
24 x 36	GD236-U5	GD236-T5	GD236-L5	140	GD236-N8	164
48	GD248-U5	GD248-T5	GD248-L5	168	GD248-N8	192
60	GD260-U5	GD260-T5	GD260-L5	194	GD260-N8	218
30 x 36	GD336-U5	GD336-T5	GD336-L5	160	GD336-N8	184
48	GD348-U5	GD348-T5	GD348-L5	194	GD348-N8	218
60	GD360-U5	GD360-T5	GD360-L5	224	GD360-N8	248

Low Profile Mesh Box Trucks

Models GL, GZ, GX - Low Mesh Box Trucks

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GL Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GZ Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GX Shown

Product Features:

- All welded construction (except casters and drop gate).
- Durable **12 gauge steel shelf**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Powder coated gray finish.

Other Specifications:

Model GL

- **4 sides** are 20" high flattened 13 gauge expanded mesh.
- **1-1/2" angle reinforces top edge** on 4 sides.
- Overall height - 27" (31" with full pneumatic casters) - see options.

Model GZ

- **Limited access one side.**
- **3 sides** are 3' high flattened 13 gauge expanded mesh.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 44" (48" with full pneumatic casters).

Model GX

- **Limited access one side.**
- **3 sides** are 3' high flattened 13 gauge expanded mesh.
- **4th side retention** uses removable 1/4" wire rod drop gate, hinged in horizontal middle, 2" x 2" wire with double wire perimeter.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 44" (48" with full pneumatic casters).

4' High Sides
Version
model ZA
see page 80

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Half side drop gate - **Code DG** (Model GL only)
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Shelf lip down (flush) - **Code FA** (Models GZ & GX)
- Other casters (page 89) available

Model GL - "Box on Wheels", Lowest deck truck

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GL136-U5	GL136-T5	GL136-L5	86	-	110
24 x 36	GL236-U5	GL236-T5	GL236-L5	100	GL236-N8	124
48	GL248-U5	GL248-T5	GL248-L5	116	GL248-N8	140
60	GL260-U5	GL260-T5	GL260-L5	134	GL260-N8	158
30 x 36	GL336-U5	GL336-T5	GL336-L5	114	GL336-N8	138
48	GL348-U5	GL348-T5	GL348-L5	132	GL348-N8	156
60	GL360-U5	GL360-T5	GL360-L5	150	GL360-N8	174

Model GZ - Limited access to one side, small pkg transporter

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	GZ236-U5	GZ236-T5	GZ236-L5	110	GZ236-N8	134
48	GZ248-U5	GZ248-T5	GZ248-L5	124	GZ248-N8	148
30 x 48	GZ348-U5	GZ348-T5	GZ348-L5	140	GZ348-N8	164
60	GZ360-U5	GZ360-T5	GZ360-L5	158	GZ360-N8	182

Model GX - Low 3 sided with removable drop gate

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 48	GX248-U5	GX248-T5	GX248-L5	160	GX248-N8	184
60	GX260-U5	GX260-T5	GX260-L5	182	GX260-N8	206
30 x 48	GX348-U5	GX348-T5	GX348-L5	190	GX348-N8	214
60	GX360-U5	GX360-T5	GX360-L5	216	GX360-N8	240

Stock Trucks (3, 4 & 5 Shelves)

Models CC, CD, CE - Versatile heavy duty multiple shelf trucks

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CC Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CD Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CE Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - Model CC - 17", Model CD - 15" & Model CE - 13".
- Overall height - Model CC - 48", Model CD - 60" & Model CE - 68".
- Powder coated gray finish.

Options:

- Brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 89), other top shelf heights available.

Model CC - 3 Shelf Trucks

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CC136-P6	CC136-R6	CC136-U6	132
48	CC148-P6	CC148-R6	CC148-U6	154
24 x 36	CC236-P6	CC236-R6	CC236-U6	156
48	CC248-P6	CC248-R6	CC248-U6	186
60	CC260-P6	CC260-R6	CC260-U6	216
72	CC272-P6	CC272-R6	CC272-U6	246
30 x 36	CC336-P6	CC336-R6	CC336-U6	180
48	CC348-P6	CC348-R6	CC348-U6	216
60	CC360-P6	CC360-R6	CC360-U6	252
72	CC372-P6	CC372-R6	CC372-U6	288
36 x 48	CC448-P6	CC448-R6	CC448-U6	246
60	CC460-P6	CC460-R6	CC460-U6	290
72	CC472-P6	CC472-R6	CC472-U6	332

Model CD - 4 Shelf Trucks

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CD136-P6	CD136-R6	CD136-U6	164
48	CD148-P6	CD148-R6	CD148-U6	194
24 x 36	CD236-P6	CD236-R6	CD236-U6	196
48	CD248-P6	CD248-R6	CD248-U6	234
60	CD260-P6	CD260-R6	CD260-U6	274
72	CD272-P6	CD272-R6	CD272-U6	314
30 x 36	CD336-P6	CD336-R6	CD336-U6	226
48	CD348-P6	CD348-R6	CD348-U6	274
60	CD360-P6	CD360-R6	CD360-U6	322
72	CD372-P6	CD372-R6	CD372-U6	370
36 x 48	CD448-P6	CD448-R6	CD448-U6	314
60	CD460-P6	CD460-R6	CD460-U6	372
72	CD472-P6	CD472-R6	CD472-U6	428

Model CE - 5 Shelf Trucks

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CE136-P6	CE136-R6	CE136-U6	194
48	CE148-P6	CE148-R6	CE148-U6	232
24 x 36	CE236-P6	CE236-R6	CE236-U6	232
48	CE248-P6	CE248-R6	CE248-U6	282
60	CE260-P6	CE260-R6	CE260-U6	330
72	CE272-P6	CE272-R6	CE272-U6	380
30 x 36	CE336-P6	CE336-R6	CE336-U6	270
48	CE348-P6	CE348-R6	CE348-U6	330
60	CE360-P6	CE360-R6	CE360-U6	390
72	CE372-P6	CE372-R6	CE372-U6	450
36 x 48	CE448-P6	CE448-R6	CE448-U6	380
60	CE460-P6	CE460-R6	CE460-U6	450
72	CE472-P6	CE472-R6	CE472-U6	520

Made in U.S.A.

Stock Trucks - (6 Shelf, Adjustable Shelf & Mesh Shelf)

Models CF, CZ, CG - Multipurpose heavy duty trucks for warehouse, stockroom, 3,000 LB CAPACITY*(*2,000 lb with rubber casters) shipping, and more



Model CF Shown

3,000 LB CAPACITY*(*2,000 lb with rubber casters)



Model CZ Shown

1,200 LB CAPACITY*(*800 lb with rubber casters)



Model CG Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use (Models CF & CZ).
- **3/16" thick angle shelves with reinforced 13 gauge mesh decks**, except for solid 12 gauge bottom shelf. (Model CG only).
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention - (only bottom shelf for Model CZ) (see options).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves. (Model CZ only).
- Clearance between shelves - 11" - Model CF, 13" - Model CG.
- Overall height - 72" - Model CF, 57" - Models CZ, 67" - Model CG (see options).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5, B6 or BN**
- Floor lock - **Code F5, F6 or FN**
- All shelves lips down - **Code FA** (Models CF & CG)
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT** (Model CZ only)
- Larger casters (page 89), other top shelf heights available.

Model CF - 6 Shelf stock truck

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CF136-P6	CF136-R6	CF136-U6	220
48	CF148-P6	CF148-R6	CF148-U6	266
24 x 36	CF236-P6	CF236-R6	CF236-U6	266
48	CF248-P6	CF248-R6	CF248-U6	326
60	CF260-P6	CF260-R6	CF260-U6	384
72	CF272-P6	CF272-R6	CF272-U6	444
30 x 36	CF336-P6	CF336-R6	CF336-U6	312
48	CF348-P6	CF348-R6	CF348-U6	384
60	CF360-P6	CF360-R6	CF360-U6	456
72	CF372-P6	CF372-R6	CF372-U6	528
36 x 48	CF448-P6	CF448-R6	CF448-U6	442
60	CF460-P6	CF460-R6	CF460-U6	528
72	CF472-P6	CF472-R6	CF472-U6	598

Model CZ - Adjustable shelf stock truck

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	CZ236-P6	CZ236-R6	CZ236-U6	176
48	CZ248-P6	CZ248-R6	CZ248-U6	198
60	CZ260-P6	CZ260-R6	CZ260-U6	218
72	CZ272-P6	CZ272-R6	CZ272-U6	240
30 x 48	CZ348-P6	CZ348-R6	CZ348-U6	224
60	CZ360-P6	CZ360-R6	CZ360-U6	248
72	CZ372-P6	CZ372-R6	CZ372-U6	274
36 x 48	CZ448-P6	CZ448-R6	CZ448-U6	250
60	CZ460-P6	CZ460-R6	CZ460-U6	280
72	CZ472-P6	CZ472-R6	CZ472-U6	308

Model CG - Visual 5 shelf warehouse truck

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	CG236-U5	CG236-T5	CG236-L5	198	CG236-N8	222
48	CG248-U5	CG248-T5	CG248-L5	228	CG248-N8	252
30 x 48	CG348-U5	CG348-T5	CG348-L5	254	CG348-N8	278
60	CG360-U5	CG360-T5	CG360-L5	300	CG360-N8	324

Order Picking Stock Trucks (3, 4, & 5 Shelves)

Models CO, DO, EO - Heavy duty stock trucks for warehouse, stockroom, and shipping with built in writing stand for record keeping

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model CO Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model DO Shown



Model EO Shown

Product Features:

- Writing stand 12" by width of cart and all welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - Model CO - 17", Model DO - 15", Model EO - 13".
- Overall height - Model CO - 48", Model DO - 60", Model EO - 68" (see options).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor Lock - **Code F6**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 89), other shelf heights available.

Shorter
2 & 3 Shelf
Order Picking Carts
Models SO & LO
see page 15

Model CO - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	C0236-P6	C0236-R6	C0236-U6	166
48	C0248-P6	C0248-R6	C0248-U6	196
60	C0260-P6	C0260-R6	C0260-U6	226
72	C0272-P6	C0272-R6	C0272-U6	258
30 x 36	C0336-P6	C0336-R6	C0336-U6	192
48	C0348-P6	C0348-R6	C0348-U6	228
60	C0360-P6	C0360-R6	C0360-U6	264
72	C0372-P6	C0372-R6	C0372-U6	300
36 x 48	C0448-P6	C0448-R6	C0448-U6	260
60	C0460-P6	C0460-R6	C0460-U6	304
72	C0472-P6	C0472-R6	C0472-U6	348

Model DO - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	D0236-P6	D0236-R6	D0236-U6	206
48	D0248-P6	D0248-R6	D0248-U6	244
60	D0260-P6	D0260-R6	D0260-U6	284
72	D0272-P6	D0272-R6	D0272-U6	326
30 x 36	D0336-P6	D0336-R6	D0336-U6	238
48	D0348-P6	D0348-R6	D0348-U6	286
60	D0360-P6	D0360-R6	D0360-U6	334
72	D0372-P6	D0372-R6	D0372-U6	382
36 x 48	D0448-P6	D0448-R6	D0448-U6	326
60	D0460-P6	D0460-R6	D0460-U6	384
72	D0472-P6	D0472-R6	D0472-U6	440

Model EO - with 5 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	E0236-P6	E0236-R6	E0236-U6	244
48	E0248-P6	E0248-R6	E0248-U6	294
60	E0260-P6	E0260-R6	E0260-U6	342
72	E0272-P6	E0272-R6	E0272-U6	392
30 x 36	E0336-P6	E0336-R6	E0336-U6	282
48	E0348-P6	E0348-R6	E0348-U6	342
60	E0360-P6	E0360-R6	E0360-U6	402
72	E0372-P6	E0372-R6	E0372-U6	462
36 x 48	E0448-P6	E0448-R6	E0448-U6	392
60	E0460-P6	E0460-R6	E0460-U6	462
72	E0472-P6	E0472-R6	E0472-U6	532

Ergonomic Stock Trucks (3, 4, & 5 Shelves)

Models NC, ND, NE - Versatile heavy duty trucks for warehouse, stockroom, shipping, and more with a comfortable ergonomic handle

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model NC Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model ND Shown



Model NE Shown

Product Features:

- Ergonomic tubular handle with smooth radius bend for comfort.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - Model NC - 17", Model ND - 15", Model NE - 13".
- Overall height - Model NC - 48", Model ND - 60", Model NE - 68" (see options).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 89), other shelf heights available.

Model NC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	NC236-P6	NC236-R6	NC236-U6	158
48	NC248-P6	NC248-R6	NC248-U6	188
60	NC260-P6	NC260-R6	NC260-U6	218
72	NC272-P6	NC272-R6	NC272-U6	248
30 x 36	NC336-P6	NC336-R6	NC336-U6	182
48	NC348-P6	NC348-R6	NC348-U6	218
60	NC360-P6	NC360-R6	NC360-U6	254
72	NC372-P6	NC372-R6	NC372-U6	290
36 x 48	NC448-P6	NC448-R6	NC448-U6	248
60	NC460-P6	NC460-R6	NC460-U6	292
72	NC472-P6	NC472-R6	NC472-U6	334

Model ND - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ND236-P6	ND236-R6	ND236-U6	198
48	ND248-P6	ND248-R6	ND248-U6	236
60	ND260-P6	ND260-R6	ND260-U6	276
72	ND272-P6	ND272-R6	ND272-U6	316
30 x 36	ND336-P6	ND336-R6	ND336-U6	228
48	ND348-P6	ND348-R6	ND348-U6	276
60	ND360-P6	ND360-R6	ND360-U6	324
72	ND372-P6	ND372-R6	ND372-U6	372
36 x 48	ND448-P6	ND448-R6	ND448-U6	316
60	ND460-P6	ND460-R6	ND460-U6	374
72	ND472-P6	ND472-R6	ND472-U6	430

Model NE - with 5 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	NE236-P6	NE236-R6	NE236-U6	234
48	NE248-P6	NE248-R6	NE248-U6	284
60	NE260-P6	NE260-R6	NE260-U6	332
72	NE272-P6	NE272-R6	NE272-U6	382
30 x 36	NE336-P6	NE336-R6	NE336-U6	272
48	NE348-P6	NE348-R6	NE348-U6	332
60	NE360-P6	NE360-R6	NE360-U6	392
72	NE372-P6	NE372-R6	NE372-U6	452
36 x 48	NE448-P6	NE448-R6	NE448-U6	382
60	NE460-P6	NE460-R6	NE460-U6	452
72	NE472-P6	NE472-R6	NE472-U6	522

2 Sided Mesh Trucks (2, 3, & 4 Shelves)

Models EB, EC, ED - Clear view heavy duty trucks with maximum durability

2,000 LB CAPACITY



Model EB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model EC Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model ED Shown

Product Features:

- Two sided entry for ease of access.
- Two ends flattened 13 gauge expanded mesh 4' high.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model EB - 22", Model EC - 15" & Model ED - 13"
- 1-1/2" shelf lips up for retention (see options). • Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**
- Other casters (page 89) and shelf heights available.

Model EB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	EB236-P6	EB236-R6	EB236-U6	148
48	EB248-P6	EB248-R6	EB248-U6	168
60	EB260-P6	EB260-R6	EB260-U6	188
72	EB272-P6	EB272-R6	EB272-U6	208
30 x 48	EB348-P6	EB348-R6	EB348-U6	198
60	EB360-P6	EB360-R6	EB360-U6	248
72	EB372-P6	EB372-R6	EB372-U6	274
36 x 48	EB448-P6	EB448-R6	EB448-U6	246
60	EB460-P6	EB460-R6	EB460-U6	278
72	EB472-P6	EB472-R6	EB472-U6	312

Model EC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	EC236-P6	EC236-R6	EC236-U6	180
48	EC248-P6	EC248-R6	EC248-U6	210
60	EC260-P6	EC260-R6	EC260-U6	240
72	EC272-P6	EC272-R6	EC272-U6	270
30 x 48	EC348-P6	EC348-R6	EC348-U6	250
60	EC360-P6	EC360-R6	EC360-U6	286
72	EC372-P6	EC372-R6	EC372-U6	322
36 x 48	EC448-P6	EC448-R6	EC448-U6	292
60	EC460-P6	EC460-R6	EC460-U6	334
72	EC472-P6	EC472-R6	EC472-U6	376

Model ED - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ED236-P6	ED236-R6	ED236-U6	212
48	ED248-P6	ED248-R6	ED248-U6	252
60	ED260-P6	ED260-R6	ED260-U6	292
72	ED272-P6	ED272-R6	ED272-U6	332
30 x 48	ED348-P6	ED348-R6	ED348-U6	302
60	ED360-P6	ED360-R6	ED360-U6	350
72	ED372-P6	ED372-R6	ED372-U6	398
36 x 48	ED448-P6	ED448-R6	ED448-U6	354
60	ED460-P6	ED460-R6	ED460-U6	408
72	ED472-P6	ED472-R6	ED472-U6	464

Made in U.S.A.

2 Sided Slat Trucks (2, 3, & 4 Shelves)

Models KB, KC, KD - Clear view heavy duty trucks with maximum durability

2,000 LB CAPACITY



Model KB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model KC Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model KD Shown

Product Features:

- Two sided entry for ease of access.
- Two ends 1" x 3/16" steel slats on 6" centers 4' high.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model KB - 22", Model KC - 15" & Model KD - 13"
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**
- Other casters (page 89) and shelf heights available.

Model KB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KB236-P6	KB236-R6	KB236-U6	152
48	KB248-P6	KB248-R6	KB248-U6	172
60	KB260-P6	KB260-R6	KB260-U6	192
72	KB272-P6	KB272-R6	KB272-U6	212
30 x 48	KB348-P6	KB348-R6	KB348-U6	204
60	KB360-P6	KB360-R6	KB360-U6	252
72	KB372-P6	KB372-R6	KB372-U6	280
36 x 48	KB448-P6	KB448-R6	KB448-U6	254
60	KB460-P6	KB460-R6	KB460-U6	288
72	KB472-P6	KB472-R6	KB472-U6	320

Model KC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KC236-P6	KC236-R6	KC236-U6	184
48	KC248-P6	KC248-R6	KC248-U6	214
60	KC260-P6	KC260-R6	KC260-U6	244
72	KC272-P6	KC272-R6	KC272-U6	274
30 x 48	KC348-P6	KC348-R6	KC348-U6	256
60	KC360-P6	KC360-R6	KC360-U6	292
72	KC372-P6	KC372-R6	KC372-U6	328
36 x 48	KC448-P6	KC448-R6	KC448-U6	300
60	KC460-P6	KC460-R6	KC460-U6	342
72	KC472-P6	KC472-R6	KC472-U6	384

Model KD - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KD236-P6	KD236-R6	KD236-U6	216
48	KD248-P6	KD248-R6	KD248-U6	256
60	KD260-P6	KD260-R6	KD260-U6	296
72	KD272-P6	KD272-R6	KD272-U6	336
30 x 48	KD348-P6	KD348-R6	KD348-U6	308
60	KD360-P6	KD360-R6	KD360-U6	356
72	KD372-P6	KD372-R6	KD372-U6	404
36 x 48	KD448-P6	KD448-R6	KD448-U6	362
60	KD460-P6	KD460-R6	KD460-U6	416
72	KD472-P6	KD472-R6	KD472-U6	472

2 Sided Solid Trucks (2, 3, & 4 Shelves)

Models DB, DC, DD - Solid heavy duty trucks with maximum durability

2,000 LB CAPACITY



Model DB Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model DC Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model DD Shown

Product Features:

- Two sided entry for ease of access.
- Two ends 14 gauge steel 4' high.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model DB - 22", Model DC - 15" & Model DD - 13"
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**
- Other casters (page 89) and shelf heights available.

Model DB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DB236-P6	DB236-R6	DB236-U6	164
48	DB248-P6	DB248-R6	DB248-U6	184
60	DB260-P6	DB260-R6	DB260-U6	204
72	DB272-P6	DB272-R6	DB272-U6	226
30 x 48	DB348-P6	DB348-R6	DB348-U6	222
60	DB360-P6	DB360-R6	DB360-U6	248
72	DB372-P6	DB372-R6	DB372-U6	270
36 x 48	DB448-P6	DB448-R6	DB448-U6	260
60	DB460-P6	DB460-R6	DB460-U6	290
72	DB472-P6	DB472-R6	DB472-U6	318

Model DC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DC236-P6	DC236-R6	DC236-U6	198
48	DC248-P6	DC248-R6	DC248-U6	228
60	DC260-P6	DC260-R6	DC260-U6	258
72	DC272-P6	DC272-R6	DC272-U6	288
30 x 48	DC348-P6	DC348-R6	DC348-U6	274
60	DC360-P6	DC360-R6	DC360-U6	312
72	DC372-P6	DC372-R6	DC372-U6	348
36 x 48	DC448-P6	DC448-R6	DC448-U6	320
60	DC460-P6	DC460-R6	DC460-U6	366
72	DC472-P6	DC472-R6	DC472-U6	410

Model DD - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DD236-P6	DD236-R6	DD236-U6	230
48	DD248-P6	DD248-R6	DD248-U6	270
60	DD260-P6	DD260-R6	DD260-U6	310
72	DD272-P6	DD272-R6	DD272-U6	350
30 x 48	DD348-P6	DD348-R6	DD348-U6	328
60	DD360-P6	DD360-R6	DD360-U6	378
72	DD372-P6	DD372-R6	DD372-U6	426
36 x 48	DD448-P6	DD448-R6	DD448-U6	384
60	DD460-P6	DD460-R6	DD460-U6	444
72	DD472-P6	DD472-R6	DD472-U6	500

All Products Ship "Qwik Ship"

Sloped 3 Sided Rod Trucks (2, 3, & 4 Shelves)

Models HT, HS, HR - Versatile transporter with sloped shelves to prevent items from rolling off

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HT Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HS Shown



Model HR Shown

Product Features:

- Limited one side access.
- **1" sloped (back) shelves** (except bottom shelf).
- **Vertically mounted 1/2" rods, on 6" centers, on 3 sides, 4' high.**
- All welded construction (except casters).
- Durable **12 gauge steel shelves, 1" tubular frame**, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips down (flush)- see options.
- Clearance between shelves - Model HT - 22", Model HS - 15", Model HR - 13".
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips up - **Code GA**
- Push handle - **Code PH**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89), other shelf heights available.

Model HT - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HT248-P6	HT248-R6	HT248-U6	180
60	HT260-P6	HT260-R6	HT260-U6	200
30 x 48	HT348-P6	HT348-R6	HT348-U6	202
60	HT360-P6	HT360-R6	HT360-U6	232

Model HS - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HS248-P6	HS248-R6	HS248-U6	222
60	HS260-P6	HS260-R6	HS260-U6	252
30 x 48	HS348-P6	HS348-R6	HS348-U6	254
60	HS360-P6	HS360-R6	HS360-U6	292

Model HR - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HR248-P6	HR248-R6	HR248-U6	260
60	HR260-P6	HR260-R6	HR260-U6	300
30 x 48	HR348-P6	HR348-R6	HR348-U6	298
60	HR360-P6	HR360-R6	HR360-U6	354

3 Sided Mesh Trucks (1, 2, & 3 Shelves)

Models ZA, ZB, ZC - Heavy duty truck with visual sides for large packages

2,000 LB CAPACITY



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model ZA Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model ZB Shown



Model ZC Shown

Product Features:

- Limited access one side.
- Three sides flattened 13 gauge expanded mesh 4' high.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model ZB - 22" & Model ZC - 15"
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and shelf heights available.

**3' High Sides
Version
Model GZ
see page 71**

Model ZA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZA236-P6	ZA236-R6	ZA236-U6	136
48	ZA248-P6	ZA248-R6	ZA248-U6	152
60	ZA260-P6	ZA260-R6	ZA260-U6	172
72	ZA272-P6	ZA272-R6	ZA272-U6	188
30 x 48	ZA348-P6	ZA348-R6	ZA348-U6	170
60	ZA360-P6	ZA360-R6	ZA360-U6	200
72	ZA372-P6	ZA372-R6	ZA372-U6	220
36 x 48	ZA448-P6	ZA448-R6	ZA448-U6	192
60	ZA460-P6	ZA460-R6	ZA460-U6	220
72	ZA472-P6	ZA472-R6	ZA472-U6	244

Model ZB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZB236-P6	ZB236-R6	ZB236-U6	170
48	ZB248-P6	ZB248-R6	ZB248-U6	196
60	ZB260-P6	ZB260-R6	ZB260-U6	220
72	ZB272-P6	ZB272-R6	ZB272-U6	246
30 x 48	ZB348-P6	ZB348-R6	ZB348-U6	222
60	ZB360-P6	ZB360-R6	ZB360-U6	252
72	ZB372-P6	ZB372-R6	ZB372-U6	282
36 x 48	ZB448-P6	ZB448-R6	ZB448-U6	250
60	ZB460-P6	ZB460-R6	ZB460-U6	284
72	ZB472-P6	ZB472-R6	ZB472-U6	320

Model ZC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZC236-P6	ZC236-R6	ZC236-U6	202
48	ZC248-P6	ZC248-R6	ZC248-U6	238
60	ZC260-P6	ZC260-R6	ZC260-U6	274
72	ZC272-P6	ZC272-R6	ZC272-U6	310
30 x 48	ZC348-P6	ZC348-R6	ZC348-U6	276
60	ZC360-P6	ZC360-R6	ZC360-U6	318
72	ZC372-P6	ZC372-R6	ZC372-U6	360
36 x 48	ZC448-P6	ZC448-R6	ZC448-U6	310
60	ZC460-P6	ZC460-R6	ZC460-U6	360
72	ZC472-P6	ZC472-R6	ZC472-U6	410

3 Sided Mesh Trucks (4 Shelves)

Model ZD - Heavy duty trucks with visual sides for large packages used in warehouse, stockroom or shipping

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Product Features:

- Limited access one side.
- Three sides flattened 13 gauge expanded mesh 4' high.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 13".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZD236-P6	ZD236-R6	ZD236-U6	226
48	ZD248-P6	ZD248-R6	ZD248-U6	270
60	ZD260-P6	ZD260-R6	ZD260-U6	314
72	ZD272-P6	ZD272-R6	ZD272-U6	360
30 x 48	ZD348-P6	ZD348-R6	ZD348-U6	316
60	ZD360-P6	ZD360-R6	ZD360-U6	368
72	ZD372-P6	ZD372-R6	ZD372-U6	422
36 x 48	ZD448-P6	ZD448-R6	ZD448-U6	360
60	ZD460-P6	ZD460-R6	ZD460-U6	422
72	ZD472-P6	ZD472-R6	ZD472-U6	484

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and shelf heights available.

3 Sided Mesh Trucks (Adjustable Shelf)

Model ZR - Flexible heavy duty trucks for large packages

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Product Features:

- Limited access one side.
- Three sides flattened 13 gauge expanded mesh 4' high.
- All welded construction (except casters and adjustable shelf).
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZR236-P6	ZR236-R6	ZR236-U6	184
48	ZR248-P6	ZR248-R6	ZR248-U6	208
60	ZR260-P6	ZR260-R6	ZR260-U6	234
72	ZR272-P6	ZR272-R6	ZR272-U6	258
30 x 48	ZR348-P6	ZR348-R6	ZR348-U6	236
60	ZR360-P6	ZR360-R6	ZR360-U6	264
72	ZR372-P6	ZR372-R6	ZR372-U6	292
36 x 48	ZR448-P6	ZR448-R6	ZR448-U6	262
60	ZR460-P6	ZR460-R6	ZR460-U6	294
72	ZR472-P6	ZR472-R6	ZR472-U6	328

Other casters (page 89) available.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

3 Sided Slat Trucks (1, 2, & 3 Shelves)

Models HA, HB & HC - Heavy duty trucks with visual sides for large packages

2,000 LB CAPACITY



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HA Shown
With Option FA



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HB Shown
With Option FA



Model HC Shown With Option FA

Product Features:

- Limited access one side.
- 1" x 3/16" steel slats on 6" centers 4' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model HB - 22" & Model HC - 15"
- 1-1/2" shelf lips up for retention (see options).
- Powder coated gray finish.
- Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and shelf heights available.

Model HA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HA236-P6	HA236-R6	HA236-U6	150
48	HA248-P6	HA248-R6	HA248-U6	166
60	HA260-P6	HA260-R6	HA260-U6	186
72	HA272-P6	HA272-R6	HA272-U6	204
30 x 48	HA348-P6	HA348-R6	HA348-U6	188
60	HA360-P6	HA360-R6	HA360-U6	216
72	HA372-P6	HA372-R6	HA372-U6	240
36 x 48	HA448-P6	HA448-R6	HA448-U6	216
60	HA460-P6	HA460-R6	HA460-U6	240
72	HA472-P6	HA472-R6	HA472-U6	266

Model HB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HB236-P6	HB236-R6	HB236-U6	176
48	HB248-P6	HB248-R6	HB248-U6	206
60	HB260-P6	HB260-R6	HB260-U6	234
72	HB272-P6	HB272-R6	HB272-U6	260
30 x 48	HB348-P6	HB348-R6	HB348-U6	234
60	HB360-P6	HB360-R6	HB360-U6	266
72	HB372-P6	HB372-R6	HB372-U6	300
36 x 48	HB448-P6	HB448-R6	HB448-U6	264
60	HB460-P6	HB460-R6	HB460-U6	300
72	HB472-P6	HB472-R6	HB472-U6	338

Model HC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HC236-P6	HC236-R6	HC236-U6	210
48	HC248-P6	HC248-R6	HC248-U6	248
60	HC260-P6	HC260-R6	HC260-U6	286
72	HC272-P6	HC272-R6	HC272-U6	324
30 x 48	HC348-P6	HC348-R6	HC348-U6	288
60	HC360-P6	HC360-R6	HC360-U6	332
72	HC372-P6	HC372-R6	HC372-U6	376
36 x 48	HC448-P6	HC448-R6	HC448-U6	326
60	HC460-P6	HC460-R6	HC460-U6	378
72	HC472-P6	HC472-R6	HC472-U6	430

Made in U.S.A.

3 Sided Slat Trucks (4 Shelves)

Model HD - Versatile heavy duty large package trucks for warehouse, stockroom or shipping

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

Shown With Option FA

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and shelf heights available.

Product Features:

- Limited access one side.
- 1" x 3/16" steel slats on 6" centers 4' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 13".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HD236-P6	HD236-R6	HD236-U6	244
48	HD248-P6	HD248-R6	HD248-U6	290
60	HD260-P6	HD260-R6	HD260-U6	340
72	HD272-P6	HD272-R6	HD272-U6	388
30 x 48	HD348-P6	HD348-R6	HD348-U6	340
60	HD360-P6	HD360-R6	HD360-U6	398
72	HD372-P6	HD372-R6	HD372-U6	454
36 x 48	HD448-P6	HD448-R6	HD448-U6	388
60	HD460-P6	HD460-R6	HD460-U6	454
72	HD472-P6	HD472-R6	HD472-U6	520

3 Sided Slat Trucks (Adjustable Shelf)

Model HZ - Flexible heavy duty trucks for large packages

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- Limited access one side.
- 1" x 3/16" steel slats on 6" centers 4' high on 3 sides.
- All welded construction (except casters and adjustable shelf).
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HZ236-P6	HZ236-R6	HZ236-U6	204
48	HZ248-P6	HZ248-R6	HZ248-U6	230
60	HZ260-P6	HZ260-R6	HZ260-U6	258
72	HZ272-P6	HZ272-R6	HZ272-U6	288
30 x 48	HZ348-P6	HZ348-R6	HZ348-U6	260
60	HZ360-P6	HZ360-R6	HZ360-U6	300
72	HZ372-P6	HZ372-R6	HZ372-U6	334
36 x 48	HZ448-P6	HZ448-R6	HZ448-U6	300
60	HZ460-P6	HZ460-R6	HZ460-U6	336
72	HZ472-P6	HZ472-R6	HZ472-U6	374

Other casters (page 89) available.

3 Sided Solid Trucks (1, 2, & 3 Shelves)

Models FA, FB & FC - Versatile heavy duty large package trucks

2,000 LB CAPACITY



Model FA Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FC Shown

Product Features:

- Limited access one side.
- 14 gauge sheet metal 4' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model FB - 22" & Model FC - 15"
- 1-1/2" shelf lips up for retention (see options).
- Powder coated gray finish.
- Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and shelf heights available.

3' High Sides
Version
Model BZ
see page 69

Model FA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FA236-P6	FA236-R6	FA236-U6	178
48	FA248-P6	FA248-R6	FA248-U6	202
60	FA260-P6	FA260-R6	FA260-U6	228
72	FA272-P6	FA272-R6	FA272-U6	254
30 x 48	FA348-P6	FA348-R6	FA348-U6	230
60	FA360-P6	FA360-R6	FA360-U6	276
72	FA372-P6	FA372-R6	FA372-U6	308
36 x 48	FA448-P6	FA448-R6	FA448-U6	270
60	FA460-P6	FA460-R6	FA460-U6	306
72	FA472-P6	FA472-R6	FA472-U6	340

Model FB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FB236-P6	FB236-R6	FB236-U6	210
48	FB248-P6	FB248-R6	FB248-U6	246
60	FB260-P6	FB260-R6	FB260-U6	280
72	FB272-P6	FB272-R6	FB272-U6	318
30 x 48	FB348-P6	FB348-R6	FB348-U6	284
60	FB360-P6	FB360-R6	FB360-U6	324
72	FB372-P6	FB372-R6	FB372-U6	364
36 x 48	FB448-P6	FB448-R6	FB448-U6	320
60	FB460-P6	FB460-R6	FB460-U6	366
72	FB472-P6	FB472-R6	FB472-U6	410

Model FC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FC236-P6	FC236-R6	FC236-U6	244
48	FC248-P6	FC248-R6	FC248-U6	290
60	FC260-P6	FC260-R6	FC260-U6	336
72	FC272-P6	FC272-R6	FC272-U6	380
30 x 48	FC348-P6	FC348-R6	FC348-U6	336
60	FC360-P6	FC360-R6	FC360-U6	390
72	FC372-P6	FC372-R6	FC372-U6	440
36 x 48	FC448-P6	FC448-R6	FC448-U6	384
60	FC460-P6	FC460-R6	FC460-U6	444
72	FC472-P6	FC472-R6	FC472-U6	504

3 Sided Solid Trucks (4 Shelves)

Model FD - Heavy duty trucks for large packages used in warehouse, stockroom or shipping

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Product Features:

- Limited access one side.
- 14 gauge sheet metal 4' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 13".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FD236-P6	FD236-R6	FD236-U6	276
48	FD248-P6	FD248-R6	FD248-U6	332
60	FD260-P6	FD260-R6	FD260-U6	388
72	FD272-P6	FD272-R6	FD272-U6	444
30 x 48	FD348-P6	FD348-R6	FD348-U6	390
60	FD360-P6	FD360-R6	FD360-U6	452
72	FD372-P6	FD372-R6	FD372-U6	520
36 x 48	FD448-P6	FD448-R6	FD448-U6	444
60	FD460-P6	FD460-R6	FD460-U6	520
72	FD472-P6	FD472-R6	FD472-U6	594

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) and shelf heights available.

3 Sided Solid Trucks (Adjustable Shelf)

Model FR - Flexible heavy duty trucks for large packages

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Product Features:

- Limited access one side.
- 14 gauge sheet metal 4' high on 3 sides.
- All welded construction (except casters and adjustable shelf).
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FR236-P6	FR236-R6	FR236-U6	260
48	FR248-P6	FR248-R6	FR248-U6	294
60	FR260-P6	FR260-R6	FR260-U6	330
72	FR272-P6	FR272-R6	FR272-U6	366
30 x 48	FR348-P6	FR348-R6	FR348-U6	330
60	FR360-P6	FR360-R6	FR360-U6	378
72	FR372-P6	FR372-R6	FR372-U6	420
36 x 48	FR448-P6	FR448-R6	FR448-U6	378
60	FR460-P6	FR460-R6	FR460-U6	420
72	FR472-P6	FR472-R6	FR472-U6	468

Other casters (page 89) available.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Mesh Security Trucks (1, 2, & 3 Shelves)

Models VA, VB, VC - Heavy duty lockable trucks to secure packages while maintaining visual contact

2,000 LB CAPACITY



Model VA Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model VB Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model VC Shown

Product Features:

- Four sides flattened 13 gauge expanded mesh 4' high and top cover.
- 2 flattened 13 gauge expanded mesh doors on one side with lockable hasp (padlock not included).
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Shelf lips down (flush) - see options.
- Clearance between shelves:
 - Model VA - 46"
 - Model VB - 22"
 - Model VC - 15"
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Shelf lips up - **Code GA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) available.

Model VA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VA248-P6	VA248-R6	VA248-U6	230
60	VA260-P6	VA260-R6	VA260-U6	266
30 x 48	VA348-P6	VA348-R6	VA348-U6	256
60	VA360-P6	VA360-R6	VA360-U6	290
36 x 48	VA448-P6	VA448-R6	VA448-U6	276
60	VA460-P6	VA460-R6	VA460-U6	314
72	VA472-P6	VA472-R6	VA472-U6	346

Note: Doors add 4" to width

Model VB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VB248-P6	VB248-R6	VB248-U6	274
60	VB260-P6	VB260-R6	VB260-U6	314
30 x 48	VB348-P6	VB348-R6	VB348-U6	306
60	VB360-P6	VB360-R6	VB360-U6	350
36 x 48	VB448-P6	VB448-R6	VB448-U6	338
60	VB460-P6	VB460-R6	VB460-U6	386
72	VB472-P6	VB472-R6	VB472-U6	430

Note: Doors add 4" to width

Model VC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VC248-P6	VC248-R6	VC248-U6	318
60	VC260-P6	VC260-R6	VC260-U6	368
30 x 48	VC348-P6	VC348-R6	VC348-U6	360
60	VC360-P6	VC360-R6	VC360-U6	414
36 x 48	VC448-P6	VC448-R6	VC448-U6	400
60	VC460-P6	VC460-R6	VC460-U6	462
72	VC472-P6	VC472-R6	VC472-U6	520

Note: Doors add 4" to width

Mesh Security Trucks (4 Shelves)

Model VD - Heavy duty lockable trucks to secure packages while maintaining visual contact

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Shelf lips up - **Code GA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 89) available.

Product Features:

- Four sides flattened 13 gauge expanded mesh 4' high and top cover.
- 2 flattened 13 gauge expanded mesh doors on one side with lockable hasp (padlock not included).
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Shelf lips down (flush) - see options.
- Clearance between shelves - 10".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VD248-P6	VD248-R6	VD248-U6	360
60	VD260-P6	VD260-R6	VD260-U6	420
30 x 48	VD348-P6	VD348-R6	VD348-U6	414
60	VD360-P6	VD360-R6	VD360-U6	480
36 x 48	VD448-P6	VD448-R6	VD448-U6	462
60	VD460-P6	VD460-R6	VD460-U6	540
72	VD472-P6	VD472-R6	VD472-U6	616

Note: Doors add 4" to width

Mesh Security Trucks (Adjustable Shelf)

Model VR - Flexible heavy duty lockable trucks to secure packages while maintaining visual contact

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Shelf lips up - **Code GA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- Four sides flattened 13 gauge expanded mesh 4' high and top cover.
- 2 flattened 13 gauge expanded mesh doors on one side with lockable hasp (padlock not included).
- All welded construction (except casters and adjustable shelf).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Shelf lips down (flush) - see options.
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VR248-P6	VR248-R6	VR248-U6	298
60	VR260-P6	VR260-R6	VR260-U6	342
30 x 48	VR348-P6	VR348-R6	VR348-U6	330
60	VR360-P6	VR360-R6	VR360-U6	378
36 x 48	VR448-P6	VR448-R6	VR448-U6	364
60	VR460-P6	VR460-R6	VR460-U6	412
72	VR472-P6	VR472-R6	VR472-U6	458

Other casters (page 89) available.

Note: Doors add 4" to width

Solid Side Security Trucks (1, 2, & Adjustable Shelves)

Models VE, VF, VZ - Heavy duty lockable trucks to non-visually secure packages

2,000 LB CAPACITY



Model VE Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model VF Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model VZ Shown

Product Features:

- 14 gauge solid sides 4' high with solid 14 gauge top.
- 2 solid doors on one side with lockable hasp (padlock not included).
- All welded construction (except casters).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves (Model VZ only).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Shelf lips down (flush) - see options.
- Clearance between shelves:
 - Model VE - 46"
 - Model VF - 22"
 - Model VZ - Adjustable
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides solid 5' high - **Code SF**
- Shelf lips up - **Code GA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT** (Model VZ)
- Other casters (page 89) available.

Model VE - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VE248-P6	VE248-R6	VE248-U6	400
60	VE260-P6	VE260-R6	VE260-U6	466
30 x 48	VE348-P6	VE348-R6	VE348-U6	462
60	VE360-P6	VE360-R6	VE360-U6	536
36 x 48	VE448-P6	VE448-R6	VE448-U6	500
60	VE460-P6	VE460-R6	VE460-U6	564
72	VE472-P6	VE472-R6	VE472-U6	626

Note: Doors add 4" to width

Model VF - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VF248-P6	VF248-R6	VF248-U6	416
60	VF260-P6	VF260-R6	VF260-U6	490
30 x 48	VF348-P6	VF348-R6	VF348-U6	460
60	VF360-P6	VF360-R6	VF360-U6	546
36 x 48	VF448-P6	VF448-R6	VF448-U6	508
60	VF460-P6	VF460-R6	VF460-U6	582
72	VF472-P6	VF472-R6	VF472-U6	656

Note: Doors add 4" to width

Model VZ - with 2 shelves (1 adjustable shelf)

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VZ248-P6	VZ248-R6	VZ248-U6	434
60	VZ260-P6	VZ260-R6	VZ260-U6	508
30 x 48	VZ348-P6	VZ348-R6	VZ348-U6	478
60	VZ360-P6	VZ360-R6	VZ360-U6	560
36 x 48	VZ448-P6	VZ448-R6	VZ448-U6	522
60	VZ460-P6	VZ460-R6	VZ460-U6	596
72	VZ472-P6	VZ472-R6	VZ472-U6	670

Note: Doors add 4" to width

Made in U.S.A.

JAMCO CASTERS

Jamco carts will accept any Jamco caster (below) with our unique twin-hole pattern caster mounts (1-3/4" x 3" & 3" x 3" bolt hole patterns).


Wheel Characteristics

- Phenolic
 - Best rollability, high strength, hardest material.
- Rubber
 - Best if floor has debris, quieter roll.
- Polyurethane
 - Best if floor conditions vary, non-marking.
- Thermorubber
 - Gray non-marking, soft rubber for quietest roll and best floor protection.
- Steel (semi)
 - High shock and impact resistant
- Full Pneumatic
 - Absorbs shock and vibration, quiet movement, best for uneven floors or transporting over ridges in floors or mezzazines. Will require periodic maintenance.
- Semi Pneumatic
 - Same as full pneumatic without maintenance of air.

Brakes

- Wing Brakes (Toe)
 - Fit on swivels only. Come as a pair.
- Floor Lock
 - Mounts under caster channel in the middle of the handle end.

Floor Lock



4 Series



Urethane Thermorubber

5 Series



Urethane Thermorubber



Steel

7, 6, & 8 Series



Phenolic Mold On Rubber



Urethane Thermorubber



Steel

N Series



Full Pneumatic Semi Pneumatic

4 Series

Size (in)	Wheel Material	Bearing	Capacity (set of 4)	Bolt Hole Pattern (in)	Code
4 x 1-1/4	Polyurethane	Ball	1,200 lbs	1-3/4 x 3	U4
	Thermorubber	Ball	800 lbs	1-3/4 x 3	T4
	Polyurethane with Stainless Rig (for stainless carts)	Ball	1,200 lbs	1-3/4 x 3	S4

5 Series

Size (in)	Wheel Material	Bearing	Capacity (set of 4)	Bolt Hole Pattern (in)	Code
5 x 1-1/4	Polyurethane	Ball	1,200 lbs	1-3/4 x 3	U5
	Thermorubber	Ball	800 lbs	1-3/4 x 3	T5
	Steel (semi)	Plain	1,200 lbs	1-3/4 x 3	L5
	Polyurethane with Stainless Rig (for stainless carts)	Ball	1,200 lbs	1-3/4 x 3	S5

7 Series

Size (in)	Wheel Material	Bearing	Capacity (set of 4)	Bolt Hole Pattern (in)	Code
5 x 2	Phenolic	Roller	4,000 lbs	3 x 3	P7
	Rubber (Mold-on)	Roller	1,800 lbs	3 x 3	R7
	Polyurethane	Roller	3,000 lbs	3 x 3	U7
	Thermorubber	Roller	2,000 lbs	3 x 3	T7
	Steel (semi)	Roller	4,000 lbs	3 x 3	L7

6 Series

Size (in)	Wheel Material	Bearing	Capacity (set of 4)	Bolt Hole Pattern (in)	Code
6 x 2	Phenolic	Roller	4,800 lbs	3 x 3	P6
	Rubber (Mold-on)	Roller	2,000 lbs	3 x 3	R6
	Polyurethane	Roller	3,600 lbs	3 x 3	U6
	Thermorubber	Roller	2,200 lbs	3 x 3	T6
	Steel (semi)	Roller	4,000 lbs	3 x 3	L6
	Polyurethane with Stainless Rig (for stainless carts)	Roller	3,600 lbs	3 x 3	S6

8 Series

Size (in)	Wheel Material	Bearing	Capacity (set of 4)	Bolt Hole Pattern (in)	Code
8 x 2	Phenolic	Roller	4,800 lbs	3 x 3	P8
	Rubber (Mold-on)	Roller	2,400 lbs	3 x 3	R8
	Polyurethane	Roller	3,800 lbs	3 x 3	U8
	Thermorubber	Roller	2,400 lbs	3 x 3	T8
	Steel (semi)	Roller	4,000 lbs	3 x 3	L8

N Series

Size (in)	Wheel Material	Bearing	Capacity (set of 4)	Bolt Hole Pattern (in)	Code
8 x 3	Full Pneumatic	Roller	1,200 lbs	3 x 3	N8
12 x 4	Full Pneumatic	Ball	2,200 lbs	3 x 3	N1
8 x 3	Semi Pneumatic	Ball	2,000 lbs	3 x 3	Z8

Medium Duty 2 Shelf Stainless Steel Utility Carts

Models ZE, ZF, ZG - 600 lb. cap. - Stainless carts with standard and ergonomic handles

600 LB CAPACITY



Model ZE Shown

600 LB CAPACITY



Model ZF Shown

600 LB CAPACITY



Model ZG Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- Bolt on casters (all swivel) - 4" x 1-1/4" - see spec chart.
- **Stainless Tubular Handle** (Ergonomic handle bolts on).
- Bumper guards on all 4 corners.
- Overall height - 33".
- Clearance between shelves - 25".



Model ZE:

- 1-1/4" shelf lips up for retention.
- Standard handle.

Model ZF:

- 1-1/4" shelf lips on 3 sides & flush 1 side (right side length).
- Standard handle.

Model ZG:

- 1-1/4" shelf lips up for retention.
- Ergonomic handle.

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U4/T4**B4**
S4**BV**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from model no.**
- Ergonomic handle - **Code EH** (model ZF only)
- 5" casters available.

Model ZE - Standard Handle - Lips Up

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZE124-U4-AS	ZE124-S4-AS	ZE124-T4-AS	34
30	ZE130-U4-AS	ZE130-S4-AS	ZE130-T4-AS	38
22 x 36	ZE236-U4-AS	ZE236-S4-AS	ZE236-T4-AS	46
48	ZE248-U4-AS	ZE248-S4-AS	ZE248-T4-AS	54

Model ZF - Standard Handle - 3 Lips Up & 1 Lip Down

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZF124-U4-AS	ZF124-S4-AS	ZF124-T4-AS	34
30	ZF130-U4-AS	ZF130-S4-AS	ZF130-T4-AS	38
22 x 36	ZF236-U4-AS	ZF236-S4-AS	ZF236-T4-AS	46
48	ZF248-U4-AS	ZF248-S4-AS	ZF248-T4-AS	54

Model ZG - Ergonomic Handle - Lips Up

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZG124-U4-AS	ZG124-S4-AS	ZG124-T4-AS	36
30	ZG130-U4-AS	ZG130-S4-AS	ZG130-T4-AS	40
22 x 36	ZG236-U4-AS	ZG236-S4-AS	ZG236-T4-AS	48
48	ZG248-U4-AS	ZG248-S4-AS	ZG248-T4-AS	56

BOXED TO SHIP FED EX GROUND

Made in U.S.A.

Medium Duty 3 Shelf Stainless Steel Utility Carts

Models ZH, ZJ, ZK - 600 lb. cap. - Stainless carts with standard and ergonomic handles

600 LB CAPACITY



Model ZH Shown

600 LB CAPACITY



Model ZJ Shown

600 LB CAPACITY



Model ZK Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- Bolt on casters (all swivel) - 4" x 1-1/4" - see spec chart.
- **Stainless Tubular Handle** (Ergonomic handle bolts on).
- Bumper guards on all 4 corners.
- Overall height - 33".
- Clearance between shelves - 11".



Model ZH:

- 1-1/4" shelf lips up for retention.
- Standard handle.

Model ZJ:

- 1-1/4" shelf lips on 3 sides & flush 1 side (right side length).
- Standard handle.

Model ZK:

- 1-1/4" shelf lips up for retention.
- Ergonomic handle.

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U4/T4**B4**
S4**BV**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from model no.**
- Ergonomic handle - **Code EH** (model ZJ only)
- 5" casters available.

Model ZH - Standard Handle - Lips Up

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZH124-U4-AS	ZH124-S4-AS	ZH124-T4-AS	40
30	ZH130-U4-AS	ZH130-S4-AS	ZH130-T4-AS	44
22 x 36	ZH236-U4-AS	ZH236-S4-AS	ZH236-T4-AS	56
48	ZH248-U4-AS	ZH248-S4-AS	ZH248-T4-AS	68

Model ZJ - Standard Handle - 3 Lips Up & 1 Lip Down

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZJ124-U4-AS	ZJ124-S4-AS	ZJ124-T4-AS	40
30	ZJ130-U4-AS	ZJ130-S4-AS	ZJ130-T4-AS	44
22 x 36	ZJ236-U4-AS	ZJ236-S4-AS	ZJ236-T4-AS	56
48	ZJ248-U4-AS	ZJ248-S4-AS	ZJ248-T4-AS	68

Model ZK - Ergonomic Handle - Lips Up

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZK124-U4-AS	ZK124-S4-AS	ZK124-T4-AS	42
30	ZK130-U4-AS	ZK130-S4-AS	ZK130-T4-AS	46
22 x 36	ZK236-U4-AS	ZK236-S4-AS	ZK236-T4-AS	58
48	ZK248-U4-AS	ZK248-S4-AS	ZK248-T4-AS	70

BOXED TO SHIP FED EX GROUND

Medium Duty Stainless Steel Deep Lip Carts (2 Shelves)

Model ZM - 600 Lb capacity 2 shelf stainless carts with 2-1/2" deep lips for retention

600 LB CAPACITY



Model ZM Shown

BOXED TO SHIP FED EX GROUND

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 2-1/2" Lips up for retention.
- Bolt on casters (all swivel) - 4" x 1-1/4" - see spec chart.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 33".
- Clearance between shelves - 22".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U4/T4**B4**
S4**BV**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from cat. no.**
- Ergonomic handle - **Code EH**
- Vinyl matting on top shelf - **Code VM**
- 5" casters available.

Model ZM - Standard Handle - 2-1/2" Lips

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZM124-U4-AS	ZM124-S4-AS	ZM124-T4-AS	38
30	ZM130-U4-AS	ZM130-S4-AS	ZM130-T4-AS	42
22 x 36	ZM236-U4-AS	ZM236-S4-AS	ZM236-T4-AS	50
48	ZM248-U4-AS	ZM248-S4-AS	ZM248-T4-AS	60

Medium Duty Stainless Steel Deep Lip Carts (3 Shelves)

Model ZN - 600 Lb capacity 3 shelf stainless carts with 2-1/2" deep lips for retention

600 LB CAPACITY



Model ZN Shown

BOXED TO SHIP FED EX GROUND

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 2-1/2" Lips up for retention.
- Bolt on casters (all swivel) - 4" x 1-1/4" - see spec chart.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 33".
- Clearance between shelves - 10".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U4/T4**B4**
S4**BV**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from cat. no.**
- Ergonomic handle - **Code EH**
- Vinyl matting on top shelf - **Code VM**
- 5" casters available.

Model ZN - Standard Handle - 2-1/2" Lips

WxL (in)	4" Urethane Casters Cat. No.'s		4" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
16 x 24	ZN124-U4-AS	ZN124-S4-AS	ZN124-T4-AS	44
30	ZN130-U4-AS	ZN130-S4-AS	ZN130-T4-AS	50
22 x 36	ZN236-U4-AS	ZN236-S4-AS	ZN236-T4-AS	64
48	ZN248-U4-AS	ZN248-S4-AS	ZN248-T4-AS	74

Medium Duty Linen Carts (4 Shelves) With Nylon Cover

Model ZL - 600 Lb capacity stainless linen carts with 4 shelves

600 LB CAPACITY



Model ZL Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- **Blue nylon cover**, velcro closures, flame resistant & durable.
- Flush lips.
- Bolt on casters (all swivel) - 5" x 1-1/4" - see spec chart.
- **Stainless Tubular Handle**.
- Bumper guards on all 4 corners.
- Overall height - 48".
- Clearance between shelves - 12".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from model no.**
- Ergonomic handle - **Code EH**

Model ZL - Linen Carts - 4 Shelf with Nylon Cover

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZL236-U5-AS	ZL236-S5-AS	ZL236-T5-AS	64
48	ZL248-U5-AS	ZL248-S5-AS	ZL248-T5-AS	76

Medium Duty Stainless Steel Supply Carts (3 Shelves)

Model ZW - 600 Lb capacity stainless 3 shelf supply carts

600 LB CAPACITY



Model ZW Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Bolt on casters (all swivel) - 5" x 1-1/4" - see spec chart.
- **Stainless Tubular Handle**.
- Bumper guards on all 4 corners.
- Overall height - 43".
- Clearance between shelves - 16".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from model no.**
- Ergonomic handle - **Code EH**

Model ZW - 3 Shelf Supply Carts

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZW236-U5-AS	ZW236-S5-AS	ZW236-T5-AS	52
48	ZW248-U5-AS	ZW248-S5-AS	ZW248-T5-AS	62

Medium Duty Stainless Steel Supply Carts (4 Shelves)

Model ZX - 600 Lb capacity stainless carts with 4 shelves

600 LB CAPACITY



Model ZX Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Bolt on casters (all swivel) - 5" x 1-1/4" - see spec chart.
- **Stainless Tubular handle.**
- Bumper guards on all 4 corners.
- Overall height - 48".
- Clearance between shelves - 12".

Model ZX - 4 Shelf Supply Carts

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZX236-U5-AS	ZX236-S5-AS	ZX236-T5-AS	64
48	ZX248-U5-AS	ZX248-S5-AS	ZX248-T5-AS	76

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from model no.**
- Ergonomic handle - **Code EH**

Medium Duty Stainless Steel Supply Carts (5 Shelves)

Model ZY - 600 Lb capacity Stainless 5 shelf supply carts

600 LB CAPACITY



Model ZY Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in 20 gauge with hemmed edges.
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Bolt on casters (all swivel) - 5" x 1-1/4" - see spec chart.
- **Stainless Tubular handle.**
- Bumper guards on all 4 corners.
- Overall height - 54".
- Clearance between shelves - 10".

Model ZY - 5 Shelf Supply Carts

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
22 x 36	ZY236-U5-AS	ZY236-S5-AS	ZY236-T5-AS	74
48	ZY248-U5-AS	ZY248-S5-AS	ZY248-T5-AS	90

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Casters, 2 swivel, 2 rigid - **Delete suffix AS from model no.**
- Ergonomic handle - **Code EH**

Tubular Frame Stainless Steel 2 & 3 Shelf Service Carts

Models XF, XM, XG, XN - Stainless "U" frame bumper transporter

800 LB CAPACITY



Model XF Shown

1,200 LB CAP.*(*800 lb with thermorubber casters)



Model XM Shown

800 LB CAPACITY



Model XG Shown

1,200 LB CAP.*(*800 lb with thermorubber casters)



Model XN Shown

Product Features:

- All welded construction (except casters & donut handle).
- **Stainless with premium #4 polished shelves** in durable **16 gauge**.
- **1" square tubular stainless "U" frame**
- **1" stainless tubular handle**.
- Rubber bumpers - handle ends have donut bumpers and front legs have "L" shaped bumpers.
- 1-1/2" shelf lips - 3 up and 1 side down.
- Caster rigs available in steel or stainless.
- Overall height - 35".
- Clearance between shelves - 2 shelf units - 22", 3 shelf units - 10".

Models XF & XG

- Stainless 14 gauge rear caster mounts and 1/2" front axle.
- Front wheels and rear casters are thermorubber, non-marking
Front - 8" x 1-1/2" (rigid) Rear - 5" x 1-1/4" (swivel)

Models XM & XN

- Stainless 14 gauge caster mounts.
- Casters are 5" x 1-1/4" non-marking thermorubber or urethane - 2 rigid & 2 swivel.

Options:

- 2 wheel brakes on swivel casters
Caster Type Brake Code
TR, T5, U5..... **B5**
TS, ST, S5..... **BX**
- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys
- **Code DZ** (Models XF & XM only)

Model XF - 2 Shelf (8" wheels & 5" casters)

WxL (in)	8"/5" Thermorubber Casters Cat. No.'s		
	Steel Rig	Stainless Rig	Wgt. (lbs)
18 x 24	XF124-TR	XF124-TS	54
30	XF130-TR	XF130-TS	58
36	XF136-TR	XF136-TS	62
24 x 36	XF236-TR	XF236-TS	72
48	XF248-TR	XF248-TS	84

Model XM - 2 Shelf (5" casters)

WxL (in)	5" Thermorubber No.'s		5" Urethane Cat. No.'s		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Stainless Rig	
18 x 24	XM124-T5	XM124-ST	XM124-U5	XM124-S5	54
30	XM130-T5	XM130-ST	XM130-U5	XM130-S5	58
36	XM136-T5	XM136-ST	XM136-U5	XM136-S5	62
24 x 36	XM236-T5	XM236-ST	XM236-U5	XM236-S5	72
48	XM248-T5	XM248-ST	XM248-U5	XM248-S5	84

Model XG - 3 Shelf (8" wheels & 5" casters)

WxL (in)	8"/5" Thermorubber Casters Cat. No.'s		
	Steel Rig	Stainless Rig	Wgt. (lbs)
18 x 24	XG124-TR	XG124-TS	62
30	XG130-TR	XG130-TS	68
36	XG136-TR	XG136-TS	74
24 x 36	XG236-TR	XG236-TS	90
48	XG248-TR	XG248-TS	108

Model XN - 3 Shelf (5" casters)

WxL (in)	5" Thermorubber No.'s		5" Urethane Cat. No.'s		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Stainless Rig	
18 x 24	XN124-T5	XN124-ST	XN124-U5	XN124-S5	62
30	XN130-T5	XN130-ST	XN130-U5	XN130-S5	68
36	XN136-T5	XN136-ST	XN136-U5	XN136-S5	74
24 x 36	XN236-T5	XN236-ST	XN236-U5	XN236-S5	90
48	XN248-T5	XN248-ST	XN248-U5	XN248-S5	108

Stainless Steel 2 Shelf Service & Low Profile Carts

Models XB, XS, XH, XL - Stainless steel standard, ergonomic and bumper handles

1,200 LB CAPACITY



Model XB Shown

1,200 LB CAPACITY



Model XS Shown

1,200 LB CAPACITY



Model XH Shown

1,200 LB CAPACITY



Model XL Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in durable 16 gauge.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend - standard (XB), raised ergonomic (XS), donut bumper at handle ends (XH), & 12" offset handle (XL).
- "L" shaped rubber bumpers on front legs standard on Model XH.
- 1-1/2" shelf lips up for retention except model XL (top shelf flush).
- Top shelf height - 34" except model XL - 27" (Add 4" for Z8 casters).
- Clearance between shelves - 25" except model XL - 17".

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5 **B5**
S5 **BX**
Z8 **BN**
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Flush top shelf (except XL) - **Code FT**
- Both shelves flush - **Code FA**
- Front leg "L" bumpers for Models XB, XL & XS - **Code LB**
- One side (length) lip down other three sides lips up (all shelves) (except XL) - **Code LA**
- Other shelf heights available - **specify**.
- Thermorubber casters available.
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys - **Code DZ**

Model XB - Standard Handle

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XB124-U5	XB124-S5	52	XB124-Z8	76
30	XB130-U5	XB130-S5	56	XB130-Z8	80
36	XB136-U5	XB136-S5	60	XB136-Z8	84
24 x 36	XB236-U5	XB236-S5	70	XB236-Z8	94
48	XB248-U5	XB248-S5	82	XB248-Z8	106
30 x 48	XB348-U5	XB348-S5	94	XB348-Z8	118
60	XB360-U5	XB360-S5	108	XB360-Z8	132

Model XS - Ergonomic Handle

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XS124-U5	XS124-S5	48	XS124-Z8	72
30	XS130-U5	XS130-S5	54	XS130-Z8	78
36	XS136-U5	XS136-S5	60	XS136-Z8	84
24 x 36	XS236-U5	XS236-S5	70	XS236-Z8	94
48	XS248-U5	XS248-S5	82	XS248-Z8	106
30 x 48	XS348-U5	XS348-S5	94	XS348-Z8	118
60	XS360-U5	XS360-S5	108	XS360-Z8	132

Model XH - Donut Bumper Handle

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XH124-U5	XH124-S5	54	XH124-Z8	78
30	XH130-U5	XH130-S5	58	XH130-Z8	82
36	XH136-U5	XH136-S5	62	XH136-Z8	86
24 x 36	XH236-U5	XH236-S5	72	XH236-Z8	96
48	XH248-U5	XH248-S5	84	XH248-Z8	108
30 x 48	XH348-U5	XH348-S5	96	XH348-Z8	120
60	XH360-U5	XH360-S5	110	XH360-Z8	134

Model XL - Low Profile with Raised Offset Handle

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XL130-U5	XL130-S5	56	XL130-Z8	80
36	XL136-U5	XL136-S5	60	XL136-Z8	84
24 x 36	XL236-U5	XL236-S5	70	XL236-Z8	94
48	XL248-U5	XL248-S5	82	XL248-Z8	106
30 x 48	XL348-U5	XL348-S5	94	XL348-Z8	118
60	XL360-U5	XL360-S5	108	XL360-Z8	132

Made in U.S.A.

Stainless Steel 2 Shelf, 3" Deep Lip, 2 & 3 Shelf Order Picking Carts

Models XK, XZ, XO, YO - Stainless steel carts with deep lip, writing stand, and flush one side edge for unique applications

1,200 LB CAPACITY



Model XK Shown

1,200 LB CAPACITY



Model XZ Shown

1,200 LB CAPACITY



Model XO Shown

1,200 LB CAPACITY



Model YO Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in durable 16 gauge.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Writing stand 12" by cart width (Models XO & YO only).
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend.
- 1-1/2" shelf lips up (except XZ is 3" & XK - 3 lips up & 1 lip down).
- Top shelf height - 34" (except XZ - 32") (Add 4" for Z8 casters).
- Clearance between shelves - Model XK - 23"; XZ - 22"; XO - 25"; YO - 11").

Options:

- 2 wheel brakes on swivel casters -
Caster Type Brake Code
U5 B5
S5 BX
Z8 BN
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB**
- Other shelf heights available - **specify**
- Thermorubber casters available.
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys - **Code DZ** (Except Model YO)

Model XK - 2 Shelf -One Side (Right) Lips Flush

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XK124-U5	XK124-S5	52	XK124-Z8	76
30	XK130-U5	XK130-S5	56	XK130-Z8	80
36	XK136-U5	XK136-S5	60	XK136-Z8	84
24 x 36	XK236-U5	XK236-S5	70	XK236-Z8	94
48	XK248-U5	XK248-S5	82	XK248-Z8	106
30 x 48	XK348-U5	XK348-S5	94	XK348-Z8	118
60	XK360-U5	XK360-S5	108	XK360-Z8	132

Model XZ - 2 Shelf 3" Lips

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XZ130-U5	XZ130-S5	66	XZ130-Z8	90
36	XZ136-U5	XZ136-S5	72	XZ136-Z8	96
24 x 36	XZ236-U5	XZ236-S5	86	XZ236-Z8	110

Model XO - 2 Shelf with Writing Stand - Order Picker

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XO130-U5	XO130-S5	64	XO130-Z8	88
36	XO136-U5	XO136-S5	68	XO136-Z8	92
24 x 36	XO236-U5	XO236-S5	78	XO236-Z8	102
48	XO248-U5	XO248-S5	90	XO248-Z8	114
30 x 48	XO348-U5	XO348-S5	104	XO348-Z8	128
60	XO360-U5	XO360-S5	118	XO360-Z8	142

Model YO - 3 Shelf with Writing Stand - Order Picker

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YO130-U5	YO130-S5	74	YO130-Z8	98
36	YO136-U5	YO136-S5	80	YO136-Z8	104
24 x 36	YO236-U5	YO236-S5	94	YO236-Z8	118
48	YO248-U5	YO248-S5	112	YO248-Z8	136
30 x 48	YO348-U5	YO348-S5	130	YO348-Z8	154
60	YO360-U5	YO360-S5	152	YO360-Z8	176

Stainless Steel 3 Shelf Service Carts

Models XA, XT, XJ, XY - Stainless steel standard, ergonomic carts and bumper handles

1,200 LB CAPACITY



Model XA Shown

1,200 LB CAPACITY



Model XT Shown

1,200 LB CAPACITY



Model XJ Shown

1,200 LB CAPACITY



Model XY Shown

Product Features:

- All welded construction (except casters & donut handle).
- **Stainless with premium #4 polished shelves** in durable **16 gauge**.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend - standard (XA & XY), raised ergonomic (XT), & donut bumper at handle ends (XJ).
- "L" shaped rubber bumpers on front legs standard on Model XJ.
- 1-1/2" shelf lips up (except XY-1 side flush) for retention (see options for flush shelves).
- Top shelf height - 34" (Add 4" for Z8 casters).
- Clearance between shelves - 11"; except Model XY - 10".

Options:

- 2 wheel brakes on swivel casters -

Caster Type **Brake Code**
 U5 **B5**
 S5 **BX**
 Z8 **BN**

- All swivel casters - **Code AS**

- Vinyl matting on top shelf - **Code VM**
- Flush top shelf - **Code FT**
- All shelves flush - **Code FA**
- Front leg "L" bumpers for Models XA, XY & XT - **Code LB**
- Other shelf heights available - **specify**
- Thermorubber casters available.

Model XA - Standard Handle - 3 Shelf

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XA124-U5	XA124-S5	60	XA124-Z8	84
30	XA130-U5	XA130-S5	66	XA130-Z8	90
36	XA136-U5	XA136-S5	72	XA136-Z8	96
24 x 36	XA236-U5	XA236-S5	86	XA236-Z8	110
48	XA248-U5	XA248-S5	104	XA248-Z8	128
30 x 48	XA348-U5	XA348-S5	122	XA348-Z8	146
60	XA360-U5	XA360-S5	142	XA360-Z8	166

Model XT - Ergonomic Handle - 3 Shelf

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XT124-U5	XT124-S5	60	XT124-Z8	84
30	XT130-U5	XT130-S5	68	XT130-Z8	92
36	XT136-U5	XT136-S5	76	XT136-Z8	100
24 x 36	XT236-U5	XT236-S5	88	XT236-Z8	112
48	XT248-U5	XT248-S5	106	XT248-Z8	130
30 x 48	XT348-U5	XT348-S5	124	XT348-Z8	148
60	XT360-U5	XT360-S5	144	XT360-Z8	168

Model XJ - Donut Bumper Handle - 3 Shelf

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XJ124-U5	XJ124-S5	62	XJ124-Z8	86
30	XJ130-U5	XJ130-S5	68	XJ130-Z8	92
36	XJ136-U5	XJ136-S5	74	XJ136-Z8	98
24 x 36	XJ236-U5	XJ236-S5	88	XJ236-Z8	112
48	XJ248-U5	XJ248-S5	106	XJ248-Z8	130
30 x 48	XJ348-U5	XJ348-S5	124	XJ348-Z8	148
60	XJ360-U5	XJ360-S5	144	XJ360-Z8	168

Model XY - Standard Handle - 3 Shelf - One Side (Right) Lips Flush

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XY124-U5	XY124-S5	60	XY124-Z8	84
30	XY130-U5	XY130-S5	66	XY130-Z8	90
36	XY136-U5	XY136-S5	72	XY136-Z8	96
24 x 36	XY236-U5	XY236-S5	86	XY236-Z8	110
48	XY248-U5	XY248-S5	104	XY248-Z8	128
30 x 48	XY348-U5	XY348-S5	122	XY348-Z8	146
60	XY360-U5	XY360-S5	142	XY360-Z8	166

Standard & Twin Handle Stainless Steel Platforms & Transfer Carts

Models XP, YP, YB - Stainless steel transfer platforms & carts

1,200 LB CAPACITY



Model XP Shown

1,200 LB CAPACITY



Model YP Shown

1,200 LB CAPACITY



Model YB Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves and decks** in durable **16 gauge**.
- 1-1/2" stainless corner angles (Model YB only), and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend for comfort and uniform appearance -30" handle height above platform (XP & YP).
- 1-1/2" shelf lips down (flush) for easy loading.
- Cart shelf/platform deck dimensions:

Model	Height	Clearance Between Shelves
XP	8"	N/A
YP	8"	N/A
YB	30"	20"

*Add 4" for Z8 casters

Options:

- 2 wheel brakes on swivel casters -

Caster Type	Brake Code
U5	B5
S5	BX
Z8	BN
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers (Model YB only) - **Code LB**
- Other shelf heights available (Model YB only) - **specify**.
- Middle shelf (Model YB only) - **Code SM**
- Thermorubber casters available.

Model XP - Platform with Removable Handle

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XP130-U5	XP130-S5	46	XP130-Z8	70
36	XP136-U5	XP136-S5	48	XP136-Z8	72
24 x 36	XP236-U5	XP236-S5	54	XP236-Z8	78
48	XP248-U5	XP248-S5	60	XP248-Z8	84
30 x 48	XP348-U5	XP348-S5	68	XP348-Z8	92
60	XP360-U5	XP360-S5	74	XP360-Z8	98

Model YP - Platform with 2 Removable Handles

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YP130-U5	YP130-S5	52	YP130-Z8	76
36	YP136-U5	YP136-S5	54	YP136-Z8	78
24 x 36	YP236-U5	YP236-S5	60	YP236-Z8	84
48	YP248-U5	YP248-S5	66	YP248-Z8	90
30 x 48	YP348-U5	YP348-S5	74	YP348-Z8	98
60	YP360-U5	YP360-S5	80	YP360-Z8	104

Model YB - Transfer Cart

WxL (in)	5" Urethane Casters Cat. No.'s			8" Casters Cat. No.'s	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	YB124-U5	YB124-S5	50	YB124-Z8	74
30	YB130-U5	YB130-S5	54	YB130-Z8	78
36	YB136-U5	YB136-S5	58	YB136-Z8	82
24 x 36	YB236-U5	YB236-S5	68	YB236-Z8	92
48	YB248-U5	YB248-S5	80	YB248-Z8	104
30 x 48	YB348-U5	YB348-S5	92	YB348-Z8	116
60	YB360-U5	YB360-S5	106	YB360-Z8	130

Open Narrow Stainless Steel Mobile Work Stands

Models XX, XR, YD - Stainless steel mobile work stations

1,200 LB CAPACITY



Model XX Shown

1,200 LB CAPACITY



Model XR Shown

1,200 LB CAPACITY



Model YD Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium #4 polished shelves** in durable 16 gauge.
- 1-1/2" stainless corner posts (Models XX & XR only).
- 3 sided 16 gauge stainless sheet construction (Model YD only).
- **Lockable Stainless Drawer** (4-1/4"h x 16"w x 16"d) with 2 keys. (Models XR & YD only).
- Stainless caster mounts for bolt on casters, all swivel.
- Steel or stainless caster rigs.
- Top shelf - flush front lip with other three sides lips up.
- Dimensions:

Work stand	Overall	Clearance
Model	Height	Between Shelves
XX	34"	11"
XR	34"	8"
YD	34"	18"

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5/T5 **B5**
S5 **BX**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB**

Model XX - Mobile Stand

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	XX118-U5-AS	XX118-S5-AS	XX118-T5-AS	44

Model XR - Mobile Stand With 1 Drawer

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	XR118-U5-AS	XR118-S5-AS	XR118-T5-AS	78

Model YD - Mobile Open Cabinet with 1 Drawer

WxL (in)	5" Urethane Casters Cat. No.'s		5" Thermorubber Casters Cat. No.	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YD118-U5-AS	YD118-S5-AS	YD118-T5-AS	90