TRITAN® ULTRA-DOME® ROLLS Anti-Fatigue





TRITAN® ULTRA-DOME® ROLLS ANTI-FATIGUE

- Ultra-Dome Rolls are now manufactured from our Tritan formulation making them "almost indestructible." A combination of recycled nylon fibers and rubber blended to manufacture a mat that is oblivious to extreme conditions, metal working areas, welding areas and milling lines.
- Ultra-Dome Roll anti-fatigue mats' combination of dome surface with evenly spaced compression knobs on the underside, provide a resilient active surface, unparalleled comfort and excellent anti-slip characteristics.
- The Tritan formulation used to manufacture Ultra-Dome stands up to inorganic materials such as caustic soda as well as nitric, sulfuric and hydrochloric acids. It stands up to organic materials such as methyl alcohol, mineral oil, and ethylene glycol.
- Ultra-Dome Rolls suffer no signs of deterioration at 400 degrees Fahrenheit, no fractures or visible cracks due to cold temperature, -45 degrees Fahrenheit.
- Ultra-Dome Rolls with their Tritan formulation are priced to compete and meet everybody's budget.
- Ultra-Dome is available in full 60 foot rolls or cut lengths with beveled edges applied to cut ends.


TRITAN ULTRA-DOME ANTI-FATIGUE CUT ROLLS			
Stock No.	Size	Weight Ea.	
UDR3660	36" x 60"	23.0 lbs.	
UDR310	36" x 120"	45.0 lbs.	
UDR36B	36" Bevel	1.5 lbs.	
TRITAN ULTRA-DOME ANTI-FATIGUE ROLLS			
Stock No.	Size	App. Wt./Lin.ft.	
UDR36	3' x 60'	4.5 lbs.	
Colors: Solid Black only.			








ULTRA-DOME® MODULAR Anti-Fatigue Mats





 Grease-resistant rubber stands up to machine tool cutting fluids and similar liquids found in industrial and commercial situations.




ULTRA-DOME MODULAR SOLID

ULTRA-DOME MODULAR DRAIN-THRU

ULTRA-DOME® INTERLOCK Anti-Fatigue Mats





Stock #	Description	Size	Wt. Ea.
UD34CS	Center Section	36" x 48"	29.0 lbs.
UD34ES	End Section	36" x 48"	29.0 lbs.

PAGE 34, ULTRA-DOME INTERLOCK DRAIN-THRU


Stock #	Description	Size	Wt. Ea.
UD34CD	Center Section	36" x 48"	28.0 lbs.
UD34ED	End Section	36" x 48"	28.0 lbs.

Colors: Solid Black, Black with Yellow Borders.

For mats with Yellow bevel edge, add "Y" to part number.

*Patent Pending





ULTRA-DOME INTERLOCK SOLID

ULTRA-DOME MODULAR DRAIN-THRU



ULTRA-DOME® WORKSTATION Anti-Fatigue



ULTRA-DOME WORKSTATION MAT

- Designed for worker comfort, Ultra-Dome's unique hollow rubber dome design encourages frequent yet subtle changes in posture, inducing natural flexing of muscles, thus reducing the build-up of lactic acid that causes fatigue.
- Perfect as a single work-area mat, check stands, assembly stations, convenience stores. Single piece molded beveled borders on all 4 sides allow easy employee access.
- Solid and drain-thru mats available.


ULTRA-DOME ANTI-FATIGUE MATS				
Stock No.	Description	Sizes	Weight Ea.	
UD2436S	Solid	2' x 3'	9.0 lbs.	
UD2436D	Drain-Thru	2' x 3'	9.0 lbs.	
UD3648S	Solid	3' x 4'	23.0 lbs.	
UD3648D	Drain-Thru	3' x 4'	23.0 lbs.	

Colors: Solid Black, Black with Yellow Bevels.


1/2" Thick, Bevel 4 sides.

For yellow bevel, add "Y" to part number.

Drain Thru Black Only.








TRITAN® EXTREME DUTY

- Tritan is a tough durable "almost indestructible" combination of nylon fibers and rubber blended into a mat that is oblivious to extreme conditions, metal-working areas, welding areas, milling lines and forklift traffic.
- The drain thru design allows debris and liquids to drop thru mat.
- Tritan stands up to inorganic materials such as caustic soda, white and black liquor, nitric, sulfuric, and hydrochloric acids. It stands up to organic materials such as methylalcohol, mineral oil, ethylene glycol and triethanolamine.
- Tritan suffers no deterioration from ozone exposure and weathering, no signs of deterioration at 400 degrees Fahrenheit.
- No fracture or visible cracks due to cold temperature, -45 degrees Fahrenheit.
- Tritan Extreme Duty offers the most aggressive non-slip surface in the industry.
- Nothing works like it. Nothing lasts like it, in the most extreme conditions.

TRITAN EXTREM	ME DUTY MAT		
Stock No.	Size	Weight	
TED-2436	2' x 3'	12 lbs.	
TED-3660	3' x 5'	30 lbs.	
TED-310	3' x 10'	60 lbs.	
TED-320	3' x 20'	120 lbs.	
CUSTOM SIZES -	AVAILABLE IN LENGTH	S UP TO 25 LIN. FT.	
Stock No.	Size	Wt./Ln.ft.	
TED-36	36"	6.0 lbs.	
Colors: Black only. 5/8" Thick.			








CUSHION CLASSIC™ Kitchen Mats






CUSHION CLASSIC KITCHEN

- Available in 3' X 5' size in addition to 3' x 3' size.
- Made of resilient grease-proof rubber to ease the fatigue of long-standing jobs in the kitchen or behind the bar.
- Surface texture helps prevent slips while promoting easy drainage and increase cleanliness.
- · Cushion surface helps prevent glass breakage.
- Construction features built-in connectors on two sides, for standard and irregular configurations, no accessory connectors are needed.
- Cushion Classic kitchen matting has a five-year guarantee on its grease-proof capability.


Stock No.	Description	App. Wt.
57154	36" x 36" mat	18 lbs.
56640	36" x 60" mat	30 lbs.
57158	36" male bevel strip	2 lbs.
57156	36" female bevel strip	2 lbs.
56668	40" male bevel w/corners	2 lbs.
56667	40" female bevel w/corners	2 lbs.
56670	60" male bevel strip	3 lbs.
56669	60" female bevel strip	3 lbs.



CUSHION CLASSIC™ All Purpose Anti-Fatigue Mats








CUSHION CLASSIC

- Available in both 3' x 5' and 3' x 3' size.
- Made of resilient rubber that helps minimize the fatigue of long-standing...important in today's stress-conscious work place.
- Surface texture helps prevent slipping while minimizing dirt trapping. Multi-nib back adds to comfort while enhancing drainage and cleanliness.
- Built-in connector strip on two sides of mat makes it easy to add on mats for coverage of areas with regular proportions.
- Grease-resistant rubber stands up to machine tool cutting fluids and similar liquids found in industrial and commercial environments.
- Bevel strips available in "safety yellow" and black.

Stock No.	Description	App. Wt.
57160	36" x 36" mat	19 lbs.
56642	36" x 60" mat	30 lbs.
57162	36" bevel strip male	2 lbs.
57164	36" bevel strip female	2 lbs.
56673	40" bevel strip male w/corner	2 lbs.
56674	40" bevel strip female w/corner	2 lbs.
56671	60" bevel strip male	3 lbs.
56672	60" bevel strip female	3 lbs.
Colors:	Black mats, Black and Safety Yell	ow bevels.
Thickness	: 5/8"	






SAFETY TRACT® Anti-Fatigue Mats




SAFETY TRACT

- Provides safe firm footing and superior anti-fatigue, increasing worker productivity.
- Made of resilient grease-resistant rubber that stands up to machine tool cutting fluids, Butyl Alcohol, Sodium Hydroxide and similar liquids, found in industrial and commercial situations.
- Surface design helps prevent slipping while minimizing dirt trapping.
- Multi-bar back adds to comfort while enhancing drainage and cleanliness.
- Safety beveled borders on all 4 sides for extra visibility.
- Safety bevel 3 sides option.
- Two different safety edge colors to choose from.

SAFETY TRACT ANTI-FATIGUE			
Stock No.	Sizes	Weight	
ST 2840	28" x 40"	15.0 lbs.	
ST 4040	40" x 40"	22.0 lbs.	
ST 4052	40" x 52"	30.0 lbs.	
ST 4064	40" x 64"	38.0 lbs.	
ST 4124	40" x 124"	76.0 lbs.	
Colors: Black, with Orange Safety bevels only.			
Thickness 7/8"			










COMFORT TRACT

- Comfort Tract offers light weight design, high performance, and excellent anti-fatigue characteristics in industrial and commercial work stations.
- Comfort Tract at ½" thick features a molded bevel edge on four sides that helps keep the mat in place and provides easy employee and cart access.
- Molded cross bar surface assures safe footing. Multi-knob under side adds to comfort while enhancing drainage and cleanliness.
- Made of resilient grease-resistant rubber that stands up to machine tool cutting fluids, Butyl Alcohol, Sodium Hydroxide and similar liquids found in industrial and commercial situations.
- Available in two stock sizes, 3'X5' and 3'X10', and two formulations grease resistant (black) and grease proof (gray).
- Mat is 1/2" thick.

COMFORT TRA	СТ	
Stock No.	Sizes	App. Wt.
CT3660	3' x 5'	25 lbs.
CT310	3' x 10'	50 lbs.
Colors: Black (G	rease Resistant),	
Gray (Gı	rease Proof).	
Thickness 1/2"		





UNI-MAT™ All Purpose Entry Mats





UNI-MAT

- Uni-Mat with it's Grease Proof Nitril Rubber formulation stands up to machine cutting fluids - vegetable oils - animal fats - found in industrial and food service operations. This premium compound also makes Uni-Mat the most resilient rubber mat we've ever made.
- Uni-Mat is easy to handle at 17 lbs. and 3/8" thick yet holds securely in-place due to the large textured bar sub-surface pattern and shows no fractures or cracks due to cold temperature, -45 degrees.
- Uni-Mat has turned out to be one of the most versatile products we've ever manufactured - used in manufacturing – convenience & grocery store – kitchen and food service applications.

UNI-MAT				
Stock No.	Color	Sizes	Thickness	Weight
UM3660	Black	36" x 60"	1/4"	15.0 lbs.
Thickness 1/2".				











OMNI MAT II ANTI-FATIGUE


- Knobbed surface on both sides adds to comfort while providing excellent anti-slip characteristics.
- Omni Mat II is fully reversible for extended service life.
- Designed for drainage, with holes that allow water and debris to flow through.
- 3/8" thick Omni Mat II is offered in cut lengths or full rolls 36 ft. long.



Stock No.	Size	Weight
OM33	3' x 3'	12 lbs.
OM34	3' x 4'	15 lbs.
OM35	3' x 5'	19 lbs.
OM36	3' x 6'	21 lbs.
OM38	3' x 8'	30 lbs.
OM31	3' x 18'	68 lbs.
OMNI MAT II RO	LLS	
Stock No.	Size	Wt./Ln.ft.
OM3BL	36" x 36'	3.8 lbs.
Color: Black.		



COMFORT QUAD® DRAIN-THRU Mats




COMFORT QUAD™ DRAIN-THRU

- Comfort Quad is a versatile multi-purpose rubber mat that adapts itself perfectly to use around machinery in factories, irregular proportions in kitchens or around bars.
- Any wet area applications, grease-resistant rubber that stands up to machine tool cutting, fluids and similar industrial/commercial situations. Knob back adds to comfort while enhancing drainage.
- Comfort Quad has an open interlocking lug on 4 sides, making it easy to assemble many components to fit your coverage requirements.
- Sections are 16" x 16" x 3/4" and at 6 lbs. each, light weight, easy to handle and clean.
- Bevel strips and corners are available in "safety yellow" as well as black.

COMFORT QUAD			
Stock No.	Description	App. Wt.	
CQD1616	16" x 16" mat	6.00 lbs.	
CQB16	16" Bevel Strip	1.00 lbs.	
CQC	Corner Piece	.50 lbs.	
Colors: Black Tile (Corner pieces, bevel strips: Black, Yellow)			
Thickness: 3/4".			
For yellow bevels	s, add "Y" to part number.		





COMFORT QUAD® SOLID Mats







COMFORT QUAD SOLID

- Comfort Quad Solid is a versatile multi-purpose rubber mat that quickly and easily covers large areas and adapts itself perfectly as a secondary flooring.
- Comfort Quad has a four side open lug interlocking system, making it easy to assemble and keeps it together despite constant use.
- Comfort Quad's rubber formulation in combination with it's cavity back design with evenly spaced compression knobs provide surprising flexibility under foot. A slightly textured parquet surface provides excellent non-slip properties while accommodating wheel traffic.
- Sections are 16'X16'X3/4" and at 6 lbs. each, light weight and easy to handle. Bevel strips are 16" long and 2" wide, with a pattern of 4 ribs on the surface for on and off safety. Bevels are available in safety yellow as well as black.


COMFORT QUAD					
Stock No.	Description	App. Wt.			
CQS1616	16" x 16" mat	6.00 lbs.			
CQB16	16" Bevel Strip	1.00 lbs.			
CQC	Corner Piece	.50 lbs.			
Colors: Black Tile (Corner pieces, bevel strips: Black, Yellow)					
Thickness: 3/4".					
For yellow bevels, add "Y" to part number.					







TRITAN® FLOOR SAVER Mats



TRITAN FLOOR SAVER MATS

- · Protect your expensive flooring with Tritan Floor Saver matting, 4' x 6' rubber mat.
- Ideal for steel warehousing and weightrooms, protects both floor and stored materials.
- Slip-resistant diamond design surface for worker safety.
- · Made from the same tough combination of rubber and fiber as other Tritan products for strength and durability.

	TRITAN FLOOR SAVER MATS – 1/2" THICK			
	Stock No.	Sizes	App. Weight	
	12450	4' x 6'	75 lbs.	
	Color: Black only.			
	1//		7	
_		1/2"		
	RHINO AECYCLES			
		- COSSS		



CUSHION CLASSIC™ Solid Cushion Mats

CUSHION CLASSIC SOLID

- Solid surface features grid pattern for surer footing. Provides easy movement of wheeled equipment.
- Made in 36" x 36" modules with built-in connector strip on two sides for easy expansion of floor coverage.
- · Ideal for industrial applications and weight rooms.

CUSHION-EZE SOLID Cushion Mats					
Stock No.	Description	App. Wt.			
57150	36" x 36" mat	22 lbs.			
57162	36" bevel strip male	2 lbs.			
57164	36" bevel strip female	2 lbs.			
56673	40" bevel strip male w/corner	2 lbs.			
56674	40" bevel strip female w/corner	2 lbs.			
Colors: Black mats, Black and Safety Yellow bevels. Thickness: 5/8". For yellow bevels, add "Y" to product number.					

