
# "L" Compact Cabinet



## The Rousseau Advantages



100 lb capacity per drawer. 100 % drawer extension in both drawer depths.



Partitions and dividers are clipped in.



Variety of drawer accessories available: full-depth partitions, dividers, plastic bins, hanging file holders, foam for protection, etc.




Central lock on the cabinet housing.



6 drawer heights available: 3", 4", 5", 6", 8" and 12".

#### "L" COMPACT CABINET



The "L" Compact Cabinet is available in 18" wide, two different depths; 21" and 27". Five cabinet heights are available; 24", 28", 30", 34" and 40". A choice of base (2" or 4") in painted steel or stainless steel is also possible for raising cabinet height a bit or to free up foot room. A new security system allows you to lock all of the drawers with one central lock.

The drawers come in a choice of 6 different heights from 3" to 12" and can be accessorized with partitions, dividers and plastic bins for the best possible organization of your parts. Each drawer has a 100 lb capacity and ergonomic handles that are easy to grip and look good.

The "L" Compact Cabinet is an excellent alternative to the "R" Heavy-Duty version. Take the time to learn more in the following pages.



L3ABD-2418L3C

L3ABD-3442L3C

## **Proposals – Cabinets**

Here are some examples of "L" Compact Cabinet proposals:

Doors are factory installed with hinges on the left. Upon request, doors can be installed with hinges on the right; To order a lock on the cabinet housing (for models with more than one drawer) or on the door, complete the product number with L3;

To order a cabinet with a 4" base complete the product number with C for painted steel base and D for stainless steel base. Ex.: L3ABD-2401L3 C for a 18" x 21" x 24" cabinet, 4 drawers, with lock and 4" base in painted steel. IMPORTANT

Drawer layouts are included with the proposals. See chart to the left for the number of compartments.

For models without drawer layouts, change the last 2 numbers of the model to the next sequential even number.

> Ex.: L3ABD-2401 with L3ABD-2402 without

#### Number of Compartments (layout code) Drawer dimensions 18" x 21" 18" x 27" 3" to 5" 9 (0206) 9 (0206) 6 (0104) 6" and 8" 6 (0104) 12" 4 (0102) 4 (0102)

## 24" High



4 drawers L3ABD-2401 18" x 21" x 24" L3ABG-2401 18" x 27" x 24"



4 drawers L3ABD-2403 18" x 21" x 24" L3ABG-2403 18" x 27" x 24"



4 drawers L3ABD-2405 18" x 21" x 24" L3ABG-2405 18" x 27" x 24"



3 drawers L3ABD-2407 18" x 21" x 24" L3ABG-2407 18" x 27" x 24"



4 drawers L3ABD-2409 18" x 21" x 24" L3ABG-2409\_ 18" x 27" x 24"



1 door/1 shelf L3ABD-2412 18" x 21" x 24" L3ABG-2412 18" x 27" x 24"



3 drawers L3ABD-2421 18" x 21" x 24" L3ABG-2421 18" x 27" x 24"



3 drawers L3ABD-2415 18" x 21" x 24" L3ABG-2415 18" x 27" x 24"



4 drawers L3ABD-2417 18" x 21" x 24" L3ABG-2417 18" x 27" x 24"



5 drawers L3ABD-2419 18" x 21" x 24" L3ABG-2419 18" x 27" x 24"

## 28" High



4 drawers	
L3ABD-2801	18" x 21" x 28"
L3ABG-2801	18" x 27" x 28"



4 drawers L3ABD-2807 18" x 21" x 28" L3ABG-2807 18" x 27" x 28'



2 drawers L3ABD-2809 18" x 21" x 28" L3ABG-2809 18" x 27" x 28"



3 drawers	
L3ABD-2811	18" x 21" x 28
L3ABG-2811	18" x 27" x 28



4 drawers L3ABD-2819 18" x 21" x 28" L3ABG-2819 18" x 27" x 28"



6 drawers L3ABD-2821 18" x 21" x 28" L3ABG-2821 18" x 27" x 28"



3 drawers	
L3ABD-2803	18" x 21" x 28
L3ABG-2803	18" x 27" x 28



2 doors/1 shelf L3ABD-2828 18" x 21" x 28" L3ABG-2828 18" x 27" x 28"



1 drawer/1 door L3ABD-2829 18" x 21" x 28" 18" x 27" x 28" L3ABG-2829



4 drawers 18" x 21" x 28" L3ABD-2835 L3ABG-2835 18" x 27" x 28"

# **Proposals - Cabinets**

## 34" High



5 drawers L3ABD-3403\_\_ 18" x 21" x 34" L3ABG-3403\_\_ 18" x 27" x 34"



4 drawers	
L3ABD-3407	18" x 21" x 34
L3ABG-3407	18" x 27" x 34



1 drawer/1 door/1 shelf L3ABD-3411\_\_ 18" x 21" x 34" L3ABG-3411\_\_ 18" x 27" x 34"



5 drawers L3ABD-3415\_\_ 18" x 21" x 34" L3ABG-3415\_\_ 18" x 27" x 34"



5 drawers L3ABD-3419\_\_ 18" x 21" x 34" L3ABG-3419\_\_ 18" x 27" x 34"



4 drawers L3ABD-3421\_\_ 18" x 21" x 34" L3ABG-3421\_\_ 18" x 27" x 34"



6 drawers	
L3ABD-3405	18" x 21" x 34"
L3ABG-3405	18" x 27" x 34"



1 door/1 shelf L3ABD-3436\_\_ 18" x 21" x 34" L3ABG-3436\_\_ 18" x 27" x 34"



6 drawers L3ABD-3437\_\_ 18" x 21" x 34" L3ABG-3437\_\_ 18" x 27" x 34"



4 drawers	
L3ABD-3447	18" x 21" x 34"
L3ABG-3447	18" x 27" x 34"

## 40" High



6 drawers <u>L3ABD-4005\_\_\_\_\_\_18" x 21" x 40"</u> <u>L3ABG-4005\_\_\_\_\_\_18" x 27" x 40"</u>



o drawers	
L3ABD-4047	18" x 21" x 40"
L3ABG-4047	18" x 27" x 40"



8 drawers L3ABD-4011\_\_ 18" x 21" x 40" L3ABG-4011\_\_ 18" x 27" x 40"




4 drawers/1 door/1 shelf L3ABD-4015\_\_ 18" x 21" x 40" L3ABG-4015\_\_ 18" x 27" x 40"



3 drawers/1 door L3ABD-4017\_\_ 18" x 21" x 40" L3ABG-4017\_\_ 18" x 27" x 40"



3 drawers	
L3ABD-4007	18" x 21" x 40"
L3ABG-4007	18" x 27" x 40"



6 drawers L3ABD-4025\_\_ 18" x 21" x 40" L3ABG-4025\_\_ 18" x 27" x 40"



7 drawers L3ABD-4027\_\_ 18" x 21" x 40" L3ABG-4027\_\_ 18" x 27" x 40"



6 drawers L3ABD-4029\_\_ 18" x 21" x 40" L3ABG-4029\_\_ 18" x 27" x 40"




6 drawers L3ABD-4031\_\_ 18" x 21" x 40" L3ABG-4031\_\_ 18" x 27" x 40"

# **Proposals - Drawer Compartments**

# You can choose a drawer model from among our proposals with layouts: OO for layout kit only 51 for a drawer in a cabinet, with layout EXAMPLE: L BD-A0200 Drawer height: 3", 4" 5", 6", 8" and 12" EXAMPLE: L BD-A0200 ADDITIONAL BD-A0200 EXAMPLE: L BD-A020

# 

BD-KLR12



PVC

BD-J0403

BD-J0203

for tools


BD-J0103

for protection

# **Proposals - Drawer Compartments**


#### 18" X 27" (W X D) Drawers


#### **Partitions and Dividers**




12 12 BG-A0102


4 compartments































#### Plastic Bins

















Foam/Liners



PVC



for protection



for tools





## **Security Accessories**

#### Drawer Lock Door Lock L3/LP L3



2 keys provided with each lock;

Compatible with all drawer dimensions;

The mechanism (covered by a galvanized box) requires 3" W x 1" D inside the drawer;

Order by adding L3 to drawer or partitioning proposal number. Ex.: LF31-182106L3

For replacement parts or to retrofit this mechanism, order HA51-L3;

SEE KA, KD or MK

Note: A security panel LF91 must be ordered to block access between two drawers if managing two different users.

#### Product #

L3

#### Central Locking Mechanism

L3/LP



KA, KD or MK

Allows user to lock all drawers in the cabinet at the same time; Easy to retrofit:

Possible to change drawer layout without touching locking mechanism:

To order a lock, complete the product housing number or the proposal cabinet number by L3. Ex.: LA30-182134<u>L3</u>; To order a safety hasp for padlock, complete the housing number with LP. Ex.: LA30-182134LP;

PAGE

For replacement parts or to retrofit this mechanism, order HA52-L3.

Product #

Lock Safety hasp



2 keys provided with each lock;

To order a lock, complete the door number by L3. Ex: LB30-1812<u>L3</u>

To order a safety hasp, complete the door number by LP. Ex.: LB30-1812<u>LP;</u>

For replacement parts or to retrofit this mechanism, order HA49-L3 or HA49-LP

Note: A security panel LF91 must be ordered to block access between two doors if managing two different users.



Product #	
L3	Lock
LP	Safety Hasp

#### Lock-In Mechanism



Activated by sliding the mechanism with thumb;

Drawer closes without having to reactivate the slide mechanism;

Stops drawers from opening on their own;

Easy to retrofit;

Order by adding B to the drawer or partitioning number. Ex.: LF31-182106B;

For replacement parts or to retrofit this mechanism, order LY02.

Product #

#### **Drawer and Handle Accessories**

#### Labels Handle Protector **LF70 LF71**



Installs on drawer handle by clipping in place;

Made of transparent plastic;

Protects identification labels from dust, grease and dirt; Easy to remove;

Note: Labels available. Order LF71-425075

Product #

LF70-18



Labels designed to be inserted on handles under the handle protector (LF70);

30 labels per page;

Print the labels of your choice. A template is available at www.rousseaumetal.com in the Information Centre section.

Product #

LF71-425075

#### Foam for Protection LG41



Protects stored objects:

Blue foam 1/4" thick

Product # For Drawer LG41-1821-01 18" W x 21" D LG41-1827-01 18" W x 27" D

Partitions and dividers may not be installed NOTE with this foam.

#### PVC Drawer Liner

*LG40* 



Protects stored objects;

Non-skid surface:

Can be installed under partitions and dividers;

Thickness: 3/32"

Product # For Drawer LG40-1821-01 18" W x 21" D LG40-1827-01 18" W x 27" D

#### Folder Hanging Bars

LG31

For storing hanging folders; Can be used for both letter and legal sizes; Designed for 12" drawers.

Product #

LG31-18

#### Foam for Tools

LG42



Oil resistant and non-absorbent;

1 blue foam 1/4" thick;

1 black self-adhesive ½" thick foam;

Sold without cut-outs. May be cut using a utility knife.

SEE PAGE

Product #	For Drawer	
LG42-1821-01	18" W x 21" D	
LG42-1827-01	18" W x 27" D	



#### Plastic Bin



RG20



Simplify storing, moving and managing small parts. Lightweight and resistant; Designed for 3" and 4" high drawers;

45° angle for easy identification of bin contents and removal of bins;

Compatible with partitions and dividers;

6" plastic bins can be subdivided.



NOTE	Height 2" = 1 1/2" real
NUIE	Height 3" = 2 1/2" real

Dimensions		ons	Product #		
W	D	Н	Bin	Partition	Divider
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

#### Front to Back Partition



LG02



Used to divide the drawer along its depth;

Clip system locks dividers in place;

Galvanized steel;

RG10 dividers can be used in between partitions to make smaller compartments;

Compatible with plastic bins and PVC drawer liners.

			Drawer	· Height		
Drawer Depth Nominal (real)	3"	4"	5"	6"	8"	12"
Nominal (real)	1 %" high	2 %" high	3 %" high	4 %" high	6 %" high	8 %" high
21" (18")	LG02-2103	LG02-2104	LG02-2105	LG02-2106	LG02-2108	LG02-2110
27" (24")	LG02-2703	LG02-2704	LG02-2705	LG02-2706	LG02-2708	LG02-2710



#### Drawer Divider



**RG10** 



Clip in place;

45° angle for identifying compartment contents;


Adjustable every 3" (c/c).

	Drawer Height					
Divider Width Nominal	3"	4"	5"	6"	8"	12"
NUIIIIIai	1 %" high	2 %" high	3 %" high	4 %" high	6 %" high	8 %" high
3"	RG10-03003	RG10-03004	RG10-03005	RG10-03006	RG10-03008	RG10-03010
5"	RG10-05003	RG10-05004	RG10-05005	RG10-05006	RG10-05008	RG10-05010
6"	RG10-06003	RG10-06004	RG10-06005	RG10-06006	RG10-06008	RG10-06010
7.5"	RG10-07503	RG10-07504	RG10-07505	RG10-07506	RG10-07508	RG10-07510
9"	RG10-09003	RG10-09004	RG10-09005	RG10-09006	RG10-09008	RG10-09010
10"	RG10-10003	RG10-10004	RG10-10005	RG10-10006	RG10-10008	RG10-10010
12"	RG10-12003	RG10-12004	RG10-12005	RG10-12006	RG10-12008	RG10-12010
15"	RG10-15003	RG10-15004	RG10-15005	RG10-15006	RG10-15008	RG10-15010

#### Tops

#### Resistant Acrylic/PVC Plastic Laminated Top

**WS08** 





Color: Gray;

Core made of particle board;

Finish: sheet of gray polymer;

Deluxe quality laminated top;

Excellent chemical product resistance (can be in prolonged contact with a substance);

Superior abrasion resistance compared to standard laminated top;

Superior impact resistance compared to standard laminated top;

Attractive appearance.

#### Laminated Wood Top

**WS14** 



Top for general industrial applications;

Thickness: 1 3/4";

Made with varnished hardwood slats;

90° radius front edge for more comfort;

Good impact resistance;

Attractive appearance.

#### Plastic Laminated Top

WS16



Top for general applications. Ideal for assembly, quality control and packaging applications;

Thickness: 1 1/2";

Color: White;

Attractive appearance;

Easy to clean;

90° radius front edge for more comfort.

#### Steel Top with Rubber Mat

**RC32** 



Non-slip rubber surface;

Sides and back formed with a double fold, 1" high.

#### Stainless Steel Top

RC35



Serves as a work surface and protects cabinet against impact ;

Composite wood top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

The top respects the CARB regulations on formaldehyde emissions;

Welded corner for attractive look;

Thickness: 1 3/4".

#### Painted Steel Top

RC37



Serves as a work surface and protects cabinet against impacts;

Composite wood top with painted steel cover;

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Thickness: 13/4".

#### Dissipative Top

WS17



Top for electronics applications. Ideal for assembly or electronics inspection stations;

Thickness: 1 1/2";

Color: White;

Attractive appearance;

Easy to clean;

90° radius front for more comfort;

Dissipates electric charges that can damage electronic components;

Resistance point to point and point to ground between  $10^6$  and  $10^9~\Omega.$ 

Dimen	sions				Type of Top			
w	D	Acrylic/PVC Plastic Laminated	Laminated Wood	Plastic Laminated	Dissipative	Steel Top with Rubber Mat	Stainless Steel	Painted Steel
18"	21"		WS14-1821A*	WS16-1821A*		RC32-1821-01	RC35-1821	RC37-1821
	27"		WS14-1827A*	WS16-1827A*		RC32-1827-01	RC35-1827	RC37-1827
36"	21"	WS08-3621A*	WS14-3621A*	WS16-3621A*	WS17-3621A*	RC32-3621-01	RC35-3621	RC37-3621
	27"	WS08-3627A*	WS14-3627A*	WS16-3627A*	WS17-3627A*	RC32-3627-01	RC35-3627	RC37-3627
54"	21"	WS08-5421A*	WS14-5421A*	WS16-5421A*	WS17-5421A*	RC32-5421-01	RC35-5421	RC37-5421
	27"	WS08-5427A*	WS14-5427A*	WS16-5427A*	WS17-5427A*	RC32-5427-01	RC35-5427	RC37-5427

NOTE \* Please check with your customer service representative for lead time.

#### **ESD Protection**

#### ESD Cabinet



LC50



Allows for the safe storage of electronic components;

Special paint dissipates electric charges;

Grounding cord and ground wrist strap socket are included. Cord resistance is 1 M  $\Omega;\,$ 

To order a cabinet equipped with protection against electrostatic discharges;

Dissipative paint is Black 090.



#### Product #

LC50-01



Made of stretch material;

Comes with a 6" cord with 1M  $\Omega$  resistance;

Dissipates electric charges that may damage electronic components.

Product #


70000320



**CONDUCTIVE PLASTIC BINS** 



**LA76** 



**DISSIPATIVE TOP** 



#### Bases


## Leveling Glide Kit




Can be installed under cabinets with or without

Includes: 2 supports and 4 leveling glides.

Product #	Width
LA74-1801	18"



Floor Anchoring Kit



Used to anchor a cabinet (without base) to the floor;

Includes 1 bolt for concrete floors.

Product #	Width	
LA76-1801	18"	


IMPROVED

## Stacking Cabinets

#### Stacking Kit



*LA74* 



Designed for stacking two "L" compact cabinets;
Used at the bottom of the upper cabinet;

Includes: 2 supports and hardware for anchoring.


Product #	Width	
LA78-1801	18"	



L3XJD-2802L3

#### "L" Compact Cabinet Housing





Create a customized work space with a wide range of possibilities;

Drawers, shelves and doors can be installed in the housing;

Housing is equipped with knock-outs:

- On the top: for stacking a drawer unit housing LD75 or another cabinet. In the later case, order the stacking kit (LA78);
- On the sides and back: for assembling cabinets side-to-side and back-to-back, or for installing under the work surface. Order a cabinet attachment bars (RA70);
- 2" base in painted or stainless steel can be added to make cabinet heights of 26", 30", 32"

4" base in painted or stainless steel can be added to make cabinet heights of 28", 32", 34", 38" and 44";

Lock on the housing allows user to secure all drawers at the same time, complete the product number with L3:

To order hasp for padlock, complete the product number with LP.

Product #	WxDxH
LA30-182124	18" x 21" x 24"
LA30-182128	18" x 21" x 28"
LA30-182130	18" x 21" x 30"
LA30-182134	18" x 21" x 34"
LA30-182140	18" x 21" x 40"

Product #	WxDxH
LA30-182724	18" x 27" x 24"
LA30-182728	18" x 27" x 28"
LA30-182730	18" x 27" x 30"
LA30-182734	18" x 27" x 34"
LA30-182740	18" x 27" x 40"

SEE



L3XBD-2802L3C

#### "L" Compact Drawer





100 lb capacity, 100% extension;

Wide range of accessories available to adapt to your storage needs

Precision ball bearing drawer slides included;

Easy hook-on assembly;

For drawer layout proposals.

Available drawer heights; 3", 4", 5", 6", 8" and 12";

Order by adding the drawer height to the drawer number. Ex.: LF31-182106;


For a drawer lock, order by adding L3 to drawer number. The mechanism covered by a galvanized box requires 3" W x 1" D inside the drawer. Ex.: LF31-182704L3;


For a lock-in mechanism, order by adding B to the drawer number. Ex.: LF31-182103B.

Product #	W x D	Inside dim.
LF31-1821	18" x 21"	15" x 18"
LF31-1827	18" x 27"	15" x 24"



#### **Drawer Dimensions**






#### Cabinet Base



#### LA85 / LA86

#### Housing for Drawer Unit

LD75



Base in painted steel: LA85;

Base in stainless steel: LA86:

Available heights: 2" and 4";

2" recessed clearance;

Compatible with LA74 leveling glide kit;

Order by specifying the type of finish.

Ex.: LA86-182704 for a 18" W x 27" D x 4" H stainless steel base:

Note: not compatible with floor anchoring kit (LA76), stacking kit (LA78) and casters.

Product #	WxDxH
LA182102	18" x 21" x 2"
LA182104	18" x 21" x 4"
LA182702	18" x 27" x 2"
LA182704	18" x 27" x 4"

Installed on a cabinet or under a work surface; 100 lb capacity for each drawer in the unit for a maximum of 175 lb per unit;

Compatible with LF31 compact drawer (not included);

Order by adding drawer unit housing depth, 21" or 27" deep

Product #	Inside dim.	
LD75-1809	6"	
LD75-1812	9"	
LD75-1815	12"	

#### Integrated Door



**LB30** 



Handle fitted in plastic. Color: black;

Door are factory installed with hinges on the left side. They may be installed on the right side, upon\_request;

Shelf LB24 must be ordered as storage surface for doors installed above a drawer or another door

For central locking mechanism, complete the product number with L3;

For hasp for padlock, complete the product number with LP.

Product #	WxH	
LB30-1812	18" x 12"	
LB30-1818	18" x 18"	
LB30-1820	18" x 20"	
LB30-1824	18" x 24"	
LB30-1826	18" x 26"	
LB30-1830	18" x 30"	
LB30-1836	18" x 36"	

#### Drawer Unit Cover






Used to cover the top of the LD75 drawer unit when installed on the work surface.

Product #	W x D	
LD76-1821	18" x 21"	
LD76-1827	18" x 27"	

#### Vertical Security Bar







Locks a bank of drawers in cabinet with either a key or a padlock;

Safety hasp for padlock is located at the top of the bar to facilitate access;

Covers a bank of drawers from 20" to 36" Easy assembly;

Installs on the right side;

Order by specifying the type of lock. Complete with LP for a safety hasp or with L3 for a standard lock.


Product #	Cabinet Height	Vertical Security Bar Height
LB10-24A	24"	20"
LB10-28A	28"	24"
LB10-30A	30"	26"
LB10-34A	34"	30"
I B10-40 A	40"	36"

## Adjustable Shelf

#### *LB24*

#### Security Panel

LF91



For storing larger, bulkier items;

Equipped with edges along sides and back;

Adjustable in height every 1" c/c;

Capacity up to 100 lb evenly distributed load; 2 versions of the adjustable shelf are possible depending on if the housing is equipped with a central locking mechanism;

Made in galvanized steel;

Order by adding the housing depth; 21" or 27".

Product #	For LA30
LB24-1801	with L3/LP on the housing
LB24-1802	without L3/LP on the housing

Allows for the cabinet to be divided up for more than one user:

Adjustable at every 1" c/c;

Must be ordered to:

- Block access between drawers
- Block access when a door with lock is installed under a drawer
- Block space when a door is installed above a drawer.

2 versions of the security panel are possible depending on if the housing is equipped with a central locking mechanism;

Made in galvanized steel;

Order by adding the housing depth; 21" or 27"

Product #	For LA30
LF91-1801	with L3/LP on the housing
LF91-1802	without L3/LP on the housing