Smart Compact Mobile "L" Cabinet



The Rousseau Advantages




100 lb capacity per drawer. 100% drawer extension in both drawer depths. 6 drawer heights available: 3", 4", 5", 6", 8" and 12".



Variety of drawer accessories available: full-depth partitions, dividers, plastic bins, hanging file holder, foam for protection,



Central lock on the cabinet housing.



Lock-In Mechanism. Stops drawers from opening on their own.



Polyurethane casters with high quality roller bearing system, making moving the cabinet easy. Total-lock brake system available.



L3BBD-2803L3

SMART COMPACT MOBILE "L" CABINET

With an innovative design, the new Smart Compact Mobile "L" Cabinet is available in 18" wide, two depths: 21" and 27" and five different heights: 24", 28", 30", 34" and 40". It adapts perfectly to your needs and is easily integrated into your work space. It can be used on its own or in a double or triple version, with its premiere quality casters of 4" and 6" the Smart Compact Mobile "L" Cabinet is truly a solid and reliable tool!

The compact "L" drawer has a wide range of accessories available, a 100 lb storage capacity per drawer and opens 100% in both depths. The Lock-In mechanism for the drawers ensures user security, while a central locking mechanism allows the user to lock all of the drawers at the same time and secure stored materials.

With its thoughtful design, the Smart Compact Mobile "L" Cabinet is versatile, modular and ingenious! It's also an excellent alternative to the "R" Heavy-Duty version.

Here are some examples of smart compact mobile "L" cabinets proposals:

Models are factory installed and ready for use;


Models include 4" casters; 2 rigid and 2 swivel with total brake;

To add a top, see page 51;

To order a lock on the cabinet housing, add L3 to the end of the product number;

The lock-in mechanism prevents drawers from opening when moving the cabinet without the central locking mechanism activated. To order, complete the product number with B. Ex.: L3BBD-2401 $\underline{L3}$ B for a cabinet 18" x 21" x 29 1/4" with 3 drawers, central lock and lock-in mechanism.

| Number of Compartments (layout code) | | |
|--------------------------------------|-----------|-----------|
| Drawer dimensions | 18" x 21" | 18" x 27" |
| 3" to 5" | 9 (0206) | 9 (0206) |
| 6" and 8" | 6 (0104) | 6 (0104) |
| 12" | 4 (0102) | 4 (0102) |



IMPORTANT

Drawer layouts are included with the proposals. See chart to the left for the number of compartments.

NOTE

For models without drawer layouts, change the last 2 numbers of the model to the next sequential even number.

Ex.: L3BBD-24<u>01</u> with L3BBD-24<u>02</u> without

18" Wide

Each model includes two front handles.



| 3 drawers | |
|------------|--------------------|
| L3BBD-2401 | 18" x 21" x 291/4" |
| L3BBG-2401 | 18" x 27" x 291/4" |



| 4 drawers | |
|------------|--------------------|
| L3BBD-2801 | 18" x 21" x 33 1/4 |
| L3BBG-2801 | 18" x 27" x 33 1/4 |



| 6 drawers | |
|------------|---------------------|
| L3BBD-3401 | 18" x 21" x 39 1/4" |
| L3BBG-3401 | 18" x 27" x 39 1/4" |



| 6 drawers | |
|------------|---------------------|
| L3BBD-4001 | 18" x 21" x 45 1/4" |
| L3BBG-4001 | 18" x 27" x 45 1/4" |



| 3 drawers | |
|------------|---------------------|
| L3BBD-2403 | 18" x 21" x 29 1/4" |
| L3BBG-2403 | 18" x 27" x 291/4" |
| | |



| 18" x 21" x 33 1/4" |
|---------------------|
| 18" x 27" x 33 1/4" |
| |



| 4 drawers | |
|------------|---------------------|
| L3BBD-3403 | 18" x 21" x 39 1/4" |
| L3BBG-3403 | 18" x 27" x 39 1/4" |

Distributors: 1.800.463.4271




7 drawers L3BBD-4003 18" x 21" x 451/4" L3BBG-4003 18" x 27" x 451/4"

"L" MOBILE CABINET

Each model includes one side handle.







| 10 drawers | |
|------------|--------------------|
| L3BED-3431 | 36" x 21" x 39 1/4 |
| L3BEG-3431 | 36" x 27" x 39 1/4 |



12 drawers L3BED-4001 36" x 21" x 451/4" L3BEG-4001 36" x 27" x 451/4"



| 11 drawers | |
|------------|---------------------|
| L3BED-2801 | 36" x 21" x 33 1/4" |
| L3BEG-2801 | 36" x 27" x 33 1/4" |



| 36" x 21" x 39 1/4" |
|---------------------|
| 36" x 27" x 39 1/4" |
| |



| 15 drawers | |
|------------|---------------------|
| L3BED-4003 | 36" x 21" x 45 1/4" |
| L3BEG-4003 | 36" x 27" x 45 1/4" |

54" Wide

Each model includes one side handle.



| 12 drawers | |
|------------|---------------------|
| L3BJD-2801 | 54" x 21" x 33 1/4" |
| L3BJG-2801 | 54" x 27" x 33 1/4" |



| 15 drawers | |
|------------|--------------------|
| L3BJD-3401 | 54" x 21" x 39 1/4 |
| L3BJG-3401 | 54" x 27" x 39 1/4 |



| 18 drawers | |
|------------|--------------------|
| L3BJD-4001 | 54" x 21" x 45 1/4 |
| L3BJG-4001 | 54" x 27" x 45 1/4 |
| | |

Security Accessories

Drawer Lock Door Lock L3/LP L3



2 keys provided with each lock;

Compatible with all drawer dimensions;

The mechanism (covered by a galvanized box) requires 3" W x 1" D inside the drawer;

Order by adding L3 to drawer or partitioning proposal number. Ex.: LF31-182106L3;

For replacement parts or to retrofit this mechanism, order



Note: A security panel LF91 must be ordered to block access between two drawers if managing two different users.

Product

L3

Central Locking Mechanism

L3 / LP



Allows user to lock all drawers in the cabinet at the same time; Easy to retrofit;

Possible to change drawer layout without touching locking mechanism;

To order a lock, complete the product housing number or the proposal cabinet number by L3. Ex.: LA30-182134<u>L3</u>;
To order a safety hasp for padlock, complete the housing number with LP. Ex.: LA30-182134LP;

For replacement parts or to retrofit this mechanism, order HA52-L3.

| KD or MK | PAGE | Product # |
|----------|------|-----------|
| | 194 | |

| Г | 11 | υu | u | IJι | # | |
|---|----|----|---|-----|---|--|
| ī | 3 | | | | | |

Lock Safety hasp



2 keys provided with each lock;

To order a lock, complete the door number by L3. Ex.: LB30-1812L3;

To order a safety hasp, complete the door number by LP. Ex.: LB30-1812LP; For replacement parts or to retrofit this mechanism, order

HA49-L3 or HA49-LP

Note: A security panel LF91 must be ordered to block access between two doors if managing two different users.



Product

| L3 | Lock |
|----|-------------|
| LP | Safety Hasp |

Lock-In Mechanism



Activated by sliding the mechanism with thumb;

Drawer closes without having to reactivate the slide mechanism;

Stops drawers from opening on their own;

Easy to retrofit;

Order by adding B to the drawer or partitioning number. Ex.: LF31-182106B;

For replacement parts or to retrofit this mechanism, order LY02.

Product

Drawer and Handle Accessories

Handle Protector Labels **LF70** LF71



Installs on drawer handle by clipping in place;

Made of transparent plastic;

Protects identification labels from dust, grease and dirt;

Note: Labels available. Order LF71-425075

Product

LF70-18



Labels designed to be inserted on handles under the handle protector (LF70);

30 labels per page;

Print the labels of your choice. A template is available at www.rousseaumetal.com in the Information Centre section.

Product

LF71-425075

Foam for Protection LG41



Protects stored objects:

Blue foam 1/4" thick

| Product # | For drawer |
|--------------|---------------|
| LG41-1821-01 | 18" W x 21" D |
| LG41-1827-01 | 18" W x 27" D |

Partitions and dividers may not be installed NOTE with this foam.

LG42

LG40



Folder Hanging Bars

For storing hanging folders;

Can be used for both letter and legal sizes;

Designed for 12" drawers.

Product

LG31-18



PVC Drawer Liner

Protects stored objects;

Non-skid surface;

Can be installed under partitions and dividers;

Thickness: 3/32".

| Product # | For drawer | |
|--------------|---------------|--|
| LG40-1821-01 | 18" W x 21" D | |
| LG40-1827-01 | 18" W x 27" D | |

Foam for Tools

Oil resistant and non-absorbent;

1 blue foam 1/4" thick;

1 black self-adhesive ½" thick foam;

Sold without cut-outs. May be cut using a utility knife.

PAGE

| Product # | For drawer | |
|--------------|---------------|--|
| LG42-1821-01 | 18" W x 21" D | |
| LG42-1827-01 | 18" W x 27" D | |

LG31

Plastic Bin



RG20



Simplify storing, moving and managing small parts. Lightweight and resistant;

Designed for 3" and 4" high drawers;

45° angle for easy identification of bin contents and removal of bins;

Compatible with partitions and dividers;

6" plastic bins can be subdivided.



| Dimensions | | ons | | Product # | |
|------------|----|-----|-------------|-----------|-----------|
| W | D | Н | Bin | Partition | Divider |
| 3" | 3" | 2" | RG20-030302 | - | - |
| 4" | 3" | 2" | RG20-040302 | - | - |
| 6" | 3" | 2" | RG20-060302 | RG22-0302 | - |
| 6" | 6" | 2" | RG20-060602 | RG22-0602 | RG24-0602 |
| 3" | 3" | 3" | RG20-030303 | - | - |
| 4" | 3" | 3" | RG20-040303 | - | - |
| 6" | 3" | 3" | RG20-060303 | RG22-0303 | - |
| 6" | 6" | 3" | RG20-060603 | RG22-0603 | RG24-0603 |

Front to Back Partition



LG02




Used to divide the drawer along its depth;

Clip system locks dividers in place;

Made in galvanized steel;

RG10 dividers can be used in between partitions to make smaller compartments;

Compatible with plastic bins and PVC drawer liners.





Drawer Divider



RG10



Clip in place;

45° angle for identifying compartment contents;

Adjustable every 3" (c/c).

| | Drawer Height | | | | | | |
|--------------------------|---------------|------------|------------|------------|------------|------------|--|
| Divider Width Nominal | 3" | 4" | 5" | 6" | 8" | 12" | |
| INUIIIIIIai | 1 %" high | 2 %" high | 3 %" high | 4 %" high | 6 %" high | 8 %" high | |
| 3" | RG10-03003 | RG10-03004 | RG10-03005 | RG10-03006 | RG10-03008 | RG10-03010 | |
| 5" | RG10-05003 | RG10-05004 | RG10-05005 | RG10-05006 | RG10-05008 | RG10-05010 | |
| 6" | RG10-06003 | RG10-06004 | RG10-06005 | RG10-06006 | RG10-06008 | RG10-06010 | |
| 7.5" | RG10-07503 | RG10-07504 | RG10-07505 | RG10-07506 | RG10-07508 | RG10-07510 | |
| 9" | RG10-09003 | RG10-09004 | RG10-09005 | RG10-09006 | RG10-09008 | RG10-09010 | |
| 10" | RG10-10003 | RG10-10004 | RG10-10005 | RG10-10006 | RG10-10008 | RG10-10010 | |
| 12" | RG10-12003 | RG10-12004 | RG10-12005 | RG10-12006 | RG10-12008 | RG10-12010 | |
| 15" | RG10-15003 | RG10-15004 | RG10-15005 | RG10-15006 | RG10-15008 | RG10-15010 | |

Tops

Resistant Acrylic/PVC Plastic Laminated Top

WS08



Ideal for assembly stations or for applications using solvents, oils or other chemical products;

Thickness: 1 1/2";

Color: Gray;

Core made of particle board;

Finish: sheet of gray polymer;

Deluxe quality laminated top;

Excellent chemical product resistance (can be in prolonged contact with a substance);

Superior abrasion resistance compared to standard laminated top;

Superior impact resistance compared to standard laminated top;

Attractive appearance.

Laminated Wood Top

WS14



Top for general industrial applications;

Thickness: 1 3/4";

Made with varnished hardwood slats;

90° radius front edge for more comfort;

Good impact resistance;

Attractive appearance.

Dissipative Top

WS17



Top for electronics applications. Ideal for assembly or electronics inspection stations;

Thickness: 1 ½";

Color: White;

Attractive appearance;

Easy to clean;


90° radius front for more comfort;

Dissipates electric charges that can damage electronic components;

Resistance point to point and point to ground between 10^6 and 10^9 Ω .

Steel Top with Rubber Mat

RC32



Non-slip rubber surface;

Sides and back formed with a double fold, 1" high.

Stainless Steel Top

RC35



Serves as a work surface and protects cabinet against impact;

Composite wood top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

The top respects the CARB regulations on formaldehyde emissions;

Welded corner for attractive look;

Thickness: 1 3/4".

Painted Steel Top

RC37



Serves as a work surface and protects cabinet against impacts;

Composite wood top with painted steel cover;

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Thickness: 13/4";

Plastic Laminated Top

WS16



Top for general applications. Ideal for assembly, quality control and packaging applications;

Thickness: 1 1/2";

Color: White;

Attractive appearance;

Easy to clean;

90° radius front edge for more comfort.


| Dimen | sions | Type of Top | | | | | | |
|-------|-------|----------------------------------|-------------------------------------|-------------|-------------|------------------------------|--------------------|------------------|
| w | D | Acrylic/PVC Plastic Laminated | Laminated Plastic Wood Laminated | | Dissipative | Steel Top with Rubber Mat | Stainless Steel | Painted Steel |
| 18" | 21" | | WS14-1821A* | WS16-1821A* | | RC32-1821-01 | RC35-1821 | RC37-1821 |
| | 27" | | WS14-1827A* | WS16-1827A* | | RC32-1827-01 | RC35-1827 | RC37-1827 |
| 36" | 21" | WS08-3621A* | WS14-3621A* | WS16-3621A* | WS17-3621A* | RC32-3621-01 | RC35-3621 | RC37-3621 |
| | 27" | WS08-3627A* | WS14-3627A* | WS16-3627A* | WS17-3627A* | RC32-3627-01 | RC35-3627 | RC37-3627 |
| 54" | 21" | WS08-5421A* | WS14-5421A* | WS16-5421A* | WS17-5421A* | RC32-5421-01 | RC35-5421 | RC37-5421 |
| | 27" | WS08-5427A* | WS14-5427A* | WS16-5427A* | WS17-5427A* | RC32-5427-01 | RC35-5427 | RC37-5427 |

NOTE * Please check with your customer service representative for lead time.

Foldaway Shelf

RC00 Side and Back Stops for Foldaway Shelf


RC01



Capacity: 50 lb (evenly distributed load);
Rubber mat surface for added protection;

RC01 side stops can be installed as an option.

| Product # | WxD | |
|-------------|-----------|--|
| RC00-152101 | 15" x 21" | |
| RC00-152701 | 15" x 27" | |



Use 15" side stop for front and back of shelf; Use 21" or 27" side stop for the sides;

Height: 1".

| Product # | Width | |
|-----------|-------|--|
| RC01-15 | 15" | |
| RC01-21 | 21" | |
| RC01-27 | 27" | |

Housing and Doors


"L" Compact Cabinet Housing



LA30

"L" Compact Drawer

LF31



Create a customized work space with a wide range of possibilities;

Drawers, shelves and doors can be installed in the housing;

Housing is equipped with knock-outs:

- On the top: for stacking a drawer unit housing LD75;
- On the sides: for assembling cabinets side-to-side;

Requires a LB93 cart for a simple mobile cabinet or a LB97 base for casters for double or triple cabinet;

Lock on the housing allows user to secure all drawers at the same time, complete the product number with L3;

To order hasp for padlock, complete the product number with LP.

| Product # | WxDxH |
|-------------|-----------------|
| LA30-182124 | 18" x 21" x 24" |
| LA30-182128 | 18" x 21" x 28" |
| LA30-182130 | 18" x 21" x 30" |
| LA30-182134 | 18" x 21" x 34" |
| LA30-182140 | 18" x 21" x 40" |

| Product # | WxDxH |
|-------------|-----------------|
| LA30-182724 | 18" x 27" x 24" |
| LA30-182728 | 18" x 27" x 28" |
| LA30-182730 | 18" x 27" x 30" |
| LA30-182734 | 18" x 27" x 34" |
| LA30-182740 | 18" x 27" x 40" |

100 lb capacity, 100% extension;

Wide range of accessories available to adapt to your storage needs;

Precision ball bearing drawer slides included; Easy hook-on assembly; For drawer layout proposals;

Available drawer heights; 3", 4", 5", 6", 8" and 12";

Order by adding the drawer height to the part #. Ex.: LF31-182106;

For a drawer lock, order by adding L3 to drawer number. The mechanism covered by a galvanized box requires 3" W x 1" D inside the drawer. Ex.: LF31-182704L3;

For a lock-in mechanism, order by adding B to the drawer number. Ex.: LF31-182103B

| Product # | WxD | Inside dim. |
|-----------|-----------|-------------|
| LF31-1821 | 18" x 21" | 15" x 18" |
| LF31-1827 | 18" x 27" | 15" x 24" |



A security mechanism B on the drawer and/or L3 on the housing is required for all mobile applications.

Integrated Door



LB30



7 standard heights;

Handle fitted in plastic. Color: Black;

Door are factory installed with hinges on the left side. They may be installed on the right side, upon request;

Shelf LB24 must be ordered as storage surface for doors installed above a drawer or another door; For central locking mechanism, complete the product number with L3;

For hasp for padlock, complete the product number with LP.


| Product # | WXH |
|-----------|-----------|
| LB30-1812 | 18" X 12" |
| LB30-1818 | 18" X 18" |
| LB30-1820 | 18" X 20" |
| LB30-1824 | 18" X 24" |

| WXH |
|-----------|
| 18" X 26" |
| 18" X 30" |
| 18" X 36" |
| |

Adjustable Shelf

LB24

LF91



For storing larger, bulkier items;

Equipped with edges along sides and back; Adjustable in height every 1" c/c;

Capacity up to 100 lb evenly distributed load; 2 versions of the adjustable shelf are possible depending on if the housing is equipped with a

central locking mechanism; Made in galvanized steel:


Order by adding the housing depth; 21" or 27"

| LA30 |
|--------------------------|
| L3/LP on the housing |
| out L3/LP on the housing |
| |

Vertical Security Bar



LB10



Locks a bank of drawers in cabinet with either a key or a padlock;

Safety hasp for padlock is located at the top of the bar to facilitate access;

Covers a bank of drawers from 20" to 36" Easy assembly;

Installs on the right side;

Order by specifying the type of lock. Complete with LP for a safety hasp or with L3 for a standard lock

| Product # | Cabinet Height | Vertical Security Bar Height |
|-----------|----------------|------------------------------|
| LB10-24A | 24" | 20" |
| LB10-28A | 28" | 24" |
| LB10-30A | 30" | 26" |
| LB10-34A | 34" | 30" |
| LB10-40A | 40" | 36" |

Security Panel

Allows for the cabinet to be divided up for more than one user;

Adjustable at every 1" c/c;

Must be ordered to:

- Block access between drawers
- Block access when a door with lock is installed under a drawer
- Block space when a door is installed above

2 versions of the security panel are possible depending on if the housing is equipped with a central locking mechanism

Made in galvanized steel;

Order by adding the housing depth; 21" or 27"

| Product # | For LA30 |
|-----------|------------------------------|
| LF91-1801 | with L3/LP on the housing |
| LF91-1802 | without L3/LP on the housing |

Components

Mobility

6" Casters 4" Casters LB81 **LB84**



Sold in pairs;

Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

Capacity: 420 lb per caster;

Total height: 51/4";

Dark gray polyurethane tread does not mark floors. Superior industrial quality casters;

Requires a LB93 cart or a LB97 base for casters.

| Product # | Type of Caster |
|-----------|-------------------------------------|
| LB81-01 | Rigid |
| LB81-02 | Swivel |
| LB81-03 | Swivel with total-lock brake system |



Sold in pairs;

Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

Capacity: 900 lb per caster;

Total height: 71/2";

Dark gray polyurethane tread insures silent functioning. Superior industrial quality casters;

Requires a LB93 cart or a LB97 base for casters.

| Product # | Type of Caster |
|-----------|-------------------------------------|
| LB84-01 | Rigid |
| LB84-02 | Swivel |
| LB84-03 | Swivel with total-lock brake system |



6" Mag Casters

Sold in pairs;

Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and

Aluminium wheel with durable chrome plating;

Capacity: 1000 lb per caster;

Total height: 71/2";

Black high grade polyurethane tread, facilitates movement. Superior industrial quality casters; Requires a LB93 cart or a LB97 base for casters.

Product # Type of Caster LB85-01 Rigid LB85-02 Swivel LB85-03 Swivel with total-lock brake system

Cart for Single Cabinet

LB93

RB90

Base for Casters

LB97

RB92

LB85



Used when installing casters on a single cabinet; Installed under cabinets without base:

Compatible with 4" and 6" casters (sold separately);

Attention: Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

| Product # | WxD | |
|-----------|-----------|--|
| LB93-1821 | 18" x 21" | |
| LB93-1827 | 18" x 27" | |



Used to install casters under double or triple cabinets

Sold individually, order 2 bases for a double cabinet and three bases for a triple cabinet;

Installed under cabinets without base;

Compatible with 4" and 6" casters (sold separately);

Attention: Mobile cabinets must have load evenly distributed to avoid tipping when opening a <u>drawer</u>

| Product # | Depth | |
|-----------|-------|--|
| LB97-21 | 21" | |
| LB97-27 | 27" | |
| LB97-27 | 27" | |

Side Handle

Attaches to the side of double or triple cabinets: specify which side (left or right);

Anodized aluminum with durable plastic end


Large handle to make moving cabinet easier.

| Product # | Handle Depth | For Cabinet |
|-----------|---------------------|-------------|
| RB90-21 | 18" | 21" D |
| RB90-27 | 24" | 27" D |

Front Handles

Sold in pairs;

Attach to the front of single 18" wide cabinets;



Distributors: 1.800.463.4271



Durable plastic; Color: black.

Product #



RB92-01