"R" Multi-Drawer Cabinet




"R" MULTI-DRAWER

For personalized space management, our multi-drawer cabinet will surprise you, not only with its attractive look but also with its amazing versatility. Whether you're placing an order for one cabinet, or for one thousand, our customer service representatives will gladly help you build just the cabinet your customer is looking for.

Four sizes of cabinets are available: $48" \times 24"$, $48" \times 27"$, $60" \times 24"$ and $60" \times 27"$. With the 48" wide cabinet you can create 2 banks of 24" wide and one bank of 48" wide drawers. With the 60" wide you can build a cabinet with 2 banks of 30" wide with a top bank of 60" wide. Or, one bank of 24" wide and another of 36" wide with a 60" wide on the top. Couple these choices with our 10 available drawer heights (3" to 14"), our 18 standard colors and our cabinet and drawer accessories and you can create a truly personalized cabinet.

This cabinet is available in either a mobile or a stationary version. The mobile cabinet has high quality casters, stabilizing bars to ensure the rigidity of the housing, a sturdy handle that guarantees a firm grip, as well as an integrated locking mechanism, which makes this cabinet ideal for mobile applications. Both models include a lock that allows all drawers to be locked with the turn of one key.

The multi-drawer cabinet is a versatile cabinet, available in a variety of colors.



Proposals – "R" Mobile Cabinet

Here are some of the possible mobile multi-drawer cabinet configurations. For a more personalized configuration, contact your customer service representative.

The mobile cabinet models have 6" casters, including 2 rigid and 2 swivel with total-lock brake system (polyurethane casters do not mark floors, high-quality industrial grade);

All cabinets include a standard cabinet lock (L3) as well as the integrated lock-In mechanism (A) on each drawer;

The mobile cabinets include stabilizing bars to ensure the rigidity of the housing;

For a safety hasp (LP), contact your customer service representative;

To add a stainless steel, galvanized steel, painted steel, steel with rubber mat, wood or marine edge stainless steel top;

Each model includes a handle on the side, which provides the user with a good grip for manoeuvring the cabinet.




For drawers

NOTE

without partitioning. complete the even number following the last two digits of the model.

Ex.: R5GHE-3003 with R5GHE-3004 without





Number of Compartments (layout code)										
Drawer dimensions	24" x 24"	24" x 27"	30" x 24"	30" x 27"	36" x 24"	36" x 27"	48" x 24"	48" x 27"	60" x 24"	60" x 27"
3" to 5" high	12 (0308)	20 (0316)	30 (0524)	25 (0420)	30 (0524)	30 (0425)	40 (0732)	32 (0724)	70 (1356)	84 (1370)
6" to 8" high	9 (0206)	12 (0209)	12 (0308)	12 (0308)	12 (0308)	12 (0308)	15 (0410)	15 (0410)	24 (0716)	21 (0614)
9" and higher	6 (0104)	6 (0104)	9 (0206)	9 (0206)	9 (0206)	6 (0203)	8 (0304)	8 (0304)	12 (0308)	12 (0308)

NOTE For inside drawer dimensions.

SEE PAGES 140-141

48" Wide



12 drawers	
R5GHE-3003	48" x 24" x 37 ½"
R5GHG-3003	48" x 27" x 37 ½"



10 drawers	
R5GHE-3005	48" x 24" x 37 ½"
R5GHG-3005	48" x 27" x 37 1/2"



SEE PAGE 38

6 drawers R5GHE-3019 48" x 24" x 37 1/2" R5GHG-3019 48" x 27" x 37 1/2"



3 ulaweis	
R5GHE-3009	48" x 24" x 37 ½"
R5GHG-3009	48" x 27" x 37 ½"



9 drawers	
R5GHE-3401	48" x 24" x 41 ½"
R5GHG-3401	48" x 27" x 41 ½"



3 ulaweis	
R5GHE-3415	48" x 24" x 41 ½"
R5GHG-3415	48" x 27" x 41 ½"



11 drawers	
R5GHE-3405	48" x 24" x 41 ½"
R5GHG-3405	48" x 27" x 41 ½"



12 Ulaweis	
R5GHE-3809	48" x 24" x 45 1/2"
R5GHG-3809	48" x 27" x 45 ½"



9 drawers	
R5GHE-3833	48" x 24" x 45 1/2"
R5GHG-3833	48" x 27" x 45 ½"



10 drawers	
R5GHE-3813	48" x 24" x 45 ½"
R5GHG-3813	48" x 27" x 45 ½"



11 drawers 48" x 24" x 45 ½" R5GHE-3815 R5GHG-3815 48" x 27" x 45 ½"



12 drawers	
R5GHE-3817	48" x 24" x 45 ½"
R5GHG-3817	48" x 27" x 45 ½"

Proposals - "R" Mobile Cabinet

60" Wide



10 drawers	
R5GKE-3005	60" x 24" x 37 ½"
B5GKG-3005	60" v 27" v 37 1/6"



/ drawers	
R5GKE-3015	60" x 24" x 37 ½"
R5GKG-3015	60" x 27" x 37 ½"



9 drawers	
R5GKE-3009	60" x 24" x 37 ½"
B5GKG-3009	60" v 27" v 37 1/ ₂



10 drawers 60" x 24" x 41 ½" R5GKE-3403 R5GKG-3403 60" x 27" x 41 ½"



11 drawers	
R5GKE-3405	60" x 24" x 41 ½"
R5GKG-3405	60" x 27" x 41 ½"



9 drawers	
R5GKE-3823	60" x 24" x 45 ½"
R5GKG-3823	60" v 27" v 45 1/3"



9 drawers	
R5GKE-3825	60" x 24" x 45 ½"
R5GKG-3825	60" x 27" x 45 ½"



10 drawers	
R5GKE-3813	60" x 24" x 45 ½"
R5GKG-3813	60" x 27" x 45 ½"



8 drawers	
R5GKE-3827	60" x 24" x 45 ½"
R5GKG-3827	60" x 27" x 45 ½"

NOTE The 24" bank of drawers is always installed on the left in the 60" wide housing.



Polyurethane casters



Side cabinet



Stabilizing bars



Integrated lock-in mechanism



Proposals - "R" Stationary Cabinet

Here are some of the possible stationary multi-drawer cabinet configurations. For a more personalized configuration, contact your customer service representative.

The stationary cabinet models include a 2" forklift base (cover plate included);

To add a stainless steel, galvanized steel, painted steel, steel with rubber mat, wood or marine edge stainless steel;

All cabinets include a standard cabinet lock (L3);

For a safety hasp (LP), contact your customer service representative.





Drawer partitions are included in models.

NOTE

For drawers without partitioning, complete the even number following the last two digits of the model.

Ex.: R5EHE-30<u>05</u> with R5EHE-30<u>06</u> without


Number of Compartme	nts (layout cod	e)								
Drawer dimensions	24" x 24"	24" x 27"	30" x 24"	30" x 27"	36" x 24"	36" x 27"	48" x 24"	48" x 27"	60" x 24"	60" x 27"
3" to 5" high	12 (0308)	20 (0316)	30 (0524)	25 (0420)	30 (0524)	30 (0425)	40 (0732)	32 (0724)	70 (1356)	84 (1370)
6" to 8" high	9 (0206)	12 (0209)	12 (0308)	12 (0308)	12 (0308)	12 (0308)	15 (0410)	15 (0410)	24 (0716)	21 (0614)
9" and higher	6 (0104)	6 (0104)	9 (0206)	9 (0206)	9 (0206)	6 (0203)	8 (0304)	8 (0304)	12 (0308)	12 (0308)

SEE PAGE

SEE PAGE 40

NOTE For inside drawer dimensions.

SEE
PAGES
140-141





10 drawers	
R5EHE-3005	48" x 24" x 32"
R5EHG-3005	48" x 27" x 32"



7 drawers R5EHE-3015 48" x 24" x 32" R5EHG-3015 48" x 27" x 32"



 10 drawers

 R5EHE-3403
 48" x 24" x 36"

 R5EHG-3403
 48" x 27" x 36"



11 drawers	
R5EHE-3405	48" x 24" x 36"
R5EHG-3405	48" x 27" x 36"



12 drawers	
R5EHE-3809	48" x 24" x 40"
R5EHG-3809	48" x 27" x 40"



13 drawers	
R5EHE-3811	48" x 24" x 40"
R5EHG-3811	48" x 27" x 40"



48" x 24" x 40"
48" x 27" x 40"



11 drawers	
R5EHE-4409	48" x 24" x 46"
R5EHG-4409	48" x 27" x 46"



9 drawers	
R5EHE-4411	48" x 24" x 46"
R5EHG-4411	48" x 27" x 46"



13 drawers	
R5EHE-4413	48" x 24" x 46"
R5EHG-4413	48" x 27" x 46"



17 drawers	
R5EHE-5801	48" x 24" x 60"
R5EHG-5801	48" x 27" x 60"



48" x 24" x 60"
48" x 27" x 60"

60" Wide



8 drawers	
R5EKE-3007	60" x 24" x 32"
R5EKG-3007	60" x 27" x 32"



10 drawers	
R5EKE-3403	60" x 24" x 36"
R5EKG-3403	60" x 27" x 36"



11 drawers	
R5EKE-3405	60" x 24" x 36"
R5EKG-3405	60" x 27" x 36"



12 drawers	
R5EKE-3809	60" x 24" x 40"
R5EKG-3809	60" x 27" x 40"



10 drawers	
R5EKE-3813	60" x 24" x 40"
R5EKG-3813	60" x 27" x 40"



60" x 24" x 46"
60" x 27" x 46"



10 drawers	
R5EKE-4407	60" x 24" x 46"
R5EKG-4407	60" x 27" x 46"



18 drawers	
R5EKE-5813	60" x 24" x 60"
R5EKG-5813	60" x 27" x 60"



20 drawers	
R5EKE-5817	60" x 24" x 60"
R5EKG-5817	60" x 27" x 60"

Hanging Side Cabinet - Side Access



Includes one bottom shelf;

Shelves adjustable every inch c/c;

SH52 dividers can be installed on shelves;

Equipped with holes on the top to allow installation between one common work surface to a multi-drawer cabinet:

Opens 180° for full access to items stored inside;


Door comes with standard look;

Capacity: 600 lb;

Choices of doors. Complete the product number from the chart with the following:

01 : Solid door

02 : Polycarbonate door






NOTE

KA, KD or MK

PAGE

For compatibility with a work surface, choose the part number of a work surface 12" wider than your cabinet. Ex.: RC__-6024 for a mobile cabinet 48" W x 24" D.

Hanging Side Cabinet - Front Access



The shelves are adjustable every inch c/c;

SH52 dividers can be installed on both bottom and adjustable shelves;

Equipped with holes on the top to allow installation between one common work surface to a multi-drawer cabinet;

 $\underline{\text{The roll-out}}$ shelf has a capacity of 175 lb, 75% extension;

Door opens 180° allowing clearance space for easy handling of objects in the cabinet;

Door comes with standard lock;

Capacity: 500 lb;

Choice of configurations. Complete the number: Bottom shelf (RB23) and adjustable shelf(ves) (RB22):


03: Solid door

05 : Polycarbonate door

Roll-out shelves (RF50):

04: Solid door

06 : Polycarbonate door



For compatibility with a work surface, choose the part number of a work NOTE surface 24" wider than your cabinet.

Ex.: RC__-<u>84</u>24 for a mobile cabinet 60" W x 24" D.

RC00

tension;	_			
/ handling of	_			
				-
	-	-	₩ R5	XSE-3001

	Width x Depth	Number of (RB22)	Number of (RF50)
Height	24" x 24"	Adjustable Shelves	Roll-Out Shelves
28"	R5QCE-28	1	2
30"	R5QCE-30	1	2
34"	R5QCE-34	1	2
38"	R5QCE-38	2	3
For cabinet	24" D		


Foldaway Shelf

Capacity : 50 lb, evenly distributed load; Rubber mat surface for added protection; RC01 side stops can be installed as an option.

 Product #
 W x D

 RC00-152401
 15" x 24"

 RC00-152701
 15" x 27"




Use 15" stop for front and back of shelf;

Use 24" or 27" stop for the sides;

Height: 1".

Side and Back Stops for Foldaway Shelf

Product #	Width	
RC01-15	15"	
RC01-24	24"	
RC01-27	27"	



RC01