# Work Center



#### **WORK CENTER**



The Rousseau work center system offers a multitude of possible layouts, thanks to its numerous accessories which allow you to create a work center that responds to your exact needs.


Whether you are installing a workbench for a production or assembly line, or a custom layout for your machine tool workshop, our line of products offers you an impressive selection of accessories that are sure to meet and surpass your expectations. Whether you are looking for a basic workbench with two legs and a top, or a specialized table, stationary or mobile, you will find a solution for each and every application. From shipping and receiving, to your foreman's office, the quality and variety of our product will more than satisfy you.

Moreover, the Rousseau multi-purpose stand presents an immense advantage by being so easy to reconfigure, without tools. It can be changed according to your evolving needs by simply adding accessories.

Rousseau offers you several work surface dimensions for each of the surfaces offered: painted steel, stainless steel, laminated wood, laminated Acrylic/PVC, laminated and dissipative plastic tops. Rousseau, the one-stop solution to simplify your life!

# Work Center

## The Rousseau Advantages




Rousseau will meet even your most specific workbench need, from top to bottom.




Re-configuring your workbench is easy and can be done without tools. This means your system will evolve with you and your needs.



Our impressive array of standard accessories allows you to build a custom bench.




The WM structure can be installed on most industrial workbenches on the market. The six fixing zones mean limited interference and endless possibilities.




Many of our workbenches can be made mobile in order to better meet your needs.

#### **General Dimensions**

Components and accessories are divided into 3 groups and correspond to the principle workstation zones.




Index	Page(s)
Work Center	90 - 91
Proposals	92 - 99
Components - work surface - structure under the work surface - structure above the work surface - specialized structure for technician - 5S storage	100 - 101 102 - 113 114 - 126 127 - 129 130 - 131
Multi-Purpose Stand	132
Proposals	133 - 134
Components	135
Ergonomic Seats	136 - 137



#### **Basic Workbenches**

#### Basic Workbench with Stringer



Dimensions			Type of Top					
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC		
60"	30"	34"	WS_1031	WS_2031	WS_3031	WS_9031		
72"	30"	34"	WS_1035	WS_2035	WS_3035	WS_9035		
72"	36"	34"	WS_1039	WS_2039	WS_3039	WS_9039		

To order, complete the part number according to the following: NOTE A for a stationary table; W for a mobile table.

#### Example : WS<u>W</u>2031

Mobile model (total height 35") includes the following additional accessories:
2 pairs of caster adaptors for legs;
 1 pair of 4" rigid casters;
1 pair of 4" swivel casters with total-lock brake;
1 footrest;
Note: Leg height on mobile models is 28".

Workbench with Shelf

**WORK CENTER** 



Dimensions			Type of Top					
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC		
60"	30"	34"	WS_1019	WS_2019	WS_3019	WS_9019		
72"	30"	34"	WS_1023	WS_2023	WS_3023	WS_9023		
72"	36"	34"	WS_1027	WS_2027	WS_3027	WS_9027		

To order, complete the part number according to the following: NOTE for a stationary table; A W for a mobile table.

#### Example: WS<u>W</u>2019

Mobile model (total height 35") includes the following additional accessories: 2 pairs of caster adaptors for legs;

1 pair of 4" rigid casters;

1 pair of 4" swivel casters with total-lock brake; Note: Leg height on mobile models is 28".

This table can be made mobile.

#### **Closed Table**



This table can be made mobile.

Dimensions			Type of Top					
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC		
60"	30"	34"	WS_1070	WS_2070	WS_3070	WS_9070		
72"	30"	34"	WS_1071	WS_2071	WS_3071	WS_9071		
72"	36"	34"	WS_1072	WS_2072	WS_3072	WS_9072		

To order, complete the part number according to the following: NOTE A for a stationary table; W for a mobile table.

#### Example: **WS<u>W</u>2070**

1 top of your choice; 2-27" D x 32" H legs; 1 sliding doors with L3 lock; 2 side panels and 1 back panel; 3 shelves, each 12" D; 2 leg crossbars.

Mobile model (total height 35") includes the following additional accessories: 2 pairs of caster adaptors for legs; 1 pair of 4" rigid casters; 1 pair of 4" swivel casters with total-lock brake; Note: Leg height on mobile models is 28".

2 shelves, each 12" D;

1 stringer.

#### Desk with Closed Legs



Di	mensio	ns		Туре	of Top					
W	D	Н	Painted steel	Painted steel Lam. wood Plastic lam. Acrylic/PVC						
60"	30"	30"	WSA1043	WSA2043	WSA3043	WSA9043				
72"	30"	30"	WSA1044 WSA2044 WSA3044 WSA9044							
<b>NOTE</b> These models cannot be used in mobile applications.										

Type of Top

2 legs crossbars;

1 front finishing panel;

1 back finishing panel;

1 sliding door with L3 lock.

Plastic lam.

WSA3170

WSA3171

WSA3172

Acrylic/PVC

WSA9170

WSA9171

WSA9172

Lam. wood

WSA2170

WSA2171

WSA2172

1 top of your choice; 1 back panel; 2-27" D x 28" H closed legs; 1 shelf, 12" D.

Dimensions

D

30"

30"

36"

1 top of your choice;

2-27" D x 32" H legs;

3 shelf, each 12" D;

1 back panel;

Н

34"

34"

34"

Painted steel

WSA1170

WSA1171

WSA1172

These models cannot be used in mobile applications.

W

60"

72"

72"

NOTE

#### Closed Desk with Closed Legs



#### Open Double Workbench



Г					1				
1		Dime	nsions	-		Туре	of Top		
		W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC	
I	8'	(2 x 48")	30"	34"	WSA1902	WSA2902	WSA3902	WSA9902	
	10'	(2 x 60")	30"	34"	WSA1904	WSA2904	WSA3904	WSA9904	
	12'	(2 x 72")	30"	34"	WSA1906	WSA2906	WSA3906	WSA9906	
	<b>NOTE</b> These models cannot be used in mobile applications.								
4	2 tops o	of your cho	oice;		4	4 steel shelves, each 12" D;			
ŝ	3-27" D	x 32" H le	gs;		1	1 shelf adaptor for common leg;			
2	2 string	ers;			1	stringer exte	ension for com	ımon leg.	

#### **Closed Double Workbench**



		Dime	nsions			Туре	of Top	
ł		W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC
	8'	(2 x 48")	30"	34"	WSA1971	WSA2971	WSA3971	WSA9971
	10'	(2 x 60")	30"	34"	WSA1973	WSA2973	WSA3973	WSA9973
	12'	(2 x 72")	30"	34"	WSA1975	WSA2975	WSA3975	WSA9975

**NOTE** These models cannot be used in mobile applications.

2 tops of your choice;
3-27" D x 32" H legs;
2 side panels and 2 back panels;
4 steel shelves, each 12" D;

End-users: 1.866.463.4270

1 shelf adaptor for common leg; 2 sets of sliding doors with L3 lock;

- 2 Sets of shalling doors with L3 lock;
- $\underline{2}\ \text{side}\ \text{extensions}\ \text{for}\ \text{common}\ \text{leg.}$

#### Workbench with Compact Cabinet

	Dii	nensi	ons		Туре	of Top	
	W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC
	60"	30"	34"	L1101C	L_2101C	L3101C	L9101C
	72"	30"	34"	L1102C	L_2102C	L3102C	L9102C
ALL CONTRACTOR	72"	36"	34"	LH1103C	LH2103C	LH3103C	LH9103C
LG2101C	<u>1 top of y</u> <u>1-27" D x</u> 1 "L" com	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	G for (fo H for (fo J for oice; leg;	a stationary be r 30" D benche a stationary be r 30" D and 36 a mobile benc.	ench with 27" dee D benches only h. Mobile model (t the following ad 1 base for caste	ep cabinet ep cabinet ;); otal height 35") ;	includes ries: sabinet;
▶ 27" deep cabinets are recommended	1 pair of c	abinet	t attacl	nment bars.	1 pair of 4" rigid	1	,
for mobile workstations or workstations with multi-purpose frames.					1 pair of 4" swiv	el casters with t	otal-lock brake;
					1 footrest.		

Note: Cabinet base not included with mobile model.

#### Workbench with Two Compact Cabinets



Dir	nensio	ons	Type of Top							
W	D	Н	Painted steel Lam. wood Plastic lam. Acrylic/I							
60"	30"	34"	L_1201C <b>L_2201C</b> L_3201C L_92							
72"	30"	34"	L_1202C	L_2202C	L3202C	L9202C				
72"	36"	34"	LH1203C	LH2203C	LH3203C	LH9203C				
NOT	-	for	r 30" D benches a stationary ber r 30" D and 36" i	nch with 27" dee						
			5							
NOT	E	These	models cannot l	be used in mob	ile applications.					
1 top o	1 top of your choice;									
2 "L" compact cabinets with 4" bases;										
2 pairs of cabinet attachment bars.										

#### Workbench with Suspended Compact Cabinet



rousseau

Maximum capacity of 50 lbs per drawer in a suspend cabinet application using RA70.		
	NOTE	capacity of 50 lbs per drawer in a suspend cabinet application using

Dir	nensio	ons		Туре	of Top	
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	LG1001	LG2001	LG3001	LG9001
72"	30"	34"	LG1002	LG2002	LG3002	LG9002
72"	36"	34"	LG1003	LG2003	LG3003	LG9003
NOT	E	These	models cannot b	ne used in mob	ile applications.	
1 top of your choice; 1-21" deep "L" compact cabinet;						
2-27" D x 32" H legs;			1 pair o	f cabinet attach	ment bars.	
1 strin	ger;					

#### Desk with Compact Cabinet



ווע	nensio	ons		Type of Top		
W	D	Н	Painted steel	Lam. wood	Plastic lam.	
60"	30"	30"	LG1107	LG2107	LG3107	
72"	30"	30"	LG1108	LG2108	LG3108	
72"	36"	30"	LH1109	LH2109	LH3109	
1 top of your choice; 1-27" D x 28" H closed leg;						
1 "L" compact cabinet of 21" D;						
1 pair of cabinet attachment bars.						

#### Workbench with Heavy-Duty Cabinets




030A	1 laminated wood top			
732	1-27" D x 32" H leg			
3013	1 heavy-duty cabinet with partitioning			
	K H	W×C		Product #
	<b>)</b> " :	60" x	)7	R5WH5-200
	)" :	60" x	)7	R5WH5-200

**NOTE** This model cannot be used in mobile applications.



1 laminated woo	WS14-7230A	
1 heavy-duty cal	R5ACG-3013	
1 heavy-duty cal	binet with partitioning	R5ACG-3015
Product #	W×D×H	
R5WL5-2001	72" x 30" x 34"	

**NOTE** This model cannot be used in mobile applications.



R5WH4-2001

**NOTE** *This model cannot be used in mobile applications.* 



# Proposals

#### Basic Electronic Workbench



Dir	nensio	ons	Type of Top		
W	D	Н	Laminated wood	Plastic laminated	Dissipative*
60"	30"	34"	WSA2073	WSA3073	WSA4073*
72"	30"	34"	WSA2074	WSA3074	WSA4074*
72"	36"	34"	WSA2075	WSA3075	WSA4075*
1 top of your choice; 2-27" D x 32" H legs;			·	1 pair of risers with on both sides;	n electrical outlets
1 back stop;				1-12" D shelf, same	e material as top;
1 stringer:				1 shelf back.	
* Models with dissipative tops come with: NOTE 1 grounding block; 1 grounding cord and 1 ground wrist strap.					

#### Electronic Workbench with Cabinet



#### Adjustable Workbench



Dir	nensio	ons	s Type of Top		
W	D	Η	Laminated wood	Plastic laminated	Dissipative*
60"	30"	34"	LG2104C	LG3104C	LG4104C*
72"	30"	34"	LG2105C	LG3105C	LG4105C*
72"	36"	34"	LH2106C	LH3106C	LH4106C*
top of your choice; -27" D x 32" H leg; "L" compact cabinet with 4" base; back stop;				1 pair of risers with both sides; 1-12" D shelf, same 1 shelf back; 1 pair of cabinet att	1.7
* Models with dissipative tops come with: NOTE 1 grounding block; 1 grounding cord and 1 ground wrist strap.					

	Dimen	sions		Туре	of Top		
W	D	Н	Painted steel	Lam. wood	Plastic lam.*	Dissipative*	· *
60"	30"	30" to 42"	WSA1050	WSA2050	WSA3050*	WSA4050*	*
72"	30"	30" to 42"	WSA1051	WSA2051	WSA3051*	WSA4051*	*
72"	36"	30" to 42"	WSA1052	WSA2052	WSA3052*	WSA4052*	*
1 top of your choice; 2-27" D x 27" H open legs for lift system; 1 hydraulic lifting system; Anti-skid leveling glides;			1-17" hig – Compatib	al adjustement h stringer; ole with WM ac apacity: 825 lb	cessories;		
NO	TE	These moa	lels cannot be ι	ised in mobile	applications.		
** Models with dissipative tops come with: NOTE 1 grounding block; 1 grounding cord and 1 ground wrist strap.						S P/	

#### Wall-Mounted Workbench with Wall Cabinet



Dimensions			Type of Top		
W	D	Painted steel	Laminated wood	Plastic laminated	
60"	30"	R5WH5-1010	R5WH5-2010	R5WH5-3010	
1 top (	1 top of your choice;		1 shelf	WS50-6012	
2 legs		WS95-2428	2 wall cabinets	R5MDA-3003	
2 leg o	rossbar	s WS96-24			

**NOTE** Leg height is 28" and top thickness is 1 <sup>3</sup>/<sub>4</sub>".

WSC0133

WSM0006

WSM0017

97

#### Workstations – Tables and Multi-Purpose Frames

1 WM single unit frame

1 vertical adaptor for electrical

2 tiltable shelves

2 plastic bin rails

and air outlets

6 partial dividers

1 painted steel top

5 plastic bins

2 open legs

1 stringer

1 power outlet strip

#### **Basic Workstation**



#### Packaging Station



WSM0006



2 multi-purpose uprights	WM10-48
2 steel shelves	WS50-6012
2 structural shelf supports	WM27-1201
6 sliding dividers	WS87-1210
1 vertical adaptor for electrical and air outlets	WM41-01
1 power strip	70000505
1 document holder with arm	WM70-01
2 open legs	WS20-2732
1 stringer	WS22-6005
1 laminated wood top	WS14-6030A

1 paper and cardboard spool WS86-60 support WS24-27 2 leg crossbars Product #  $\mathbf{W} \times \mathbf{D} \times \mathbf{H}$ WSM0006 60" x 30" x 80"

W×D×H

60" x 30" x 80'

SOLD SEPARATELY	1	
Packaging shear cutter	WM87-01	SEE PAGE 104

#### End-of-Aisle Workstation



Perfect for consulting information close to stored materials.

Better organization with the help of Rousseau accessories.

WM11-2848

WM20-2812 WM28-2801

WM41-01

70000505

SH52-1206

RG20-040303

WS20-2732

WS22-6005

WS10-6030

Product #

WSC0133

2 closed legs	WS25-2732				
1 laminated wood top	WS14-3630A				
1 WS90-01 sliding keyboard tray or WS90-02 adjustable keyboard tray (except on WSM0018 model without keyboard tray)					
1 single unit frame	WM11-2848				
2 tiltable shelves	WM20-2812				
6 partial dividers	SH52-1206				
1 power strip	7000505				
1 vertical adaptor for electrical and outlets	WM41-01				
1 document holder with arm	WM70-01				
1 tackboard / marker panel	WM54-2424				
1 panel bracket kit	WM50-01				

 $\begin{array}{ccc} \mbox{Product $\#$} & \mbox{Type of Keyboard Tr} ay & \mbox{W} \times D \times H \\ \end{array}$ WSM0016 WS90-01 sliding tray 36" x 30" x 80" WSM0017 WS90-02 adjustable tray 36" x 30" x 80" WSM0018 Model without tray 36" x 30" x 80"



#### Electronic Workstation



Protects sensitive electronic equipment.

1 WM unit frame		WM11-5648
2 tiltable shelves		WM20-2812
2 plastic bin rails		WM28-2801
1 power outlet cha	annel	WM40-2801
1 monitor tray wit	h arm	WM62-01A
1 tiltable pan		WM22-2820
1 storage cabinet	with door	WM75-281516L3
1 pair of cantilever supports	r overhead	WM18-26
1 overhead works	tation light	WM45-48T8-56
7 partial dividers (4 inside storage	e cabinet)	SH52-1206
Product #	$W \times D \times H$	
LC3002C	60" x 30" x 80"	

5 plastic bins	RG20-040303
1 fluorescent work lamp with magnifier	70000635
1 adaptor for lamp or light-duty arm	WM68-01
1 open leg	WS20-2732
1 compact cabinet «L» with 4" base	L3ABD-2808C
1 pair of cabinet attachment bars	RA70-21
1 dissipative top	WS17-6030A
1 grounding block	70000350
1 ground wrist strap	70000320

#### **Quality Control Workstation**



Our proposal to enhance quality control and inspection tasks.

1 single WM unit f	rame	WM11-2848
1 tiltable shelf		WM20-2812
1 overhead workst	tation light	WM45-48T8-28
1 pair of cantilever	r overhead supports	WM18-26
1 power outlet cha	nnel	WM40-2801
1 monitor tray wit	h arm	WM62-01A
1 keyboard and m	ouse tray	WM63-2402
1 tackboard / marl	ker panel	WM54-2424
1 panel bracket kit		WM50-01
Product #	$W \times D \times H$	
LC3003C	60" x 30" x 80"	
-		

3 partial dividers	SH52-1206
1 open leg	WS20-2732
1 compact cabinet «L» with 4" base	L3ABD-2808C
1 pair of cabinet attachment bars	RA70-21
1 plastic laminate top	WS16-6030A

#### Assembly Workstation



LC3001

rousseau

Designed to promote efficient assembly work.

WM11-5648
WM28-2801
WM41-01
70000505
WM70-01
WM53-2436
WM50-01
WM54-2424
WM45-48T8-56
WM47-6001
WM18-26
WM48-01

info@rousseaumetal.com

1 tool balancer		WM49-01
5 plastic bins		RG20-040303
1 pack of 10 doub back single hool		WM98-03
2 open legs		WS20-2732
1 drawer unit		LD75-182109
2 compact drawer	s of 3"	LF31-182103
1 plastic laminate	top	WS16-6030A
1 stringer		WS22-6005
Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
LC3001	60" x 30" x 80	n

rousseaumetal.com

LC3003C

LC3001

R5WH5-2005

#### Basic Workstation with "R" Heavy-Duty Cabinet



Both bulky and high density storage in one workstation.

1 heavy-duty cab	inet with partitioning	R5ACG-3013
1 open leg		WS20-2732
1 laminated woo	d top	WS14-6030A
2 storage cabine	ts with double integrated doors	R5MDA-3003
2 WM brackets for storage cabinet		RD08-28
1 double WM unit frame		WM11-5648
Product # W × D × H		
R5WH5-2005	60" x 30" x 80"	

#### Assembly Workstation with "R" Heavy-Duty Cabinet



Access your parts and tools faster.

1 heavy-duty cabinet with partitioning	R5ACG-3013
1 laminated wood top	WS14-6030A
1 open leg	WS20-2732
1 double WM unit frame	WM11-5648
1 tiltable shelf	WM20-2812
2 partial dividers	SH52-1206
1 vertical adaptor for electrical and air outlets	WM41-01
1 power outlet strip	70000505
1 steel shelf	WS50-6012
1 pair of structural shelf supports	WM27-1201
1 privacy panel	WM52-2436
1 panel bracket kit	WM50-01
1 louvered panel	WM55-2836
2 plastic bins	RG20-060603
5 plastic bins	RG20-060602
Product # W × D × H	
R5WH5-2003 60" x 30" x 80"	

#### Maintenance Workstation with "R" Heavy-Duty Cabinets



Designed to centralize all of the materials needed for your activities.

R5ACG-3013
R5ACG-3015
WS14-7230A
WS50-2412
RC15-24
WM11-5648
WM18-26
WM45-48T8-56
WM47-6001
WM48-01
WM49-01
WM28-2801

1 tool support	WM30-01
4 plastic bins	RG20-060603
1 power outlet channel	WM40-2801
1 tiltable pan	WM22-2820
2 tiltable shelves	WM20-2812
4 partial dividers	SH52-1206
2 storage cabinets with door	WM75-281516L3
1 document holder with arm	WM70-01
1 monitor tray with double arm	WM62-02A
1 keyboard and mouse tray	WM63-2402
Product # W × D × H	
R5WL5-2003 72" x 30" x 80"	

R5WL5-2003

End-users: 1.866.463.4270

WORK CENTER

R5WL5-2003

#### Work Surfaces

#### Painted Steel Top

á
٦
-
(
Ī

Top for industrial, maintenance, repair or assembly applications;
Thickness: 1 <sup>3</sup> / <sub>4</sub> ";
2 steel crossbars for attaching legs;
3 wood crossbars (2" x 4") for attaching cabinets and other accessories;
May be reinforced or soundproofed with a WS75 wood filler;
Excellent impact resistance;
Powder paint.

#### Laminated Wood Top



N.	Top for general industrial applications;
3	Thickness: 1 <sup>3</sup> /4";
	Made with varnished hardwood slats;
	90° radius front edge for more comfort;
	Good impact resistance;
/	Attractive appearance.
1	

#### Plastic Laminated Top

F	
100	

#### WS16

WS14

E

Top for general applications. Ideal for assembly, quality control and packaging applications;
Thickness: 1 1/2";
Color: White;
Attractive appearance;
Easy to clean;
90° radius front edge for more comfort.

Please refer to W54 tech sheet for **NOTE** capacity according to configuration. Available on Multi Tool CD.

The 21" deep cabinets are compatible with the 24" WS10/12 tops. NOTE The 21" deep cabinets are not compatible with the 30" and 36" WS10/12 tops. The 27" deep cabinets are compatible with the 30" and 36" WS10/12 tops.


Resistant Acrylic / PVC Plastic Laminated Top WS08

other accessories:

WS75 wood filler;

products are being used; Thickness: 1 3/4". 12 gauge steel; Brushed finish #4, attractive appearance; 2 steel crossbars for attaching legs;

and the second se	
and the second se	
and the second se	
and the second se	the second se
and the second sec	
A REAL PROPERTY AND ADDRESS OF	
	the second s
11	
	and the second se
	and the second se
	1000
a second s	
the second se	



Excellent corrosion resistance;

contact with a substance);

applications), see page 11.

	Color: Gray;
-	Core made of particle board;
	Finish: sheet of gray polymer;
	Deluxe quality laminated top;
	Excellent chemical product resistance (can be in prolonged contact with a substance);
	Superior abrasion resistance compared to standard laminated top;
	Superior impact resistance compared to standard laminated top;
	Attractive appearance.

Top for industrial, maintenance, repair or assembly applications or when solvents, oils or other chemical

3 wood crossbars (2" x 4") for attaching cabinets and

May be reinforced or soundproofed by adding a

Excellent chemical resistance (can be in prolonged

Note: The RC35 top is also compatible with the fixed workstations (not recommended for mobile

#### Dissipative Top

Top for electronics applications. Ideal for assembly or electronics inspection stations; Thickness: 1 1/2"; Color: White; Attractive appearance Easy to clean; 90° radius front for more comfort; Dissipates electric charges that can damage electronic components; Resistance point to point and point to ground between  $10^6$  and  $10^9\,\Omega.$ 

Dime	nsions	Type of Top					
W	D	Acrylic/PVC Plastic Laminated	Painted Steel	Stainless Steel	Laminated Wood	Plastic Laminated	Dissipative
36"	24"				WS14-3624A	WS16-3624A*	
	30"				WS14-3630A	WS16-3630A*	
48"	24"	WS08-4824A*	WS10-4824	WS12-4824 *	WS14-4824A	WS16-4824A*	WS17-4824A*
	30"	WS08-4830A*	WS10-4830	WS12-4830 *	WS14-4830A	WS16-4830A	WS17-4830A*
	36"	WS08-4836A*	WS10-4836	WS12-4836 *	WS14-4836A*	WS16-4836A*	WS17-4836A*
60"	24"	WS08-6024A*	WS10-6024	WS12-6024 *	WS14-6024A	WS16-6024A	WS17-6024A*
	30"	WS08-6030A	WS10-6030	WS12-6030 *	WS14-6030A	WS16-6030A	WS17-6030A
	36"	WS08-6036A*	WS10-6036	WS12-6036 *	WS14-6036A	WS16-6036A	WS17-6036A*
72"	24"	WS08-7224A	WS10-7224	WS12-7224 *	WS14-7224A	WS16-7224A	WS17-7224A*
	30"	WS08-7230A	WS10-7230	WS12-7230 *	WS14-7230A	WS16-7230A	WS17-7230A
	36"	WS08-7236A	WS10-7236	WS12-7236 *	WS14-7236A	WS16-7236A	WS17-7236A

\*Please check with your customer service representative for lead time.

#### WS10 Stainless Steel Top

#### WS12

WS17

rousseau	
----------	--

100

NOTE

# **Components – Work Surfaces**

WS.

-6005

WS\_\_-7205

#### Steel Top Crossbar


#### WS11 / WS13

WS75

WS76

**Back and Side Stops** 

#### WS18 / WS98



Painted steel: WS11;	
Stainless steel: WS13;	
May be attached to cent or WS12) for reinforcer	ter of steel top (WS10 nent;
To order, complete the p needed. Ex.: WS24.	art # with steel choice
Product #	N×D
WS -24	6" x 24"

6" x 30'

6" x 36'

WS\_-30

WS. -36

#### Wood Filler for Steel Top



Made from wooden crossbars;
Inserted into WS10 and WS12 steel tops for soundproofing;
Increases solidity of steel tops;
Allows attachment of accessories beneath the work surface;

Depths available: 24", 30" and 36"; order complete the part # with depth wanted

To order, comp	iele line part # with uepth wanteu.	
Product #	Width	
WS75-48	48"	
WS75-60	60"	
WS75-72	72"	


#### Wood Crossbar for Steel Top

Allows attachment of cabinets, hanging cabinets and drawer units. Also used to secure back panels beneath the steel top; Depths available: 24", 30" and 36" To order, complete the part # with depth wanted; Note: 3 crossbars (2" x 4") are included with each WS10 and WS12 steel top. Droduct # พราย

Product #	WXH	
WS76-0202	2" x 2"	
WS76-0204	4" x 2"	
WS76-0208	8" x 2"	




#### Laminated Wood Top



Designed to be in	stalled between two shelving units
A pair of SH74-2 ordered for inst	24 top supports must be allation.
Product #	W × D
SR90-6024A	60" x 24"

SR90-6024A	60" x 24"	
SR90-7224A	72" x 24"	



#### Painted steel: WS18: Stainless steel: WS98; Can be attached to back or sides according to top dimensions; May be installed on all types of tops; Height: 5". Clear top by approx. 31/4"; To order, complete the part # with steel choice needed. Ex.: WS\_-2405. Product # Length WS\_ \_-2405 24" WS. -3005 30" WS. -3605 36" WS -4805 48"


60"

72"

Color

Black

#### Sliding Keyboard Tray



#### Adjustable Keyboard Tray

#### WS90-02

WS90-01

oysourd may		11000 02
	Support with ar use in the sit/st	ticulating arm designed for and position;
	May be mounte	d on all surfaces;
<b>4 1/2"</b>	Includes:	
1/2"	<ul> <li>mouse tray, right side, as</li> </ul>	slides to the left or s needed
	- ergonomic p	alm rest
	Slides under the	e work surface for storage.
	Sturdy construe	ction;
	Usable area: 91	2" x 20 ½";
	Mouse tray: 9 3/	́к" х 9".
	Takes 30" W un	der the surface.
	Product #	Color
	WS90-02	Black
		14/602
		W 392

Takes 22" W under the surface.


#### **CPU** Support



May be mount	ed on all surfaces;
Handle allows adjusted;	width of plastic side support to be
Adjustments a sions of 3 ½" t	ccommodate computers with dimen- o 9 ¼" width by 12 ½" to 22 ½" height;
Width: 8 ¾" to	11 ½";
Depth: 6 ¾" (8	1/2" with handle);
Height: 18" to :	26".
Product #	Color
WS92-01	Black

#### **Top Supports**

**SR90** 



Sold in pairs;		
Designed to support a SR90 laminated wood to between two shelving units;		
Easy hook assembly.		
Product # Depth		
SH74-24	24"	

rousseau

End-users: 1.866.463.4270

**SH74** 

#### Structural Components



- CA	
<b></b> -3" <b>-</b> ►	

## WS20

Three basic heights: 28", 32" and 34"; WS21 leg extensions can be added according to need;

"Inversed" hat shaped top for added strength; Equipped with knockouts to allow installation of electrical outlets;

A second leg crossbar, WS24, can be added to permit installation of WS50 shelves;

Can be closed with a WS62 side panel.

Product #	DхH	Surface Depth
WS20-2128	21" x 28"	24" and 30"
WS20-2132	21" x 32"	24" and 30"
WS20-2134	21" x 34"	24" and 30"
WS20-2728	27" x 28"	30" and 36"
WS20-2732	27" x 32"	30" and 36"
WS20-2734	27" x 34"	30" and 36"

#### Closed Leg

# 5

One closed side. The face and exterior side have no holes; accessory fixing zones on inner face;		
A second leg crossbar, WS24, may be added to permit installation of WS50 shelves;		
Compatible with the levelling glides (RA74);		
Not compatible with the leg extensions (WS21).		
DxH	Surface Depth	
21" x 28"	0.4" and 0.0"	
21 X 20	24" and 30"	
21 x 20 21" x 32"	24" and 30"	
2 20		
21" x 32"	24" and 30"	
21" x 32" 21" x 34"	24" and 30" 24" and 30"	
	ccessory fixin ossbar, WS24 on of WS50 sh the levelling y vith the leg ex D x H	

For office applications where appearance is

"Inversed hat" shaped top for added strength;

Three basic heights: 28", 32" and 34";

important;

#### Leg Extensions / Caster Adaptors


00000	000000000000000000000000000000000000000	000	000000	
0	0	000	000000	-

For open legs only;
Sold in pairs;
Three heights: 3", 6" and 9";
The 6" and 9" extensions adjust leg height;
Casters may be installed with 3" and 6" extensions; the 9" extensions must not be used with casters.

Leg Crossbar

WS21

WS95



A

#### WS24

WS27

WS25

Allows addition of a second shelf level beneath the work surface;

May be affixed to a WS20 open leg or WS25 closed leg.

Product #	Leg Depth	
WS24-21	21"	
WS24-27	27"	

Product #	Height	Possible Adjustment*	Type of Caster
WS21-0306	3"	—	4" or 6"
WS21-0606	6"	To 3"	4" or 6"
WS21-0904	9"	To 6"	Not compatible
*See W/55 tech	sheet for details	Available on Multi Tool CD	

vəə lech sheet tor details. Available on Multi Tool CD. See

#### Open Wall-Mounted Leg

500 lb capacity per leg; 1000 lb capacity per pair (assuming that wall and wall anchoring are sufficient);
Anchoring bardware not provided by Pousseau:

Anchoring hardware not provided by Rousseau; Designed for 24", 30" and 36" deep tops;

Compatible with all types of tops offered by Rousseau;

Compatible with WS18 back stop and WM10 & WM11 multi-purpose uprights;

Equipped with electrical outlet knockouts on front of leg;

Possible to install WS96 crossbars and 12" deep WS50 shelf (available as an option).

Product #	D x H
WS95-2428	22 5%" x 29 7/16"


## Ergonomic Footrest

Allows ergonomic adjustment up to 12" in height and a maximum of 30° of inclination;
Adjustments can be made easily and simulta- neously;
Equipped with non-skid feet rubber mat glued

to the tray; Fast and simple assembly. Product #  $\mathbf{W} \times \mathbf{D} \times \mathbf{H}$ WS27-2012 20" x 12" x 13"

#### Crossbar for Wall Leg

#### WS96



# **Components – Structure Under the Work Surface**

WS22

Surface Width


48

60'

72'

3

#### Stringer



#### Adjustable Footrest

≥

WS2	
Adjustable width; can be extended by sliding the two parts;	
Required for all mobile workstations;	
May be attached to leg crossbars or on the sides of cabinets to strengthen structure.	

63'

	· · · · · · · · · · · · · · · · · · ·	
Product #	Width Adjustment	
WS23-1624	16" to 24"	
WS23-2440	24" to 40"	
WS23-4072	40" to 72"	

Choice of Footrests	Top Width		
Depending on Configuration	48"	60"	72"
2 legs	WS23-2440	WS23-4072	WS23-4072
1 leg and 1 "L" compact cabinet	WS23-2440	WS23-2440	WS23-4072
2 "L" compact cabinets	-	WS23-1624	WS23-2440
1 leg and 1 RA30-2427 cabinet	-	WS23-2440	WS23-4072
1 leg and 1 RA30-3027 cabinet	-	WS23-2440	WS23-2440
1 leg and 1 RA30-3624 cabinet	-	WS23-1624	WS23-2440

Sold in pairs;

WS22-7205

Shelf Adaptor for Com

nmon	Leg	WS78
	Must be ordered to install on a common leg;	WS50 shelves
	Not compatible with the si	de panels

(WS62).		
Product #	Leg Depth	
WS78-0321	21"	
WS78-0327	27"	

WSA6053

#### Corner Gussets for Leg



WS28

Mount under and attach to leg to reinforce structure;

Recommended for mobile workstations with tops constructed with particleboard or plastic laminated panel;

Note: To find out the capacity of a mobile workstation with gussets, please refer to W54 tech sheet or contact your customer service representative

#### Product # WS28-01


-7206

-7212

WS

WS

#### WS50 / WS56






	ed steel: \ less steel:	,		
Мау		<u>";</u> d on leg crosst supports WM2		SEE PAGES 102, 119
Widt	hs: 48", 60	" and 72" and de	epths: 6" a	nd 12";
- 21"		ions: : 1-6" D + 1-12' : 2-12" D shelve		
Το οι	rder, com	olete part # with	n choice ne	eded.
Prod	uct #	WxD	Surface	Width
WS_	4806	45" x 6"	48	
WS_	4812	45" x 12"	48	
WS_	6006	57" x 6"	60	п
WS_	6012	57" x 12"	60	"

69" x 6"

69" x 12

## Stringer Extension for Common Leg

# Must be ordered to install WS22




stringers on a common leg. Product # WS79-0305

WS79

WS64

#### Side Extension for Common Leg



Required to mount WS60 sliding doors or WS63 back panels to a common leg.

Product #	Height	
WS64-0325	25"	

72"

72"



## **Components – Structure Under the Work Surface**

WS60 / WS61

#### Sliding doors: WS60; Sliding polycarbonate doors: WS61; Allow user to close and lock the area beneath the work surface (standard lock included); Smooth, quiet movement; Fit workstations with 28", 32" or 34" high legs; Order by specifying the choice of door. Ex.: WS<u>61</u>-4828L3 for 39" W x 24" H sliding polycarbonate doors; **Back Panel** Compatible with L1 locks; contact your customer service reprensentative Product # WxH Surface Width WS -4828L3 39" x 24' 48 WS. -6028L3 51" x 24' 60 WS. -7228L3 63" x 24' 72

Front finishing panel: WS65; Back finishing panel: WS66;

Three heights available: 4", 8" and 10";

Allows you to close off the space under a set of sliding doors at both the front and back of the workstation;

Compatible with tables with closed legs 28", 32" or 34" H; Order by indicating the type of panel and height required. Ex.: WS65-4808 for a front finishing panel 48" W x 8" H.

WS86

Side Panel

For installation	n on open legs;	
Fits 28", 32" a	nd 34" high legs	3.
Product #	D x H	Leg Depth
WS62-2128	20" x 25"	21"
WS62-2128 WS62-2728	20" x 25" 26" x 25"	21" 27"

WxH

39" x 24

51" x 24

63" x 24

#### WS63

WS62

For installation behind WS20 open legs or WS25 closed legs; Available with: - 48" (1 piece) - 60" and 72" ( 2 pieces) Fits 28", 32" and 34" high legs. Product # WS63-4828 WS63-6028 WS63-7228

#### WS65 / WS66

Surface Width


48"

60'

72'

Product #	W x H	Height Closed Legs
WS4804	48" x 4"	28"
WS4808	48" x 8"	32"
WS4810	48" x 10"	34"
WS6004	60" x 4"	28"
WS6008	60" x 8"	32"
WS6010	60" x 10"	34"
WS7204	72" x 4"	28"
WS7208	72" x 8"	32"
WS -7210	72" x 10"	34"

## Paper and Cardboard Spool Support



Finishing panel

leg crossbars (sold separately);
Includes two end brackets and one rod;
Rod diameter: 1";
One person alone may insert the spool by pivoting one end of the rod;
pivoting one end of the rod;

Width

48"

60"

72"

Color

Black

Black

Black

WS80

Capacity: 75 lb.


Product #

WS86-48

WS86-60

WS86-72

Installs under the work surface on the WS24




#### Floor Anchor Hardware Kit



Serves to anchor legs to floor;
Includes 4 concrete screws.
Product #
WS80

#### Packaging Shear Cutter

#### WM87




Designed for cutting paper and corrugated rolls, plastic, packing foam, bubble wrap, etc. For materials up to 36" wide;

Cuts in both directions

Product #	Material Cutting Width	Overall Width	
WM87-01	36"	48"	

#### Leveling Glides





Sliding Doors

seaumeta	l.com	

"L" Compact and "R" Heavy-Duty Preco	onfig	gured Models
Here are some of the most popular cabinets for workstations.		IMPORTANT NOTE For drawers
"L" Compact Cabinets:		Understand Drawer parti- tions are included without partitioning, complete the even number folowing the two last
27" deep cabinets are required for 36" deep workstations and are recommended with a multi-purpose stand and on 30" deep mobile stations;		in models. digits of the model.
Come with RA70 cabinet attachment bars to install and suspend the cabinet under the work surface;		Ex.: L3ABD-28 <u>51</u> C with L3ABD-28 <u>52</u> C without
For a 12" drawer: Order LG31 hanging folder bars for letter (8½" x 11") or legal size (8½"x 14") folders;	SEE PAGE 108	Number of Compartments (layout code)
Can be ordered with or without a central lock (L3). To order a cabinet housing with a central lock, add L3 to product number.	)	Drawer dimensions         18"x 21"         18"x 27"         SEE         PAGE           3" to 5"         9 (0206)         9 (0206)         9 (0206)         194
		6" and 8" 6 (0104) 6 (0104)
"R" Heavy-Duty Cabinets:		12" 4 (0102) 4 (0102)
All models include a 2" recessed base and a central cabinet lock;		
Come with RA70 cabinet attachment bars to install the cabinet under the work surface;		Number of Compartments (layout code)
The 12" drawer is designed to hold file hanging bars. Order RG30	SEE	Drawer dimensions         24" x 21"         24" x 27"         30" x 21"         30" x 27"           3" to 5"         12 (0308)         20 (0316)         24 (0518)         25 (0420)
or RG31 file bars.	PAGE 161	6" to 8" 9 (0206) 12 (0209) 12 (0308) 12 (0308)
-		9" and over 4 (0102) 6 (0104) 6 (0203) 9 (0206)

#### "L" Compact Cabinet 28" High – Without base



#### "L" Compact Cabinet 32" High – With 4" base



#### "R" Heavy-Duty Cabinets – With 2" base

		NEW	Sal PROPOSAL	4* 4* 4*
4" 4"	3.	3"	6*	4" 6"
6"	4"	6" 14"	6 <sup>4</sup> 7"	6"
12"			7"	6 <sup>n</sup>
4 drawers	6 drawers	4 drawers	4 drawers	8 drawers
R5ACD-3013 24" x 21" x 32"	R5ACD-3017 24" x 21" x 32"	R5ADD-3015 30" x 21" x 32"	R5ADD-3017 30" x 21" x 32"	R5ADD-4409 30" x 21" x 46"
R5ACG-3013 24" x 27" x 32"	R5ACG-3017 24" x 27" x 32"	R5ADG-3015 30" x 27" x 32"	R5ADG-3017 30" x 27" x 32"	R5ADG-4409 30" x 27" x 46"

Distributors: 1.800.463.4271

End-users: 1.866.463.4270

WORK CENTER

rousseau

ŃEŴ

18" x 21" x 7"

18" x 27" x 7"

#### Drawer Units

To order a drawer unit with locks on drawer, complete the part number with L3.


6" and 7" High Drawer Unit





1 drawer		1 drawer
LD77-3201	18" x 21" x 6"	LD77-3202
I D77-4201	18" x 27" x 6"	LD77-4202

#### 12" High Drawer Unit




#### "L" Compact Cabinet Components

To order a cabinet or a drawer unit, first select a housing. Then choose doors and/or drawers to correspond with the inside height of the housing.

#### Drawer Unit Housing

#### LD75

LD76



100 lb capacity for each drawer in the unit for a maximum of 175 lb per unit; Compatible with LF31 compact drawer

(not included); Order by adding drawer unit housing depth, 21" or 27" deep.

Product #	Inside dim.	
LD75-1809	6"	
LD75-1812	9"	
LD75-1815	12"	

## "L" Compact Cabinet Housing

SEE

PAGE 194

KA, KD or MK

1 drawer

LD75-3201

LD75-4201


2 drawers

LD75-3206

LD75-4206

9" High Drawer Unit

15" High Drawer Unit



Create a customized work space with a wide range of possibilities; Drawers, shelves and doors can be installed in the housing; Housing is equipped with knock-outs on the top for stacking a drawer unit LD75 or another cabinet. In the laer case, order the stacking kit LA78; 2" base, in painted steel or in stainless steel, can be added to make cabinet heights of 26", 30", 32", 36" and 42"; 4" base, in painted steel or in stainless steel, can be added to make cabinet heights of 28", 32", 34", 38" and 44"; Lock on the housing allows user to secure all drawers at the same time, complete the product number with L3; To order hasp for padlock, complete the product number with LP.

Drawer Unit Cover



Used to cover the top of the LD75 drawer un when installed on the work surface;		
	Note: Not compatib	le with LD77 drawer unit.
	Product #	W x D
l	LD76-1821	18" x 21"
	LD76-1827	18" x 27"

Product #	W x D x H	Product #	WxDxH
LA30-182124	18" x 21" x 24"	LA30-182724	18" x 27" x 24"
LA30-182128	18" x 21" x 28"	LA30-182728	18" x 27" x 28"
LA30-182130	18" x 21" x 30"	LA30-182730	18" x 27" x 30"
LA30-182134	18" x 21" x 34"	LA30-182734	18" x 27" x 34"
LA30-182140	18" x 21" x 40"	LA30-182740	18" x 27" x 40"



27" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames and are mandatory for all workstations with a 36" deep top.



## 2 drawers LD75-3203 LD75-4203

Now you may also add security, drawer and mobility accessories.

Maximum 100 lb capacity for

2 drawers

LD75-3202

LD75-4202

1 drawer

LD75-3207

LD75-4207

every drawer in a unit to avoid

destabilizing the workstation when opened.



18" x 21" x 15"

18" x 27" x 15"

18" x 21" x 9"

18" x 27" x 9"



18" x 21" x 9"

18" x 27" x 9"

12


18" x 21" x 15"

18" x 27" x 15"

# **Components – Structure Under the Work Surface**

#### "L" Compact Drawer

LF31



100 lb capacity, 100% extension;
Wide range of accessories available to adapt to
your storage needs;
Precision ball bearing drawer slides included;
Easy hook-on assembly:

sy nook-on assembly,	
r drawer layout proposals;	SEE
	PAGES
5". 8" and 12":	24-25

Available drawer heights; 3", 4", 5", 6 For a 12" drawer: Order LG31 hanging folder bars for letter (81/2" x 11") or legal size (81/2"x 14") folders;

Order by adding the drawer height to the drawer number. Ex.: LF31-182106;

For a drawer lock, order by adding L3 to drawer number. The mechanism covered by a galvanized box requires 3" W x 1" D inside the drawer. Ex.: LF31-182704L3; For a lock-in mechanism, order by adding B to the drawer number. Ex.: LF31-182103B.

Product #	W x D	Inside dim.
LF31-1821	18" x 21"	15" x 18"
LF31-1827	18" x 27"	15" x 24"



# **WORK CENTER**

#### **Integrated Door**



#### Adjustable Shelf




7 standard heights; Handle fitted in plastic. Color: Black; Door are factory installed with hinges on the left side. The may be installed on the right side, upon request; Shelf LB24 must be ordered as storage surface for doors installed above a drawer or another door; For central locking mechanism, complete the product number with L3; For hasp for padlock, complete the product number with LP

WXH	Product #
18" x 12"	LB30-1826
18" x 18"	LB30-1830
18" x 20"	LB30-1836
18" x 24"	

roduct #	WXH
B30-1826	18" x 26"
B30-1830	18" x 30"
B30-1836	18" x 36"






## LA85 / LA86 Leveling Glide Kit

Used to stabilize a cabinet installed on an uneven surface of 1 1/8" to 2"; Can be installed under cabinets with or without bases; Includes: 2 supports and 4 leveling glides. Product # Width LA74-1801 18"

IMPROVED

18"

#### Floor Anchoring Kit




LA74

LA76

Product #		For LA30
LB24-18_	_01	with L3/LP on the housing
LB24-18_	_02	without L3/LP on the housing

## **Cabinet Base**

Product # LB30-1812 LB30-1818 LB30-1820 LB30-1824



Painted steel: LA85;
Stainless steel: LA86;
Available heights: 2" and 4";
2" recessed clearance;
Compatible with LA74 leveling glide kit;
Note: Not compatible with floor anchoring ki


ŃEW

Note (LA76), stacking kit (LA78) and casters; Order by specifying the type of steel finish. Ex.: LA86-182704 for a base in stainless steel of 18" W x 27" D x 4" H.

Product #	W x D x H	
LA182102	18" x 21" x 2"	
LA182104	18" x 21" x 4"	
LA182702	18" x 27" x 2"	
LA182704	18" x 27" x 4"	

End-users: 1.866.463.4270





depending on if the housing is equipped with a central locking mechanism;

Made in galvanized steel; Order by adding the housing depth , 21" or 27" deep.

For storing larger, bulkier items;

Adjustable in height every 1" c/c;

Equipped with edges along sides and back;

Capacity up to 100 lb evenly distributed load;

2 versions of the adjustable shelf are possible

L3

L3/LP

LG41

LG31

#### Security Accessories

		-•
	3	2 keys provided with each lock; Compatible with all drawer dimensions; The mechanism (covered by a galvanized box) requires 3" W x 1" D inside the drawer;
		Order by adding L3 to drawer or partitioning proposal number. Ex.: LF31-182106L3;
		For replacement parts or to retrofit this mechanism, order HA51-L3;
KA, KD or MK	SEE PAGE 194	Note : A security panel LF91 must be ordered to block access between two drawers if managing two different users.
		Product #
		L3

## Door Lock 2 keys provided with each lock;



#### To order a lock, complete the door number by L3. Ex: LB30-1812<u>L3;</u> To order a safety hasp, complete the door number by LP. Ex.: LB30-1812LP; For replacement parts or to retrofit this mechanism, order HA49-L3 or HA49-LP; Note: A security panel LF91 must be ordered to block access between two doors if managing two different users. Product # Lock Safety Hasp

#### Lock-In Mechanism

В

1		
	0	

#### Activated by sliding the mechanism with thumb; Drawer closes without having to reactivate the slide mechanism; Stops drawers from opening on their own; Easy to retrofit;

Order by adding B to the drawer or partitioning number. Ex.: LF31-182106B;

For replacement parts or to retrofit this mechanism, order LY02. Product #

## Central Locking Mechanism

**Drawer Lock** 

**NORK CENTER** 

KA.

	5
10 20	Allows user to lock all drawers in the cabinet at the same time;
	Easy to retrofit;
	Possible to change drawer layout without touching locking
	mechanism;
	To order a lock, complete the product housing number or the proposal cabinet number by L3. Ex.: LA30-182134L3;
10	To order a safety hasp for padlock, complete the housing number with LP. Ex.: LA30-182134LP;
	$\square$ For replacement parts or to retrofit this mechanism, order HA52-L3.
	Product #
KD or MK PA	L3 Lock
	LP Safety hasp

#### Drawer and Handle Accessories

Handle Protector

Installs on drawer handle by clipping in place; Made of transparent plastic; Protects identification labels from dust, grease and dirt; Easy to remove; Note : Labels available. Order LF71-425075. Product # LF70-18



#### Labels designed to be inserted on handles under the handle protector (LF70); 30 labels per page; Print the labels of your choice. A template is available at www.rousseaumetal.com in the Information Centre section.

#### Product #

LF71-425075

## PVC Drawer Liner



#### Protects stored objects; Non-skid surface; Can be installed under partitions and dividers; SEE PAGE Thickness : 3/32" 27 Product # For Drawer LG40-1821-01 18" W x 21" D LG40-1827-01 18" W x 27" D

## Foam for Tools

	LG42
ent;	

	Oil resistant and no	on-absorbent;	
	1 blue foam ¼" thic	ck;	
11	1 black self-adhesi	ve ½" thick foam;	
	Sold without cut-outs. May be cut using a utility knife.		SEE PAGE 195
	Product #	For Drawer	
	LG42-1821-01	18" W x 21" D	
	LG42-1827-01	18" W x 27" D	



Protects stored objects; Blue foam 1/4" thick.			
	Product #	For Drawer	
	LG41-1821-01	18" W x 21" D	
	LG41-1827-01	18" W x 27" D	
	Partitions	and dividers may not be installed	

and dividers may not be installed NOTE with this foam.

#### Folder Hanging Bars



For storing hanging folders;
Can be used for both letter and legal sizes;
Designed for 12" drawers.
Product #
LG31-18

LG42-1827-01



L3/LP

B

LF71

#### Mobility





#### LB81 Sold in pairs; Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

 Capacity : 420 lb per caster;

 Total height : 5 ¼";

 Dark gray polyurethane tread, does not mark floors. Superior industrial quality casters;

 Requires a LB93 cart or a LB97 base for casters.

Product #	Type of Caster
LB81-01	Rigid
LB81-02	Swivel
LB81-03	Swivel with total-lock brake system

#### 6" Casters



#### Sold in pairs; Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel); Capacity : 900 lb per caster; Total height : 7 ½"; Dark gray polyurethane tread, insures silent functioning. Superior industrial quality casters;

Requires a LB93 cart or a LB97 base for casters.

Product #	Type of Caster
LB84-01	Rigid
LB84-02	Swivel
LB84-03	Swivel with total-lock brake system

#### **Cart for Single Cabinet**



Used when installing casters on a single cabinet; Installed under cabinets without base;
Compatible with 4" and 6" casters (sold separately);
Attention: Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

#### Product #

LB93-1821	18" x 21"	
LB93-1827	18" x 27"	

WxD



6" Mag Casters	

Cold in pairs

LB93

LB97

Product #	Tune of Castor
Requires a LB	193 cart or a LB97 base for casters.
movement. Si	uperior industrial quality casters;
	ade polyurethane tread, facilitates
Total height: 7	7 1/2";
Capacity: 100	0 lb per caster;
Aluminium wi	heel with durable chrome plating;
swivel);	
swivel with to	tal-lock brake system (on wheel and
Choice of 3 ty	pes of casters: rigid, swivel,
Sold in pairs	

Product #	Type of Caster
LB85-01	Rigid
LB85-02	Swivel
LB85-03	Swivel with total-lock brake system

#### Base for Casters



Compatible with 4" and 6" casters (sold separately);

Used to install casters under double or triple cabinets;

Installed under cabinets without base;

Note: Sold individually. Order 2 bases for a double cabinet and three bases for a triple cabinet;

Attention: Mobile cabinets must have load evenly distributed to avoid tipping when opening a drawer.

Product #	Depth	
LB97-21	21"	
LB97-27	27"	

#### **Caster Adaptors**



For open legs only;		
Sold in pairs;		
Two heights available: 3" and 6";		
Used for installing casters on WS20 legs.		
Product #	Height	Type of Caster
Product # WS21-0306	Height 3"	Type of Caster 4" or 6"

LB84


LB85

WS21

RA30

#### Heavy-Duty Cabinet Components

#### Heavy-Duty Cabinet Housing



	5
	Install modular drawers, roll-out shelves, adjustable and bottom shelves;
	To order a standard lock, complete the product number with L3.



#### Capacity of 500 lb per pair or 1000 lb for 4; Compatible with all cabinet depths; Compatible with all types of work tops; Galvanized steel. Product # RA73-02 1 pair RA73-04 2 pairs

RA73



#### Adaptor for WS50 Shelf

Allows for insta	allation of a WS50 shelf between	
	A30 cabinets, between a RA30	
cabinet and a \	NS20 leg or between a LA30	
cabinet and a	NS20 leg;	
Attached in the holes on side of cabinet		
(knockouts provided).		
Product #	Depth	
RC15-12	12" (1-12" D shelf or 2-6" D)	

18" (1-12" D shelf+1-6" D or 3-6" D)

24" (2-12" D shelves or 4-6" D)

RC15-18

RC15-24

#### **Bottom Shelf**

#### For storing bulky items;

Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;

Up to 400 lb capacity of evenly distributed load; SH52 dividers can be installed;

Note : For compatibility with double integrated doors, order an adjustable shelf.

Product #	W×D	Capacity
RB23-2421	24" x 21"	200 lb
RB23-2427	24" x 27"	200 lb
RB25-3021	30" x 21"	400 lb
RB25-3027	30" x 27"	400 lb

#### Adjustable Shelf




RB22 / RB24

RB23 / RB25

For storing bulky items; Has edges along the sides and back to prevent items from falling into the bottom of the Adjustable every 1" c/c;

Up to 400 lb capacity of evenly distributed load; SH52 dividers can be installed.

Product #	W × D	Capacity
RB22-2421	24" x 21"	200 lb
RB22-2427	24" x 27"	200 lb
RB24-3021	30" x 21"	400 lb
RB24-3027	30" x 27"	400 lb



#### **Cabinet Attachment Bars**

RA70

RC15



Sold in pairs; Designed to attach the cabinet under the work surface without having to remove the drawers; Note: Absolutly required with Steel top WS10/12 when the cabinet is installed at 1 1/2" from the side of the workstation.

Required to attach a 21" D cabinet to a 30" D WS10/WS12 top or a 27" D cabinet to a 36" D WS10/WS12 top.

Product #	For Cabinet	
RA70-21	21" D	
RA70-27	27" D	

## Partial Divider

## PATENTED



	Unique paten changes easi	ted design that er;	makes spacing		
	Height: 5 1/2";				
	Attach easily: no screws required.				
	Product #	True Depth	For Shelves		
	SH52-1806	13 1/8"	21" D		
$\supset$	SH52-2406	19 1/8"	27" D		

Pictograms to facilitate , installation

**VORK CENTER** 

Height Height 24" x 21" RA30-242128 24" 28' RA30-242130\_ 26 30' RA30-242134 30' 34" RA30-242138\_ 34' 38' 24" x 27" RA30-242728 24' 28' RA30-242730 26 30' RA30-242734 30' 34" RA30-242738 34" 38'

Product #	Inside Height	Total Height
30" x 21"		
RA30-302128_	_ 24"	28"
RA30-302130_	_ 26"	30"
RA30-302134_	30"	34"
RA30-302138_	34"	38"
RA30-302144_	40"	44"
RA30-302158_	_ 54"	58"
30" x 27"		
RA30-302728_	_ 24"	28"
RA30-302730_	26"	30"
RA30-302734_	30"	34"
RA30-302738_	34"	38"
RA30-302744_	40"	44"
RA30-302758_	54"	58"

cabinet;